



Creating A Single Global Electronic Market

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20

ebXML Technical Architecture Risk Assessment v1.0

ebXML Security Team
May 10, 2001

21 **1 Status of this Document**

22

23 There are three categories of ebXML deliverables:

- 24 ○ *Technical Specifications* conform to the ebXML Requirements document.
- 25 ○ *Technical Reports* are either guidelines or catalogues.
- 26 ○ *White Papers* constitute a snapshot of on-going work within a Project Team.

27

28 This Technical Report has been approved by the ebXML Technical Architecture Security
29 Team and has been accepted by the ebXML Plenary.

30 This document contains information to guide in the interpretation or implementation of
31 ebXML.

32 Distribution of this document is unlimited.

33 Note: Implementers should consult the ebXML web site for current status and revisions
34 to all specifications (<http://www.ebxml.org>).

35 ***This version:***

36 www.ebxml.org/specs/secRISK.pdf

37 ***Latest version:***

38 www.ebxml.org/specs/secRISK.pdf

39 **2 ebXML Participants**

40 The authors would like to acknowledge the support of the Security Team who contributed
41 ideas to this document by the group's discussion email list, on conference calls and
42 during the face-to-face meetings.

43

44 Zahid Ahmed, CommerceOne

45 Igor Balabine, NetFish

46 Ralph Berwanger, bTrade

47 Al Boseman, ATPCO

48 Allen Brown, Microsoft

49 Paul Bussey, Cyclone Commerce

50 Eva Cheng, Chinatrust Commercial Bank

51 Gary Crough, Cyclone Commerce

52 Hatem ElSebaaly, IPNet

53 Chris Ferris, Sun

54 Maryann Hondo, IBM

55 Eric Klein, Softshare

56 Dale Moberg, Sterling

57 Per Myrseth, PKI Consulting Services

58 Farrukh Najmi, Sun

59 Rich Salz, Zolera Systems

60 Krishna Sankar, Cisco

61 Amlan Sengupta, Sun

62 Mark Scherling, RSA Securities

63 Jeff Turpin, Cyclone Commerce

64 Jenny Xu, Great Wall Technology LLC

65 **3 Table of Contents**

66

67 1 Status of this Document 2

68 2 ebXML Participants 3

69 3 Table of Contents 4

70 4 Executive Overview 6

71 5 Introduction 7

72 5.1 Audience 7

73 5.2 Scope 7

74 5.3 Related Documents 7

75 6 Design Objectives 8

76 6.1 Problem Description & Goals for ebXML Security 8

77 7 ebXML Risks 10

78 8 ebXML Security Overview 13

79 9 ebXML Business Process Specification Layer 16

80 10 Trading Partner Information 18

81 10.1 PKI Interoperability Issues 19

82 10.2 CPP/CPA Security Elements 20

83 11 Registry and Repository 22

84 11.1 Registry 22

85 11.2 Repository 22

86 12 Messaging Service Functionality 23

87 12.1 SOAP-SEC extensions and Signatures in ebXML Messages 23

88 12.2 Lack of Processing Rules 24

89 12.3 Manifests 24

90 12.4 Key Management 25

91 13 Conformance 26

92 13.1 Overview 26

93 13.2 Conformance Requirements 26

94 14 Future Requirements 26

95 14.1 Multi-hop and third party security services 26

96 14.2 Archiving 27

97 14.3 Minimum Security 27

98 14.4 Automated CPA Generation 28

99 14.5 Issues for non-repudiation of receipt (NRR) 28

100 14.6 Registry and Repository Authentication 28

101 14.7 Messaging without a CPA 29

102 15 Additional Requirements and Recommendations 30

103 16 Reference 31

104 17 Disclaimer 32

105 18 Contact Information 32

106 Appendix A. Security Assertion Markup Language (SAML) ebXML use case 33

107 Appendix B. Packaging Profiles 34

108 Appendix C. Sample Certificate Policy Element 37

109 Appendix D. Registry Sample 39
110 Copyright Statement 43
111

112 **4 Executive Overview**

113

114 We live in interesting times. The further we move toward opening our borders both in a
115 social sense and a business sense, the more we expose ourselves to risk. E-Business
116 technology, like any new technology reflects this environment, and risk is inevitable. But,
117 while there may still be much security work to be done, we should recall the words of one
118 keynote speaker at a recent security conference:

119

120 *The reason not to panic is that we have to accept the poor state of security and*
121 *work to mitigate the risk of attacks rather than try to prevent attacks altogether --*
122 *an impossible task. Technology is not the enemy of security. It's only a tool, one*
123 *that hasn't been used very well.*

124

125 ebXML is an attempt to open borders to global business. Given the limited time frame it
126 faced, the security team decided early on that the most productive role to take would be
127 two-fold:

- 128 • First, work with liaisons from the different working groups to discuss and identify
129 security issues within the working group context; and
- 130 • Second, provide an initial risk assessment of the technical architecture to identify
131 security issues that exist across groups or totally outside the existing group
132 structure.

133

134 This document is the result of that work. The effort has exposed some risks within
135 ebXML, exactly as was the intent of the exercise. While it would have been nice to have
136 found that ebXML is risk-free, we know this would be naive: all real systems have risks
137 associated with them. The risks that have been identified are risks that exist in the broader
138 internet business environment today and should be viewed in this context. To get to the
139 point of having secure e-business, means you have to start somewhere¹. Classic advice in
140 the security field is to start by securing the weakest link, then address the next link, and
141 so on. This is the first step for ebXML: knowing how things stand. A valuable next step
142 would be to integrate the information from the risk assessment as requirements into any
143 ongoing activities for the respective working groups.

144

145 There are well-known security technologies that can be used by implementers of the
146 ebXML specifications to provide a base level of security between any two ebXML
147 partners. SSL and S/MIME are the primary candidates for providing confidentiality and
148 authentication of endpoints. XML Digital Signatures can provide data integrity on
149 messages, and existing authentication and authorization schemes are available to registry
150 providers to enforce access control over data kept in the repository. Aside from XML
151 Digital Signatures, these are the same mechanisms that are found in most web based
152 service models today.

153

154 The bulk of the risks exist in the area of:

¹ Figure 1. in [BS7799-2], step 3 undertake a risk assessment.

- 155 • Dynamic business process definition
 - 156 • Service discovery
 - 157 • Negotiation.
- 158 This can be attributed to the immaturity of the technology.

159
160 Knowing where you are is often half the problem, and that's what this document tries to
161 show.

162 **5 Introduction**

163 This document describes security issues present in the ebXML technical architecture as
164 defined by the ebXML specifications listed in Section 5.3. It provides a high level
165 overview of the security issues in the relationships, interactions, and basic functionality
166 of the ebXML architectural components.

167 **5.1 Audience**

168 Security architects and implementers should use it as a roadmap to learn:

- 169 1. What risks are present in the ebXML architecture
- 170 2. What problems the ebXML security recommendations and profiles can help
171 solve; and
- 172 3. Perhaps most importantly, what security issues are yet to be addressed.

173 **5.2 Scope**

174 The security issues raised here should be considered when reviewing the design or
175 implementation of an ebXML application. This document alone does not provide all the
176 details required to build a secure ebXML application. Please refer to each of the ebXML
177 component specifications listed in Section 5.3 Related Documents and the related
178 reference specifications listed in the References for more details.

179 One of the difficulties in integrating security into a set of specifications that are being
180 developed in parallel is that it potentially results in additional concepts needing to be
181 addressed in a future iteration of the architecture or one of its components. In this
182 document components of the architecture are reviewed and recommendations to address
183 unresolved issues from a security perspective are identified and summarized in Section
184 15 .

185

186 **5.3 Related Documents**

187 This risk analysis considered the following ebXML Specifications on the following
188 topics:

189

- 190 EbXML Collaboration Protocol Profile and Agreement Specification v0.91 [ebCPP]
- 191 EbXML Message Service Interface Specification v 0.93[ebMS]
- 192 EbXML Registry and Repository Specification v0.84[ebRS]
- 193 EbXML Technical Architecture [ebTA]
- 194 EbXML Business Process Specification Schema [ebBPSS]

195 **6 Design Objectives**

196 **6.1 Problem Description & Goals for ebXML Security**


197 Implicit in business exchanges is the notion of trust. Two entities engage in a business
198 relationship with the expectation that each party will fulfill their part of their business
199 agreement. Without this fundamental understanding there could be no exchange.

200 The companies that have implemented *Electronic Data Interchange (EDI)* agreed to
201 implement common middleware that requires a significant investment to provide the
202 assurance of secure transactions. Within the overall the business world, only a small
203 percentage of companies are using EDI; consequently, *Common Business Processes* are
204 dominated by paper transactions. Alternative standards in this area are emerging, but at
205 this time it is not possible to provide a complete security architecture for electronic
206 commerce based on open standards.

207 Network and system manufacturers are currently moving towards policy-based
208 management. This is driven partly by the influence of large organizations such as ISPs
209 and ASPs and partly by their own need to facilitate the management of large
210 implementations of networks and systems. In providing a complete risk assessment it is
211 important to consider this trend.

212 The left side of the picture below, Figure 1, attempts to illustrate how individual
213 applications today are developed in isolation and the information and security for each is
214 left within the application domain. This means that security decisions are closely tied to
215 the application and it is difficult to grow or change the security infrastructure without
216 requiring a rewrite of the application itself.

217



218
 219 **Figure 1. Future for Policy-driven Security**

220 The right side of the picture illustrates a more modular approach. In a Policy-Based
 221 Management scheme, the emphasis is on building a layered infrastructure so that the
 222 application can specify security requirements in terms of the business need. The entities
 223 responsible for the infrastructure and management can then make the appropriate
 224 decisions for mapping the application requirements into the environments security
 225 capabilities and mechanisms.

226 This document attempts to begin a conceptual layering of ebXML applications. It
 227 translates the business need for trust captured by the *Business Process and Information*
 228 *Meta Model* into a set of risk assertions that can be addressed using standard security
 229 technologies. The document also identifies emerging standards that offer the potential for
 230 additional levels of security in the future.

231 This document describes security for ebXML in two dimensions. First, there are security
 232 technologies available that have been identified in some of the ebXML project
 233 specifications (Business Process, Trading Partners, Registry & Repository, and Transport
 234 Routing & Packaging). This process is similar to the isolation model. Each project is
 235 addressing security within a narrow scope and demonstrating their individual piece of
 236 ebXML. Second, there are security risks that need to be addressed across layers of
 237 ebXML architectural components in any implementation of the ebXML architecture. In

238 the process of performing this risk assessment, we introduce the notion of layering
239 security.

240 A set of security risks have been documented in the following Section 7, ebXML Risks.
241 Implementers should use the references cited to provide a complete risk assessment of
242 their implementation.

243 **7 ebXML Risks**

244 Within any organization there exist vulnerabilities or risks that must be mitigated or
245 reduced to an acceptable level in order for the organization to perform business functions.
246 The following list identifies key risks for ebXML:

- 247 • Unauthorized transactions and fraud – The benefit of human experience in
248 identification of unusual or inconsistent transactions is reduced with e-
249 transactions. This automation of transactions may present more risk to businesses
250 by increasing the number of opportunities to change an entity's computer records
251 and/or those of the entity's trading partners which could cause or allow fraud to
252 be perpetrated. In the automated payment generation area, the manipulation or
253 diversion of payments, payment generation in error or the inappropriate timing of
254 payments (funds not in place or payment delivered too early) are an increasing
255 risk to business.
- 256 • Loss of confidentiality – Sensitive information may be inadvertently or
257 deliberately disclosed on the network. External parties might gain information
258 about transactions or specific entity knowledge without the primary party's
259 knowledge.
- 260 • Error detection (application, network/transport, platform) – Errors in processing
261 and communications systems may result in the transmission of incorrect trading
262 information or inaccurate reporting. Application errors can result in significant
263 losses to trading partners and potential business losses.
- 264 • Potential loss of management and audit – There is the potential for the loss of data
265 if proper controls are not implemented. Policies for retention of data are also an
266 issue. EDI transaction data are normally maintained for long periods of time and
267 without consideration of legal and audit issues the parties may not be able to
268 provide adequate or appropriate evidence.
- 269 • Potential legal liability – the legislation for the legality of electronic transactions
270 and records are still being created. Although legal precedence has been set for the
271 use of digital signatures in the US and other countries, there are still a number of
272 countries that do not have any legislation in place for dealing with electronic
273 information. Without proven audit and control, the presentation and admissibility
274 of electronic evidence is still immature and inconsistent between jurisdictions.

275 The major categories of security risks and some countermeasures for ebXML are briefly
276 defined and then categorized in the matrix below.

277 A more complete view of information security management which is covered in [BS-
 278 7799/ISO-17799] including all the aspect of risks need to be measured and controlled to
 279 establish a security management framework.

Risk Category	Risk element	Currently Availabel Conter measure	Emerging Technology for Counter measures
Unauthorized transactions and fraud	Identification	Biometrics (physical); electronic (userid and password, token, certificate; notarized documents	SAML[SAML]
	Authentication	Userid and password; PKI; token; biometrics;	SAML
	Authorization	RBAC; delegated;	SAML
	Non-repudiation of origin	XML-DSIG; PKI; paper; policies and procedures including audit and control	
	Non-repudiation of receipt	AS1, AS2, MDN ^{EDI} ebXML TRP persistent signed receipt plus policies and procedures	
	Secure timestamp	Notary; signed audit logs;	

280
281

Risk Category	Risk element	Currently Availabel Conter measure	Emerging Technology for Counter measures	
Loss of Confidentiality	Application	SMIME/PGP policies and procedures including audit and control		
	Message	SMIME/PGP policies and procedures including audit and control	XML Encryption [XMLENC]	
	Transport		SSL; TLS	
			VPN	
			policies and procedures including audit and control	

282
283
284

^{EDI} <http://www.ietf.org/internet-drafts/draft-ietf-ediint-as1-12.txt>,
<http://www.ietf.org/internet-drafts/draft-ietf-ediint-as2-09.txt>

284

Risk Category		Risk element	Currently Available Counter measure	Emerging Technology for Counter measures
Error Detection	Application	Virus	Anti-virus software plus policies and procedures	
		Improper configuration	Configuration management; policies and procedures including audit and control	
		Improper use	Testing and code reviews	
	Network/ MessageLevel	Virus	Anti-virus software plus policies and procedures	
		Denial of Service		
		Intrusion detection	Intrusion detection software	
		Subversion		
	Network/ Transport Level	Protocol-level attacks		
		Improper configuration	Configuration management; policies and procedures including audit and control	
	Platform	Denial of Service	policies and procedures including audit and control	
		Virus	Anti-virus software plus policies and procedures	
		Improper configuration	policies and procedures including audit and File Access Control; Server Security; Backup and archive; CERT based safe operating practices ²	

285
286

² CERT[®] Coordination Center (CERT/CC), www.cert.org

Risk Category	Risk element	Currently Available Counter measure	Emerging Technology for Counter measures
Potential loss of Management and Audit	Electronic evidence	policies and procedures including audit and control; backup and archival; demonstrable secure processing	WebTrust Principles and criteria for Certificate Authorities AICPA/CICA; PKI Assessment Guidelines (PAG) ABA (two guidelines for assessing and facilitating interoperability of PKIs)
	Key management	policies and procedures including audit and control; CA	XKMS[XKMS]

287
288

Risk Category	Risk element	Currently Available Counter measure	Emerging Technology for Counter measures
Potential Legal Liability		policies and procedures including audit and control	


289
290

Figure 2. Risk Matrix

291 **8 ebXML Security Overview**

292 The *Business Process* is ultimately what defines a need for security. The security process
 293 often becomes a morass of details and technical discussion. At the root of it all is some
 294 business requirement for security, often expressed as a desire to lessen a particular risk or
 295 exposure. The current discussions on security revolve mostly around separate security
 296 mechanisms such as encryption and signing. Questions arise such as: is it necessary for
 297 confidentiality to encrypt the manifest as well as the payload? There are many such
 298 questions, and it is difficult to determine what the business process requires based on a
 299 simple desire to apply or not apply a particular security mechanism.

300 The pictures and text below attempt to capture the relationship between the security
 301 elements and the ebXML Technical Architecture components: Business Process, Trading
 302 Partners, Registry & Repository, and Transport Routing & Packaging.




303

304

Figure 3. BP defines security characteristics

305 The Business Process (BP) definition phase attempts to capture security characteristics of
 306 business process collaboration at a relatively high level (Figure3). In the current ebXML
 307 flow, the information model is then translated into an XML representation and combined
 308 with other environmental information.



309

310

Figure 4. CPP is crafted from different inputs

311 The generation of the *Collaboration Protocol Profile* (CPP) is driven by the *Business*
 312 *Process Information Meta Model* (and contains a reference to the model in its structure)
 313 but is not completely an automatic process. Figure 4 attempts to capture this by
 314 identifying a step called the “trading partner definition”. For the ebXML architecture to
 315 move towards supporting policy-based management, it will require further work in this
 316 area to model security practices and services as well as applications. In the CPP, the
 317 business requirement for providing secure transport becomes an XML element called
 318 **secureTransport**, and the business requirement for security characteristics becomes
 319 an XML attribute called **Characteristics** under the **DeliveryChannel** element
 320 as indicated in the XML fragment below.

321

322

```
<DeliveryChannel >
    <Characteristics
```


```
323         nonrepudiationOfOrigin='false'  
324         nonrepudiationOfReceipt='false'  
325         secureTransport='true'  
326         confidentiality='false'  
327         authenticated='false'  
328         authorized='false'  
329     />  
330 </DeliveryChannel>
```

331 This sub-element of a **DeliveryChannel** then indicates that certain additional elements
332 within the CPP must be defined to provide the details on how secure transport is to be
333 provided. Following the example, if the security attribute **secureTransport** is
334 indicated in the CPP, then the **Transport** element of the CPP might contain details like
335 the following fragment:

```
336 <Transport transportId="N12">  
337     <Protocol version="1.1">HTTP</Protocol>  
338     <Endpointuri=https://www.ebxmlregisterservices.org/asynch  
339     type="request"/>  
340     <TransportSecurity>  
341         <Protocol version="1.0">TLS</Protocol>  
342         <CertificateRef certId="N05"/>  
343     </TransportSecurity>  
344 </Transport>
```

345 The CPP can also define different levels at which security may be present. For example,
346 the Document Exchange Section of the CPP might include tags for an *ebXML binding*
347 [ebCPP]. An ebXML binding contains elements for describing reliable messaging and
348 non-repudiation that contains a reference to a **Certificate** structure that references the
349 key used to sign an ebXML document [XMLDSIG]³. Security can also be defined at the
350 transport level (e.g. SSL via TLS). These patterns can be combined within the CPP
351 document.

352 Once a CPP has been defined, it may be stored in the ebXML compliant Registry &
353 Repository (See Figure 5). When business partner A wishes to collaborate with business
354 partner B, it locates the CPP for partner B and the two parties engage in a process of
355 negotiating an agreement based on matching complimentary items in the two profiles.
356 The end result of this negotiation is a *Collaboration Protocol Agreement (CPA)*
357 document. Currently this is a manual process.




358

359

Figure 5 Storing a CPP and generating a CPA

360 The CPA is then used to configure the runtime for the ebXML components so that the
361 business collaboration can execute the secure business process (Figure 6).



362

363

Figure 6 Configuring the runtime

364 **9 ebXML Business Process Specification Layer**

365 The security model for ebXML relies on an assumption that the modelling of security
366 attributes at the *Business Operational View* (see the text below) is mapped appropriately
367 to the *Functional Service View* (expanded tags in the CPP).

368 The security model only addresses those security attributes that have been represented in
369 XML as a result of the conversion of business process and information models into an
370 XML representation. The current set of security characteristics that the business process
371 [ebBPSS] has chosen to represent in XML is as follows:

```
372         nonrepudiationOfOrigin  
373         nonrepudiationOfReceipt  
374         secureTransport  
375         confidentiality  
376         authenticated  
377         authorized
```

378 Currently the *Business Process* asserts security characteristics at a very coarse level. An
379 example of this coarse granularity is given in the paragraphs below in the description of
380 the issues surrounding **non-repudiation**.

381 To provide end-to-end security it must be possible to assert security requirements at a
382 finer level of granularity in the business information model. For example, there are a
383 number of things within the business model to which security characteristics can be
384 applied; documents, delivery channels, or business processes as a whole.

385 This cannot be done with the current level of detail. The coarser the granularity of the
386 security characteristics, the simpler but more limited the options are. In the beginning of
387 any such effort, it is natural to start with the simple, coarse-grained security
388 characteristics. However, eventually the business process will require finer granularity to
389 the security characteristics despite the challenging nature of such added detail.

390 For example, it is difficult with the current set of security characteristics to indicate
391 whether **non-repudiation** is handled by the application or by the message service layer.
392 It is also difficult to see how this is represented by the CPP. To assert that non-
393 repudiation of receipt is addressed means that some pieces of the message header and
394 payload are being asserted as evidence. In addition, a hash has been generated over this
395 information and evidence that the receiver is able to verify that same hash value is
396 returned in the acknowledgement of receipt to the sender. The sender then needs to
397 archive this information as evidence.

398 Currently each party defining a BP must choose to apply or not apply each security
399 mechanism at each level separately. This leads to a complex representation within a CPP
400 and a potential problem with an increased risk of improper configuration at the packaging
401 stage where it must be decided which parts of the message security should be applied to.

402 To bootstrap the ebXML process, a set of profiles that represent typical business
403 requirements must be established. If additional scenarios are identified, new profiles
404 could be created/documented and added to the choices for parties defining business
405 processes. Sample profiles could address particular business needs, and define those
406 security services necessary to meet those needs. A good example profile would be one for
407 non-repudiation of receipt (NRR). The business process might require that the sending
408 party receive solid proof that the receiving party received the *payloads* unaltered. If NRR

409 is desired, signing will almost always be required as well. In addition it is most likely
410 only necessary to sign the *payloads*, and generate the NRR response over the *payloads*. A
411 profile could be created for this scenario, and the party generating the BP could simply
412 choose to apply this profile rather than having to choose a more complex and obtuse set
413 of security settings. In Appendix B Packaging Profiles, there are four sample profiles for
414 secure packaging of the application payload:

- 415 • Application encryption over payload using PGP [PGP]
- 416 • Application encryption over payload using S/MIME [SMIMEV2][SMIMEV3]
- 417 • Application signing over payload using PGP
- 418 • Application signing over payload using S/MIME

419 **10 Trading Partner Information**

420
421 In order to reduce risk to an acceptable level, potential trading partners must be able to
422 authenticate each other's identity, verify the integrity of the messages they exchange, and
423 ensure the confidentiality of those messages as they transit the network (known
424 collectively as an ebXML security policy). The degree to which they will want to do
425 these things will vary greatly depending on the situation.

426
427 There are many factors that can affect the ability to accomplish the desired level of trust.
428 These include the following:

- 429
430 • Some nations regulate the export, import, or use of cryptographic software. The
431 only means to address this is to ensure that algorithms, key sizes etc are always
432 identified
- 433
434 • Most cryptographic protocols actually support a suite of algorithms and data
435 structures (known collectively as mechanisms). So, even if both parties use
436 XMLDSIG, partners will not be able to validate and verify a signature if one uses
437 X.509[PKIX] mechanisms while the other only uses PGP. A potential way to
438 address this is by defining some base-level profiles that all implementations
439 support to identify which mechanisms a party uses so that “common operating
440 dialects” can be found.
- 441
442 • Even when using common mechanisms, proper interpretation of authentication
443 data can be very difficult and error-prone. For example, even after years of
444 standardization, correct specification of how to validate X.509 certificate paths
445 proves elusive. Given the current state of PKIX[PKIX]development, deferring to
446 the manual evaluation step in CPP/CPA negotiation may be the only appropriate
447 action for agreeing to a certificate validation scheme.
- 448

- 449 • Important pieces of a complete on-line solution are not widely deployed or even
450 specified. For example, determining if a partner's certificate has been revoked, or
451 if they are authorized to make purchases, can only be solved –if at all—through a
452 series of ad hoc methods. This technology will evolve but again, manual
453 evaluation is the only practical option for establishing revocation policies at this
454 time.
455
- 456 ○ This document proposes that a trust anchor element be created within the
457 CPP and that it be represented as an XML Digital Signature [XMLDSIG]
458 KeyInfo element. It is an endpoint for a set of credentials used by the
459 party. It is important to recognize that a single policy will probably have
460 multiple anchors. For example, a small enterprise might have an SSL
461 certificate from a DNS registrar, yet use PGP [PGP] keys signed by a
462 particular staff member for all purchasing agents.
463

464 In spite of these factors, it is still possible to create a secure association between trading
465 partners, and automate a large portion of the establishment of that association by defining
466 a **securityPolicy** element in the CPP. This element would advertise the set of security
467 mechanisms a party understands, the profiles for those mechanisms, and the trust anchors
468 that will be issuing the credentials used within that policy. The policies can be
469 asymmetric, allowing separate identification of what it can accept from what it will,
470 itself, generate. For example, a party might accept SSL-protected messages, but will
471 itself, only generate [XMLDSIG] signed acknowledgements.
472

473 In order to encourage maximum interoperability, the following standard mechanisms are
474 identified and vendors are encouraged to implement them:

- 475 -
- 476 ▪ When exchanging identity information, use X.509v3 Certificates that follow the
477 IETF profile (RFC2459 and its successors). [PKIX]
 - 478 ▪ When symmetric-key encryption is needed, use 3DES or the AES.
 - 479 ▪ When asymmetric encryption is needed, use RSA encryption with the OAEP
480 encryption scheme and a key size of 1024 or 2048 bits.
 - 481 ▪ When hashing (or digesting) is needed, use SHA-1.
 - 482 ▪ When transport-level security is required, use SSLv3 or TLS with RSA keys and
483 the RC4 (or ARC4) stream cipher.
484

485 The intent of this document is to initially establish the profile above as a text reference
486 and identify it by the URN *urn:security.ebxml.org/profiles/baseline*. Future versions of
487 the ebXML standards may provide detailed profiles as the correct format for this
488 information and its relationship to the CPP elements are further refined.
489

490 **10.1 PKI Interoperability Issues**

491
492 A Public Key Infrastructure is more than just technology. In fact, technical
493 interoperability accounts for about 20% of the issues when organizations want to cross

494 certify or otherwise trust each other's certificates. There are a number of business,
495 policy, procedure, audit and control issues that must be addressed prior to cross
496 certification. This type of information should be covered in the CPA. Some of the key
497 issues are covered below:

498

- 499 • Legal issues – for dispute resolution there may be a requirement to resolve
500 the dispute in court and it should be determined up front what laws apply
501 and in what jurisdiction
- 502 • Liability issues – who accepts liability, when and how much should be
503 determined (usually per transaction but could be daily or some other means
504 that meets both parties' needs)
- 505 • Level of assurance – in determining the limit of liability, the level of
506 assurance (the level of assurance is based on the level of risk associated
507 with identification, authentication, authorization and security of a
508 certificate) must be determined for each organization and the proof of
509 compliance to that level (compliance audit performed)
- 510 • Cultural and political issues – when dealing with entities external to an
511 entity's borders there may be different cultural or political issues that must
512 be addressed
- 513 • Policies and procedures (see level of assurance) there is a need to
514 determine how certificates are managed such as revocation and timely
515 posting to CRLs and/or OCSP responder, what applications are enabled,
516 how they are enabled, key escrow (NOTE private signing keys should NOT
517 be escrowed) etc.
- 518 • Technical – key size, certificate extensions, algorithms used, physical
519 controls, key usage periods, private key protection, etc.

520

521 Appendix C documents a sample XML fragment for defining CPP elements related to
522 public key policies.

523 **10.2 CPP/CPA Security Elements**

524

525 In the current version of the CPP/CPA, the specification of security elements is limited.
526 It is recommended that XML schema be considered to more effectively express security
527 attributes. For example, the security characteristic is a single element that contains
528 attributes with Boolean values indicating whether or not a security attribute has been
529 addressed. It would be useful to have the security characteristics have a type and be able
530 to have a reference id to include on lower elements (like the transport element), which
531 contain the details like the protocol.

532

533 In addition, it is entirely feasible to develop a super schema that would combine a
534 description of the CPP with description of the CPA and correlate the relevant components
535 of the two using the key/keyref mechanism of XML schema. This would allow a contract
536 validator to match the correlated components to make sure that the contract is actually
537 met.

538

539 The current CPP/CPA does not contain all the details needed to express both the policy
540 and the operational details for specifying security. It is important that any ebXML follow
541 on activity consider creating a group of participants from Business Process, Trading
542 Partners, Security and TR& P to evolve the security attributes currently specified in the
543 CPP.

544

545 It is unclear from the current analysis, where new elements should be attached within the
546 CPP. Two options considered are to attach them to a delivery channel or to attach them to
547 the service binding element of the CPP. If the details are attached to a delivery channel
548 the entire document must be parsed in order to look for matching security attributes. If
549 the details are attached to the service binding, it is easier to relate the security attributes
550 with the packaging elements currently specified in the service binding. Grouping Trust
551 Anchor elements like Certificate elements and allowing the channel specifications to
552 reference the id of a trust anchor subset should be considered. Below is sample text for
553 expressing Trust Anchors.

554

555

```
555     <SecurityPolicy>
556       <TrustAnchors>
557         <!-- a set of <ds:KeyInfo> elements. -->
558         <ds:KeyInfo ID='foo'>...</ds:KeyInfo>
559         <ds:KeyInfo ID='bar'>...</ds:KeyInfo>
560         <ds:KeyInfo ID='chumley'>...</ds:KeyInfo>
561       </TrustAnchors>
562       <Profiles>
563         <!-- A set of "Profile" elements. Each profile
564              identifies a profile, and then the anchors
565              used in that profile. -->
566         <Profile ID="pfl" URN="urn" ANCHORS="foo bar"/>
567       </Profiles>
568       <WillUse>
569         <-- A set of profiles the party will use. -->
570         <ProfileRef>pfl</ProfileRef>
571       </WillUse>
572       <WillAccept>
573         <-- A set of profiles the party will accept. -->
574         <ProfileRef>pfl</ProfileRef>
575       </WillAccept>
576     </SecurityPolicy>
```

577

578 To address the secure packaging part of the Transport Routing & Packaging
579 configuration in the CPP, the CPP should also document the packaging of the message
580 header, payload and attachments so that S/MIME or XMLDSIG can be used to protect
581 the appropriate elements of the message. If the packaging is well defined, it will allow
582 the security tags within the CPP to specify the appropriate certificate data (X.509, PGP,
583 etc.) to be applied to securely sign/encrypt the elements of the Message. This new
584 Packaging Element in the CPP has been proposed, but it needs to be reviewed and an
585 assessment made of whether it addresses this requirement

586

587 **11 Registry and Repository**

588 From a security perspective, the *Registry Service* of ebXML can be seen as a specific
589 case of an ebXML transaction. It is possible to model its operations according to the
590 ebXML Specification Schema and generate an appropriate CPP in the same way any
591 other application would.

592 **11.1 Registry**

593 A security proposal for the Registry and Repository is documented in [REGSEC].

594 The following scenario illustrates how security for Registry processes *might* be
595 specified. Note the following paragraphs and Appendix D Registry Sample documents an
596 exercise to explore how an application might define its Business processes and messages
597 as a way of illustrating the process of defining security for any ebXML application. The
598 Registry group is encouraged to engage in such an exercise upon completion of their
599 specification and to add to the profiles defined by the security group.

600 For the purposes of this exercise, the parties identified are the Registry Guest, the *Content*
601 *owner of Submitting Organization* and the *Registry Service*. The *Content owner of*
602 *Submitting Organization* wishes to register its business information in the ebXML
603 Registry and Repository. The Content Owner evaluates the CPP in the Registry, which
604 describes how a document can be submitted. It then creates and signs an ebXML
605 document containing this business information and constructs a message
606 (`RegistrySubmitManagedObject`) to send to the Registry Service.

607 The *Registry Authority* receives the registration request (via an XML document in a TRP
608 message envelope)

609
610 Any Registry Guest is able to read all business entries.

611
612 Appendix D contains a skeletal CPP. In the CPP, the role of “content owner” is defined
613 and a reference is made to an external document, which contains the Process
614 Specification Document for ebXML Registry & Repository. A content owner who wants
615 to add a CPP document to the Registry, creates a CPP document, signs it and sends it to
616 the Registry. The Registry needs to know who is responsible for the document and the
617 connection to the registry must be authenticated.

618

619 A second CPP is included which identifies the role of “registry guest”. Requests for
620 information from a registry are public requests. There is no security required for the
621 connection to the registry in this instance.

622 **11.2 Repository**

623 Security for the repository is currently the responsibility of the implementer. This is an
624 appropriate security choice, but it may have implications for authorization of access to
625 the registry. It is suggested that recommendations for implementers of a repository

626 include performing a risk assessment for the interface between the registry and the
627 repository.

628 **12 Messaging Service Functionality**

629

630 The initial assessment of the *Message Service* was done on the December 2000 version of
631 the document. Within the TRP document security issues are well documented and
632 addressed primarily in Section 12. The latest TRP specification V0.99 includes a merging
633 of ebXML messaging and the SOAP messaging model, and an initial assessment has
634 been made of this new model. There are several topics some of which are not
635 specifically related to security mechanisms that are identified here as topics to consider in
636 future ebXML activity related to secure reliable messaging.

637 **12.1 SOAP-SEC extensions and Signatures in ebXML Messages**

638

639 Given that an ebXML message is carried within a SOAP message, there are currently two
640 ways of signing messages. This may cause some confusion or runtime failures due to
641 misinterpretation. There has been a note posted to the W3C, which identifies one possible
642 set of processing instructions for signing SOAP messages. Below are some "similarities
643 and differences" that may help people wade through the notations. In addition, there is a
644 good reminder in the concluding section of the XMLDSIG note about digital signature
645 not itself preventing replay attacks. The "no-dupes" of reliable messaging can be used to
646 address this type of attack.

647

648

649 1. SOAP-SEC[SOAP-SEC] uses its own namespace and has a schema that wraps around
650 the XMLDSIG namespace, unlike the ebXML example.

651

652 2. SOAP-SEC and ebXML Digital Signatures both have the signature under the SOAP-
653 ENV:Header.

654

655 3. The SOAP-SEC schema allows just one signature

656

657 4. SOAP-SEC uses the SOAP-ENV:actor and SOAP-ENV:mustUnderstand elements,
658 whereas the ebXML example does not.

659

660 5. The actual W3C XMLDSIG machinery is shared. Of course, the ebXML example
661 illustrates using an XPATH transform to cut out the TraceHeaderList (though the S1
662 value for the id attribute doesn't point to anything in the ebxml example)

663

664 6. The ebXML-Sig Reference [ebMS] mechanism uses cid: style URIs, but these are also
665 acceptable in SOAP-SEC (section 3.2).

666

667 7. SOAP-SEC uses the soap protocol conventions of the mustUnderstand and actor
668 constructs. It is not certain whether this is an advantage or just overhead. It might be a
669 disadvantage if SOAP processing and ebXML MSH processing are "walled-off". In that

670 case, no defined lines of communication to the MSH from the SOAP layer exist so that
671 MSH won't have access to the outcomes of checking. In general, it is difficult to assess
672 the impact on implementations, but using SOAP-SEC within ebXML would tend to
673 promote writing a SOAP processing layer as part of the MSH to facilitate
674 communication.

675

676 **12.2 Lack of Processing Rules**

677

678 The TRP document addresses wire format only. Given the complex nature of composing
679 a message that adequately reflects both security and reliability in addition to the correct
680 business process data, there is a good deal of the processing of a business message
681 through the MSH to the SOAP process that is left as an exercise for the reader. While the
682 TRP specification makes a recommendation on how signatures should be applied to a
683 *Message Envelope*, there are still areas of overlap between the SOAP envelope and the
684 ebXML envelope that probably need further definition. As is mentioned in Section 12.1
685 item 7, there is no defined line of communication to the MSH from the SOAP layer.
686 There are several areas in which the specification of the sequence of processing of a
687 message would be helpful.

688

689 Intermediaries and the processing of "via" elements in TRP and SOAP actors with
690 mustUnderstand attributes is one area in which there is a risk of runtime failures if the
691 message flow from both the SOAP processor and the ebXML processing agent is not well
692 understood by all parties.

693

694 There are several other areas of processing that are just general areas of caution due to the
695 relative immaturity of XML technology. Transformations are one such area of concern.
696 TRP signing identifies style sheet transforms (as does the XMLDSIG specification) as of
697 particular concern due to the inconsistency of output from different implementations. In
698 particular caution should be used when data from a signed message is parsed and
699 validated and then the data is to be included in another signed message. The data should
700 be re-signed rather than attempting to pickup a signed piece of information within one
701 message and appending it to another message. The technology to perform consistent
702 transformations is something that will evolve over time. The addition of XML encryption
703 in combination with XML Digital signatures will possibly make this even more complex
704 before it becomes more consistent.

705

706

707 **12.3 Manifests**

708 Independently and collectively, SOAP (with and without attachments), XML digital
709 signatures (and, prospectively, XML encryption) and ebXML offer multiple mechanisms
710 for component reference. Most notable among these is the "manifest". These reference
711 mechanisms allow the composition of macroscopic message structures from microscopic
712 message components. Similarly, SOAP and ebXML each offers a way of routing

713 messages through intermediaries: the "actor" attribute in the case of SOAP and "via"
714 element in the case of ebXML. These routing mechanisms can be thought of as a way of
715 constructing processes on messages and this can be done dynamically.

716
717 Any design environment offering multiple ways of accomplishing the same end
718 challenges the application developer with choices that often seem unmotivated, hence
719 difficult to explain. (The existence of the largely interchangeable attribute and element
720 constructions in XML itself are a good example.) This greatly increases the likelihood of
721 error. The deeper concern, however, is how these compositional mechanisms interact. As
722 there are neither syntactic nor semantic constraints on the interleaving of these
723 functionally similar features, it is probably wise to anticipate that there will be unpleasant
724 system surprises, especially when independent developers make use of composability.
725 While our concern is a generic one, it comes vividly into focus when combining security
726 with messaging.

727
728 A case in point is a scenario in which a SOAP-encoded ebXML message mentions "vias"
729 V1 and V2. Suppose further that the SOAP envelope mentions "actors" A1 and A2. The
730 designers' intention is that V1 signs the ebXML message and V2 does signature
731 validation. On the other hand the SOAP server has been configured to direct all traffic
732 through, A1 which encrypts while A2 decrypts. This means that A2 needs to process the
733 decryption before V2 is readable. In this case, what if A2 does not know about V2? The
734 "ebXML" process thought the message would go from V1 to V2 and was unaware of the
735 outer routing. And this is a simple case. On the face of it, there seems to be nothing to
736 prevent routing episodes in which attempted signing, encryption, validation and
737 decryption may fail.

738 **12.4 Key Management**

739 Key management is a major issue that needs to be addressed with respect to the
740 capabilities of the TR&P Message Service Handler. In particular, if the MSH will be
741 called upon to apply digital signatures, the appropriate private keys must be available to
742 the MSH. Private keys must be managed very carefully and deliberately. Thus, some
743 configuration will be necessary to establish the key management mechanisms to be used
744 by the MSH.

745 Another major issue of key management is the distributing and registering of public keys
746 or certificates used in Public Key Infrastructure (PKI), which is broadly adopted by many
747 applications now for signing or encrypting information.

748
749 Currently a XML Key Management Specification [XKMS] proposed by VeriSign,
750 Microsoft and webMethods has been submitted to W3C for consideration. It is intended
751 to complement the emerging W3C standards activities in the XML Digital Signature and
752 XML Encryption Working Group. There are two subparts in XKMS: the XML Key
753 Information Service Specification (X-KISS) and the XML Key Registration Service
754 Specification (X-KRSS).

755

756 **13 Conformance**

757 **13.1 Overview**

758 Conformance will be based on adhering to the specific conformance requirements
759 delineated in the ebTA, ebRS, ebMS, ebBPSS and ebCPP specifications.

760 **13.2 Conformance Requirements**

761 Types of conformance requirements can be classified as:

- 762 a) Mandatory requirements: these are to be observed in all cases;
763
764 b) Conditional requirements: these are to be observed if certain conditions set out in
765 the specification apply;
766
767 c) Optional requirements: these can be selected to suit the implementation, provided
768 that any requirement applicable to the option is observed.


769 Furthermore, conformance requirements in a specification can be stated:

- 770 • Positively: they state what shall be done;
771 • Negatively (prohibitions): they state what shall not be done.
772

773 **14 Future Requirements**

774 **14.1 Multi-hop and third party security services**

775 The ability to simultaneously support multi-hop traceability and message integrity
776 validation is an issue that must be addressed. For message integrity validation, it is
777 desirable to apply a digital signature to of as much of the message as possible. To support
778 multi-hop traceability, each intermediary must add a new section of signed traceability
779 information. Care must be taken to establish message structuring and processing that
780 allows the traceability information to be added without disturbing any pre-existing
781 integrity or traceability components. With this in mind, it is constructive to consider the
782 proposed ebXML message structure (shown below) in conjunction with potential security
783 mechanisms.



784
785

Figure 7 ebXML message structure

786 There have been discussions of applying S/MIME security mechanisms to the entire
787 message (in the previous figure, this would include the elements grouped under the
788 MIME multipart/related label).

789

790 The move to using an underlying SOAP message envelope may require the restructuring
791 of the current CPP definition of the “nonrepudiation” element and its sub elements. The
792 current tag specifies a protocol and hash algorithm but does not adequately express how
793 this can be applied to an ebXML message (either parts or the complete message) to
794 provide evidence that the receiver has adequately verified the receipt of a signed message
795 and replied with a receipt acknowledging the same hash value over the signed message.

796 **14.2 Archiving**

797 The mechanisms for storing Business Process Information Models, Collaborative Partner
798 Profiles and other related business information should supply assurances that the
799 information stored and retrieved has not been modified by an unauthorized entity. The
800 requirements state that the information should be able to be reconstructed at some point
801 in the future, and at present it is difficult to know if this requirement has been met by the
802 registry security proposal.

803 **14.3 Minimum Security**

804 It is currently assumed that the collaboration agreement (CPA) reached between two
805 Trading Partners adequately reflects the ordering and priority of security policies stated in

806 the CPP, but there is no mechanism for establishing minimum security requirements.
807 The current CPP DTD does not allow the tagging of security configuration at a level that
808 indicates what is required, what is optional, or what is preferred. There is not sufficient
809 detail regarding properties like geography or liability (financial as well as legal) that
810 might affect the choice of security mechanisms in an automated negotiation process.

811 Describing business' capabilities may misrepresent the intent of the CPP.

812 **14.4 Automated CPA Generation**

813 Within the Trading Partner group there is discussion about the dynamic generation of a
814 CPA. The resolution of the CPA generation may require an additional version of this
815 document to address the security issues in CPA negotiation, but it is currently out of
816 scope.

817 **14.5 Issues for non-repudiation of receipt (NRR)**

818 (NOTE: This discussion focuses on message level NRR. Application level responses are
819 out of the scope of this discussion).

820 From a top level (business level) perspective, the most important issue is to determine
821 exactly what parts of the message are subject to NRR. For example, should NRR be
822 applied to the payload items and/or the header? One suggested solution would be to apply
823 NRR to only those parts of the message that were signed by the originator.

824 Another issue concerns how the NRR response should be sent back to the message
825 originator. Should the message be sent back as part of another ebXML message, or
826 should a separate mechanism be used (such as AS1 and/or AS2)?

827 The third and final issue is determining what format the NRR response should take. If it
828 is chosen to use an externally defined transport and format such as AS1 or AS2, then this
829 decision is already made. If, however, ebXML is the chosen transport, it needs to be
830 decided where the NRR response should reside (in the SOAP header, or body, etc.).
831 Additionally, the content of the NRR needs to be decided. It has been proposed within the
832 TRP group that a NRR response should simply be the acknowledgements element which
833 has been signed, but that neglects to include a hash of the parts of the original document
834 for which the NRR is being generated. At a minimum, the hash of the original message
835 parts and a reference to those parts (such as the acknowledgements element) must be
836 signed to supply NRR. As part of the format used, there must be a decision made about
837 what algorithms and transformations will be used to sign the NRR response.

838 Once all of those issues have been decided, there must be some mechanism within the
839 CPP for any optional information (such as the scope of the desired NRR) to be supplied.

840 **14.6 Registry and Repository Authentication**

841 In selecting distinguished names as the binding mechanism to a key, the risk is run that
842 other nonX.509 key binding schemes are ignored. A more generic alternative mechanism

843 is recommended for mapping from keying material to a unique identifier within the
844 registry. A registration process to associate the keying material with the implementation
845 identity would allow supporting alternative key binding schemes. (For further reading
846 please see section 9.1 first paragraph of the [ebRS]).

847 **14.7 Messaging without a CPA**

848

849 There has been discussion on the TRP mailing list including participants from TP and
850 Security around the topic of CPPs and CPAs and whether they are required for
851 Messaging. The risk analysis provided in the overview of this document is dependent
852 upon an agreement between two trading partners being reflected in the creation of a CPA
853 document. It is recommended that a CPA be signed by both parties to indicate their
854 commitment to the agreement.

855

856 The TRP spec [ebMS] currently requires a CPAId element (a string that identifies the
857 parameters that control the exchange of messages between the parties) in a message
858 exchange. Businesses who engage in transactions without documenting their agreement
859 should be aware that all assurance that the business process was adhered to is outside of
860 the ebXML architecture and must be agreed upon and substantiated by some other means.

861

862

863 **15 Additional Requirements and Recommendations**

864

865 **Registry & Repository**

866

- 867 • A more generic alternative mechanism is recommended for mapping from keying
- 868 material to a unique identifier within the registry.
- 869 • It is recommended that implementers of a repository perform a risk assessment for the
- 870 interface between the registry and the repository.

871

872 **CPP/CPA**

873

- 874 • Additional policy-based elements need to be added to the CPP and several
- 875 suggestions are included in this document.
- 876 • A stronger use of schema to type security could aid in the automatic generation of
- 877 CPAs.
- 878 • Defining a set of common profiles would greatly improve chances for
- 879 interoperability.
- 880 • The coarse grained nature of the security characteristics element may increase the risk
- 881 of improper security configuration. Manual review of the CPA is therefore
- 882 recommended.

883

884 **Business Process**

885

- 886 • Modeling of the business process should include a finer grained expression of
- 887 security characteristics. The current set greatly limits the ability to represent security
- 888 throughout the creation and transport of the business content.

889

890 **Transport Routing and Packaging**

891

- 892 • The absence of processing rules for message composition in particular, with regard to
- 893 security in messages, may increase the risk of runtime failure due to
- 894 misunderstanding of the ordering of actions to successfully decompose the message.
- 895 • The absence of a clearly defined handoff between SOAP and ebXML and the
- 896 existence of “intermediaries” at both the SOAP and ebXML level may increase the
- 897 risk of runtime failures.

898 **16 Reference**

899

900 [BS-7799/ISO-17799] Information security management part 1 and 2.

901

902 [PGP] IETF RFC 2440 OpenPGP

903

904 [PKIX] IETF RFC 2459 PKIX Certificate & CRL Profile

905

906 [REGSEC] ebXML RegRep Security-003.doc, Farrukh Najmi, Krishna Sankar,
907 December 9, 2000

908

909 [SAML] Security Assertion Markup Language, [http://www.oasis-](http://www.oasis-open.org/committees/security/docs/draft-sstc-use-strawman-03.html)
910 [open.org/committees/security/docs/draft-sstc-use-strawman-03.html](http://www.oasis-open.org/committees/security/docs/draft-sstc-use-strawman-03.html)

911

912 [SOAP-SEC] W3C Note, Applying Digital Signatures to SOAP,
913 Hiroshi Maruyama, Blair Dillaway

914

915 [SMIMEV2] IETF RFC2311-2315, 2268

916

917 [SMIMEV3] IETF RFC2630-2634

918

919 [XKMS] draft version 1.0, Nov 27th, 2000, <http://www.verisign.com>

920

921 [XMLENC] W3C XML Encryption Syntax and Processing,
922 <http://www.w3c.org/Encryption/2001/03/12-proposal.html>

923

924 XMLDSIG W3C XML Digital Signatures,

925 <http://www.w3.org/TR/2000/CR-xmlsig-core-20001031/>

926

927 **17 Disclaimer**

928 The views and speculations expressed in this document are those of the authors and are
929 not necessarily those of their employers. The authors and their employers specifically
930 disclaim responsibility for any problems arising from correct or incorrect implementation
931 or use of this design.

932 **18 Contact Information**

933 Team Leader

934

935 Maryann Hondo

936 IBM

937 1Rogers St

938 Cambridge, Ma 02142

939 US

940

941 Phone: 617-693-4299

942 Email: mhondo@us.ibm.com

943

944 Editor:

945

946 Paul Bussey

947 Cyclone Commerce

948

949 Email: pbussey@cyclonecommerce.com

950

951

952 **Appendix A. Security Assertion Markup Language (SAML) ebXML use case**

953 The Oasis Security Services Technical Committee is in the process of developing a set of
954 requirements and use cases to develop a language for security assertions. The following
955 use case has been submitted as a generalized use case for ebXML applications that
956 require authentication and authorization. It is based on the work done by the security and
957 registry groups in an exercise to develop a POC example for a business process that
958 required authorization. The use case was submitted to the SAML group so that some
959 ebXML application requirements would be considered in the specification that the SAML
960 group will produce.

961 When the specification is issued, its use within ebXML will need to be explored and
962 documented. Additional elements might be required in the CPP to provide the appropriate
963 information about authorization and authentication authorities and parameters of the
964 assertions.

965 The submitted ebXML use case was grouped with others in the “business to business”
966 scenario.

967 Scenario 1: General Use cases for ebXML authorization

- 968 1) Party A wishes to engage with Party B in a business transaction. To do this, Party A
969 accesses information stored in an ebXML CPP about Party B’s requirements for
970 doing business. Some of this information might include:
- 971 a. Party B requires authorization credentials from AuthorizationServiceXyz
 - 972 b. Party B requires that Party A be authorized by XYZ in the BuyerQ role.
- 973 2) Party A then must be able to determine:
- 974 a. How to get these authorization credentials
 - 975 b. Where/how to insert these credentials in an ebXML message (need to define
976 ebXML bindings)
- 977 3) Party B has received a digitally signed ebXML message from party A and wishes to
978 obtain authorization information about party A
- 979 a. Authorization data must be retrievable based on the DN in the certificate used
980 to sign the ebXML message
- 981 4) Party A has enrolled with AuthorizationServiceXYZ. Party A engages in ebXML
982 business transactions and wants to restrict what entities are able to retrieve its
983 authorization data.

984 **Appendix B. Packaging Profiles**

985

986

987 **PGP profile for application encryption of payload**

988

989 `<?xml version="1.0"?>`990 `<!-- Simple ebXML PGP profile for application encryption of payload. No`991 `signature supplied by application. -->`992 `<Packaging>`993 `<ProcessingCapabilities generate="Yes" parse="Yes"/>`994 `<SimplePart id="header" mimetype="application/vnd.eb+xml" >`995 `</SimplePart>`996 `<SimplePart id="pgpversion"`997 `mimetype="application/pgp-encrypted" >`998 `</SimplePart>`999 `<SimplePart id="payload" mimetype="application/xml" >`1000 `</SimplePart>`1001 `<CompositeList>`1002 `<Encapsulation id="encryptedpayload"`1003 `mimetype="application/octet-stream" >`1004 `<Constituent idref="payload" />`1005 `</Encapsulation>`1006 `<Composite`1007 `id="envelopedpayload" mimetype="multipart/encrypted"`1008 `mimeparameters=`1009 `"protocol="application/pgpencrypted";"`1010 `<Constituent idref="pgpversion" >`1011 `<Constituent idref="encryptedpayload" />`1012 `</Composite>`1013 `<Composite id="ebxmlmessage" mimetype="multipart/related"`1014 `mimeparameters="type="application/vnd.eb+xml";`1015 `version="1.0";"`1016 `<Constituent idref="header" />`1017 `<Constituent idref="envelopedpayload" />`1018 `</Composite>`1019 `</CompositeList>`1020 `</Packaging>`

1021

1022 **PGP profile for application signing of payload**

1023

1024 `<?xml version="1.0" ?>`1025 `<!-- Simple ebXML PGP profile with application signing of the`1026 `payload. Confidentiality if needed can be supplied at the`1027 `network or transport layers. -->`1028 `<Packaging>`1029 `<ProcessingCapabilities generate="Yes" parse="Yes" />`1030 `<SimplePart id="header" mimetype="application/vnd.eb+xml" />`1031 `<SimplePart id="payload" mimetype="application/xml" />`1032 `<CompositeList>`1033 `<Encapsulation id="pgpsig" mimetype="application/pgp-`1034 `signature">`1035 `<Constituent idref="payload" />`1036 `</Encapsulation>`

```

1037     <Composite id="signedpayload" mimetype="multipart/signed"
1038         mimeparameters="protocol="application/pgp-
1039             signature";micalg="pgp-md5">
1040         <Constituent idref="payload" />
1041         <Constituent idref="pgpsig" />
1042     </Composite>
1043     <Composite id="ebxmlmessage"
1044         mimetype="multipart/related">
1045         <Constituent idref="header" />
1046         <Constituent idref="signedpayload" />
1047     </Composite>
1048 </CompositeList>
1049 </Packaging>

```

1050

1051 **S/MIME profile for application encryption of payload**

1052

```

1053 <?xml version="1.0" ?>
1054 <!--
1055 Simple ebXML S/MIME for application-based payload encryption. No
1056 authentication supplied.
1057 -->
1058 <Packaging>
1059     <ProcessingCapabilities generate="Yes" parse="Yes" />
1060     <SimplePart id="I001" mimetype="application/vnd.eb+xml" />
1061     <SimplePart id="I002" mimetype="application/xml" />
1062     <CompositeList>
1063         <Encapsulation id="I003" mimetype="application/pkcs7-
1064             mime" mimeparameters="smime-type="enveloped-data">
1065             <Constituent idref="payload" />
1066         </Encapsulation>
1067         -<Composite id="I004" mimetype="multipart/related"
1068             mimeparameters="type="application/vnd.eb+xml";version
1069             "1.0">
1070             <Constituent idref="I001" />
1071             <Constituent idref="I003" />
1072         </Composite>
1073     </CompositeList>
1074 </Packaging>

```

1075

1076 **S/MIME profile for application signing of payload**

1077

```

1078 <?xml version="1.0" ?>
1079 <!-- Simple ebXML S/MIME profile for application-based,
1080 clear/detached signing of payload. Confidentiality can be
1081 supplied at the network or transport layers. -->
1082 <Packaging>
1083     <ProcessingCapabilities generate="Yes" parse="Yes" />
1084     <SimplePart id="I001" mimetype="application/vnd.eb+xml" />
1085     <SimplePart id="I002" mimetype="application/xml" />
1086     <CompositeList>
1087         <Encapsulation id="I003" mimetype="application/pkcs7-
1088             signature">
1089             <Constituent idref="I002" />
1090         </Encapsulation>

```

```
1091     <Composite id="I004" mimetype="multipart/signed"
1092         mimeparameters="protocol="application/pkcs7-
1093         signature";micalg="rsa-sha1">
1094         <Constituent idref="I002" />
1095         <Constituent idref="I003" />
1096     </Composite>
1097     <Composite id="I005" mimetype="multipart/related"
1098         mimeparameters="type="application/vnd.eb+xml";version=
1099         "1.0">
1100         <Constituent idref="I001" />
1101         <Constituent idref="I004" />
1102     </Composite>
1103 </CompositeList>
1104 </Packaging>
1105
```

1106

1107 **Appendix C. Sample Certificate Policy Element**

```

1108 <?xml version="1.0" encoding="UTF-8" ?>
1109 <CertificatePolicies
1110   xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
1111   <CertificateProfile id="C06" version="X.509 Version 3">
1112     <ds:KeyInfo>
1113       <ds:X509Data>
1114         <!--
1115           two pointers to certificate-A
1116         -->
1117         <ds:X509IssuerSerial>
1118           <ds:X509IssuerName>CN=John Doe, OU=TRL,
1119             O=ebXML,L=location, ST=state/province,
1120             C=country</ds:X509IssuerName>
1121           <ds:X509SerialNumber>12345678</ds:X509SerialNu
1122             mber>
1123         </ds:X509IssuerSerial>
1124         <ds:X509SKI>31d97bd7</ds:X509SKI>
1125       </ds:X509Data>
1126       <ds:X509Data>
1127         <!--
1128           single pointer to certificate-B
1129         -->
1130         <ds:X509SubjectName>Subject of Certificate
1131           B</ds:X509SubjectName>
1132       </ds:X509Data>
1133     <!--
1134       certificate chain
1135     -->
1136     <ds:X509Data>
1137       <!--
1138       Signer cert, issuer CN=arbolCA,OU=FVT,O=IBM,C=US,
1139       serial 4
1140       -->
1141       <ds:X509Certificate>MIICXTCCA..</ds:X509Certificat
1142         e>
1143       <!--
1144       Intermediate cert subject
1145       CN=arbolCA,OU=FVTO=IBM,C=US
1146       issuer,CN=tootiseCA,OU=FVT,O=Bridgepoint,C=US
1147       -->
1148       <ds:X509Certificate>MIICPzCCA...</ds:X509Certifica
1149         te>
1150       <!--
1151       Root cert subject
1152       CN=tootiseCA,OU=FVT,O=Bridgepoint,C=US
1153       -->
1154       <ds:X509Certificate>MIICSTCCA...</ds:X509Certifica
1155         te>
1156     </ds:X509Data>
1157   </ds:KeyInfo>
1158   <PolicyInformation oid="">
1159   <PolicyConstraints>

```

```
1160      <!--  
1161      Liability constraints, etc.  
1162      -->  
1163      <Constraint>  
1164      <ConstraintProcessing />  
1165      </Constraint>  
1166    </PolicyConstraints>  
1167    <PolicyQualifiers>  
1168      <Qualifier />  
1169    </PolicyQualifiers>  
1170    <CertificateExtensions>  
1171      <Extension />  
1172    </CertificateExtensions>  
1173    <CRLProfile version="">  
1174      <CRLDistributionPoints>  
1175        <DistributionPoint />  
1176      </CRLDistributionPoints>  
1177      <CRLExtensions>  
1178        <Extension support="mandatory" />  
1179        <Extension support="optional" />  
1180      </CRLExtensions>  
1181    </CRLProfile>  
1182  </PolicyInformation>  
1183 </CertificateProfile>  
1184 </CertificatePolicies>  
  
1185
```

1186

1187 **Appendix D. Registry Sample**

1188

1189

```
<?xml version = "1.0"?>
```

1190

1191

```
<CollaborationProtocolProfile>
```

1192

```
<PartyInfo>
```

1193

```
<PartyId type =
```

1194

```
"urn:DUNS:nineplusfour">9876543211234</PartyId>
```

1195

```
<PartyRef xlink:type = "simple"
```

1196

```
xlink:href =
```

1197

```
"http://www.collaborationparticipant.com/myid.html"/>
```

1198

```
<CollaborationRole roleId = "I1001">
```

1199

```
<CollaborationProtocol version = "1.0"
```

1200

```
name = "RegistrySubmitManagedObject"
```

1201

```
"locator"
```

1202

```
xlink:href =
```

1203

```
"http://www.ebxml.org/namespaces/RegistrySubmitManagedObjec
```

1204

```
t.xsd"/>
```

1205

```
<Role name = "RegistryServer"
```

1206

```
xlink:href =
```

1207

```
"http://www.ebxml.org/namespaces/RegistrySubmitManagedObjec
```

1208

```
t.xsd"
```

1209

```
xlink:type = "simple">RegistryServer
```

1210

```
</Role>
```

1211

```
<CertificateRef certId = "I10002">
```

1212

```
CN=CollaborationsRUs;O=CollaborationParticipant;C=US
```

1213

```
</CertificateRef>
```

1214

```
<ServiceBinding channelId = "I1010" name = "RegistryServices">
```

1215

```
<Packaging id="I1003" parse = "yes" generate = "yes">
```

1216

```
<SimplePart id = "I1004" mimetype = "application/eb+xml"/>
```

1217

```
<SimplePart id = "I1005" mimetype = "application/xml"/>
```

1218

1219

```
<CompositeList>
```

1220

```
<Encapsulation mimetype = "application/pkcs-signed"
```

1221

```
id = "I1006"
```

1222

```
mimeparameters = "smime-type=signed">
```

1223

```
<Constituent idref = "I1005"/>
```

1224

```
</Encapsulation>
```

1225

```
<Composite mimetype = "multipart/signed"
```

1226

```
id = "I1007" mimeparameters = "">
```

1227

```
<Constituent idref = "I1005"/>
```

1228

```
<Constituent idref = "I1006"/>
```

1229

```
</Composite>
```

1230

```
<Composite mimetype = "multipart/related"
```

1231

```
id = "I1008"
```

1232

```
mimeparameters = "type=application/eb+xml">
```

1233

```
<Constituent idref = "I1004"/>
```

1234

```
<Constituent idref = "I1007"/>
```

1235

```
</Composite>
```

1236

```
</CompositeList>
```

1237

```
</Packaging>
```

1238

```
<Characteristics
```

1239

```
nonrepudiationOfOrigin = "true"
```

1240

```
nonrepudiationOfReceipt = "false"
```

```

1241         secureTransport = "true"
1242         confidentiality = "true"
1243         authenticated = "true" />
1244     </ServiceBinding>
1245 </CollaborationRole>
1246 <Certificate certId = "I1002">
1247     <KeyInfo>
1248     <KeyValue>
1249         <RSAKeyValue>
1250             <Modulus>
1251                 zO7xXoKl4jPRpcUzLdPD3XJjdwp2LsU2sd1Dr3kb0bR04z
1252                 X8SnAl3ov93eVGhylSRPrTpjTpOw3uUmPYgXolk639GYqmn
1253                 VAuffAlTz6BTrMN2OScjq2VLi5i6YxAMP0eXzKw+NXa9KI5
1254                 MfM2zV/IouSeo3M6t60/dG4IiBe6N8=
1255             </Modulus>
1256             <Exponent>AQAB</Exponent>
1257         </RSAKeyValue>
1258     </KeyValue>
1259     <X509Data>
1260         <X509SubjectName>C=US, O=CollaborationParticipant,
1261         CN=CollaborationsRUs</X509SubjectName>
1262         <X509Certificate>
1263             IICWjCCAcOgAwIBAgIBAJANBgkqhkiG9w0BAQQFADBMMRow
1264             GAYDVQQDExFDb2xsYWJvcnF0aW9u1JVczEhMB8GA1UEChMY
1265             Q29sbGFib3JhdGlvblBhcnRyY2lwYW50MQswCQYDVQQGEWJ
1266             VUzAeFw0wTAzMjYwMTAwMzJaFw0wMjYwMTAwMzJaMEw
1267             xGjAYBgNVBAMTEUNvbGxhYm9yYXRpb25zUlVzSEwHwYDVQQ
1268             KEExDb2xsYWJvcnF0aW9uUGFydG1jaXBhbnQxY29sbGFib3JhdGlvbnBhcnRyY2lwYW50MQswCQYDVQQGEWJ
1269             YTA1VTMIGfMA0GCSqGIB3DQEBAQUAA4GNADCBiQKBgQDM7v
1270             FegqXiM9GlxTmt08PdcnN3CinYuxTax3UOveRvRtE7jnfx
1271             CXei/3d5UaHKVJE+tOmNOK7De5SY9iBeiWTrf0ZiqadUC59
1272             8CVPPoF0sw3Y5JyOrZUuLmLpjEA/R5fMrD41dr0ojkx8zbN
1273             X8ii5J6jczq3rT90bgiIF7o3wIDAQAB0wwsJAMBGNVHRMB
1274             Af8EAJAADoGA1UdEQQzMDGBl2NvbGxhYm9yYXRpb25zUlVz
1275             QHNtdHAuY29sbGFib3JhdGlvbnBhcnRyY2lwYW50MQswCQYDVQQGEWJ
1276             SIb3DQEBAUAA4GBAMv/9o/rc2sVmxRB/D/3o2/k2HH1kN8
1277             AHx3fd9unqlDjKvhLt1JtqYwkHK897o3MwmE+yWKEWMAQsO
1278             l0bVCmT1q4QrXcU6mAcB/QxPnObri5vRRVQ1AoZ1Jn2JqMj
1279             xheLZWCfOQoxtpOph84HQGHnyn891aLw6JHOzogXFRNR0
1280         </X509Certificate>
1281     </X509Data>
1282 </KeyInfo>
1283 </Certificate>
1284 <Certificate certId = "I1050">
1285     <KeyInfo>
1286     <KeyValue>
1287         <RSAKeyValue>
1288             <Modulus>
1289                 zO7xXoKl4jPRpcUzLdPD3XJjdwp2LsU2sd1Dr3kb
1290                 0bR04zX8SnAl3ov93eVGhylSRPrTpjTpOw3uUmPYg
1291                 Xolk639GYqmnVAuffAlTz6BTrMN2OScjq2VLi5i6Y
1292                 xAMP0eXzKw+NXa9KI5MfM2zV/IouSeo3M6t60/dG4
1293                 IiBe6N8=
1294             </Modulus>
1295             <Exponent>AQAB</Exponent>
1296         </RSAKeyValue>
1297     </KeyValue>

```



```

1298     <X509Data>
1299         <X509SubjectName>C=US, O=CollaborationParticipant,
1300             CN=CollaborationsRUs</X509SubjectName>
1301     <X509Certificate>
1302         IICWjCCAcOgAwIBAgIBAjANBgbkqhkiG9w0BAQQFADBMMRowGAYDV
1303         QQDExFDb2xsYWJvcnF0aW9u1JVczEhMB8GA1UEChMYQ29sbGFib3J
1304         hdGlvblBhcnRyY2lwYW50MQswCQYDVQGEWJVUzAeFw0wTAzMTYwM
1305         TAwMzJaFw0wMjAzMTYwMTAwMzJhMEwxGjAYBgNVBAMTEUNvbGxhYm
1306         9yYXRpb25zUlVzSEwHwYDVQQKEzhDb2xsYWJvcnF0aW9uUGFydGlj
1307         aXBhbnQxCzAJBgNVBAYTAlVTMIGfMA0GCSqGIB3DQEBQUAA4GNAD
1308         CBiQKBgcQDM7vFegqXiM9GlxTmt08PdcnN3CinYuxTax3UOverVrTE
1309         7jnfxccXei/3d5UaHKVJE+tOmNok7De5SY9iBeiWTrf0ZiqadUC59
1310         8CVPPoFOsw3Y5JyOrZUuLmLpjEA/R5fMrD41dr0ojkx8zbNX8ii5J
1311         6jczq3rT90bgiIF7o3wIDAQABo0wwSjAMBgNVHRMBaf8EAjAADoGA
1312         1UdEQQzMDGBl2NvbGxhYm9yYXRpb25zUlVzQHNTdHAuY29sbGFib3
1313         JhdGlvbnBhcnRuZXIu29tMA0GCSqGSIb3DQEBBQUAA4GBAMv/9o/r
1314         c2sVmxRB/D/3o2/k2HHlkN8AHx3fd9unqlDjKvhlT1JtqYwkHK897
1315         o3MwmE+yWKEWMAQsOl0bVCmT1q4QrXcU6mAcB/QxPnObri5vRRVQ1
1316         AoZ1Jn2JqMjxheLZWCfOQoxtpOph84HQGHnyn891ALw6JHOzogXFR
1317         NR0
1318     </X509Certificate>
1319 </X509Data>
1320 </KeyInfo>
1321 </Certificate>
1322 <DeliveryChannel
1323     channelId = "I1010" transportId = "I1011"
1324     docExchangeId = "I1012">
1325 </DeliveryChannel>
1326 <Transport transportId = "I1011">
1327     <SendingProtocol>HTTP-Synch</SendingProtocol>
1328     <ReceivingProtocol>
1329         <Endpoint uri =
1330             "https://www.collaborationpartner.com/RegistryRespons
1331             eSink" type = "allPurpose"/>
1332     </ReceivingProtocol>
1333     <TransportSecurity>
1334         <Protocol version = "1.0">TLS</Protocol>
1335         <Protocol version = "3.0">SSL</Protocol>
1336         <CertificateRef certId = "I1002">
1337             CN=CollaborationsRUs;O=CollaborationParticipant
1338             ;C=US
1339         </CertificateRef>
1340     </TransportSecurity>
1341 </Transport>
1342 <DocExchange docExchangeId = "I1012">
1343     <ebXMLBinding version = "1.0">
1344     <ReliableMessaging
1345         deliverySemantics = "BestEffort"
1346         idempotency = "true">
1347         <Timeout>10000</Timeout>
1348         <Retries>5</Retries>
1349         <RetryInterval>1000</RetryInterval>
1350     </ReliableMessaging>
1351     <NonRepudiation>
1352         <Protocol version = "1.0">S/MIME</Protocol>
1353         <HashFunction>SHA-1</HashFunction>
1354         <SignatureAlgorithm>RSA</SignatureAlgorithm>

```

```
1355         <CertificateRef
1356             certId = "I1050">string
1357         </CertificateRef>
1358     </NonRepudiation>
1359     <NamespaceSupported
1360         schemaLocation =
1361         "http://www.ebxml.com/namespace/RegistryServices.xsd"
1362         version = "1.0">
1363     </NamespaceSupported>
1364     <NamespaceSupported
1365         schemaLocation = "http://www.w3.org/2000/09/xmldsig#"
1366         version = "1.0">
1367     </NamespaceSupported>
1368     </ebXMLBinding>
1369 </DocExchange>
1370 </PartyInfo>
1371 <ds:Signature/>
1372     <Comment>This sample includes packaging and role element
1373     changes, v32 or so. It is not at 1.0!!</Comment>
1374 </CollaborationProtocolProfile>
1375
1376
```

1377 ***Copyright Statement***

1378 Copyright © UN/CEFACT and OASIS, 2001. All Rights Reserved

1379 This document and translations of it may be copied and furnished to others, and
1380 derivative works that comment on or otherwise explain it or assist in its implementation
1381 may be prepared, copied, published and distributed, in whole or in part, without
1382 restriction of any kind, provided that the above copyright notice and this paragraph are
1383 included on all such copies and derivative works. However, this document itself may not
1384 be modified in any way, such as by removing the copyright notice or references to the
1385 ebXML organizations, except as needed for the purpose of developing standards in which
1386 case the procedures for copyrights defined in the ebXML Standards process must be
1387 followed, or as required to translate it into languages other than English.

1388 The limited permissions granted above are perpetual and will not be revoked by ebXML
1389 or its successors or assigns.

1390 This document and the information contained herein is provided on an "AS IS" basis and
1391 ebXML DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING
1392 BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE
1393 INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED
1394 WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR
1395 PURPOSE.
