

Lawrence Berkeley National Laboratory

Recent Work

Title

THE PREPARATION AND SOME PROPERTIES OF CURIUM METAL

Permalink

<https://escholarship.org/uc/item/51t3d12j>

Authors

Wallmann, J.C.

Crane, W.W.T.

Cunningham, B.B.

Publication Date

1950-08-01

UNIVERSITY OF CALIFORNIA - BERKELEY

UCRL- 80A



TWO-WEEK LOAN COPY

*This is a Library Circulating Copy
which may be borrowed for two weeks.
For a personal retention copy, call
Tech. Info. Division, Ext. 5545*

RADIATION LABORATORY

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

Cover Sheet
Do not remove

UCRL 844
INDEX NO. _____
This document contains 2 pages
This is copy 67 of 70 Series A

DECLASSIFIED

Issued to Life Division

Classification

[illegible]

UNIVERSITY OF CALIFORNIA

Radiation Laboratory

Contract No. W-7405-eng-48

DECLASSIFIED



THE PREPARATION AND SOME PROPERTIES OF CURIUM METAL

J. C. Wallmann, W. W. T. Crane, and B. B. Cunningham

August 1, 1950

CAUTION

This document contains information affecting the
National Defense of the United States.
Its transmission or the disclosure of its contents
in any manner to an unauthorized person is pro-
hibited and may result in severe criminal penalties
under applicable Federal laws.



Berkeley, California

~~CONFIDENTIAL~~

<u>Standard Distribution: Series A</u>	<u>Copy Numbers</u>
Argonne National Laboratory	1-10
Atomic Energy Commission, Washington	11-12
Brookhaven National Laboratory	13-16
Carbide & Carbon Chemicals Division (K-25 Plant)	17-18
Carbide & Carbon Chemicals Division (Y-12 Plant)	19
General Electric Company, Richland	20-25
Hanford Operations Office	26
Iowa State College	27
Kellex Corporation	28
Knolls Atomic Power Laboratory	29-32
Los Alamos	33-35
Mound Laboratory	36-38
Naval Radiological Defense Laboratory	39
NEPA Project	40
New York Operations Office	41-42
Oak Ridge National Laboratory	43-48
Patent Branch, Washington	49
Technical Information Division, ORE	50-64
UCLA Medical Research Laboratory (Warren)	65
University of California Radiation Laboratory	66-68
University of Rochester	69-70
Total	70

Information Division
Radiation Laboratory
Univ. of California
Berkeley, California

CONFIDENTIAL

Chemistry-Transuranic Elements
UCRL-844
Page 3

DECLASSIFIED

THE PREPARATION AND SOME PROPERTIES OF CURIUM METAL

J. C. Wallmann, W. W. T. Crane, and B. B. Cunningham
Department of Chemistry and Radiation Laboratory
University of California, Berkeley, California

Aug. 1, 1950

Curium metal has been prepared on the microgram scale by reduction of curium trifluoride with barium metal vapor at 1275°C., using a vacuum furnace and double crucible system similar to that described by Fried and Davidson.¹

(1) Fried and Davidson, J. Am. Chem. Soc., 70, 3539 (1948).

Six successful reductions, which yielded bright metallic globules of metal ranging in mass from about 0.01 $\mu\text{g.}$ to 4 $\mu\text{g.}$ have been made. The metal is silvery in appearance and about as malleable as plutonium prepared under the same conditions. The metal retained its bright appearance in the dry atmosphere of a nitrogen "dry box" for some hours but gradually tarnished, and on standing for about 24 hours was rather badly corroded. Under the same conditions, samples of other actinide metals, such as americium or plutonium, have shown less evidence of reaction. The greater reactivity of curium probably is to be attributed to the radioactivity of the isotope Cm^{242} (equivalent to a power output of 1.2×10^{-4}

(2) The isotope used for this work was the 162-day Cm^{242} . The preparation and isolation of microgram quantities of Cm^{242} has been described by Werner and Perlman, National Nuclear Energy Series, Plutonium Project Record, Vol. 14B, "The Transuranium Elements: Research Papers," Paper No. 22.5 (McGraw-Hill Book Co., Inc., New York, 1949).

watts/ $\mu\text{g.}$), which is sufficient to maintain the temperature of the sample substantially above that of its environment. Approximate calculations show that

the steady state temperatures of our samples probably were from 50-100°C. above that of the surroundings.

The trifluoride used for the reductions was prepared by precipitating Cm(III) in dilute nitric acid in a fluorothene microcone with an excess of hydrofluoric acid, washing the precipitate with dilute hydrofluoric acid, and drying the CmF_3 in platinum under a heat lamp. Pieces of the dry fluoride were then transferred to the inner crucible for reduction. When the quantities of curium were relatively large (ca. 10 μg), the trifluoride was compacted in the bottom of the crucible by tamping with a quartz rod.

The conditions for reduction to usable metal were rather critical. Reduction at 1380°C. left the metal as a thin film adhering to the wall of the crucible. Reduction at about 1250°C. resulted in the formation of a cokey residue, indicating poor agglomeration of the metal. Reduction with barium vapor at 1275°C. for 45 seconds, followed by additional heating at 1100°C. for 45 seconds and a final heating at 960°C. for 20 seconds produced optimum results. In one such run on 12 μg . of CmF_3 , reduction yielded a single 4 μg . spheroidal piece of metal. This piece was separated from the crucible, intact and free of slag or other residues.

The volume of the piece was estimated by measurement with a filar micrometer under about 200x magnification. The mass of the sample was determined by weighing with a torsion microgram balance and the mass of curium by radiometric assay for Cm^{242} . The results of the last two measurements (which constitute a specific activity determination) indicated that the curium metal was pure, within the limit of error of the measurements ($\pm 5\%$).

From the mass and volume measurements the density of the metal was computed to be ca. 7. This is a surprisingly low value and perhaps is to be explained by the presence of a void in the piece of metal examined. Additional measurements of the density will be made as more curium becomes available.

This work was performed under the auspices of the U. S. AEC.