



# OWL 2 Web Ontology Language Quick Reference Guide (Second Edition)

W3C Recommendation 11 December 2012

**This version:**

<http://www.w3.org/TR/2012/REC-owl2-quick-reference-20121211/>

**Latest version (series 2):**

<http://www.w3.org/TR/owl2-quick-reference/>

**Latest Recommendation:**

<http://www.w3.org/TR/owl-quick-reference>

**Previous version:**

<http://www.w3.org/TR/2012/PER-owl2-quick-reference-20121018/>

**Editors:**

Jie Bao, formerly at Rensselaer Polytechnic Institute

[Elisa F. Kendall](#), Sandpiper Software, Inc.

[Deborah L. McGuinness](#), Rensselaer Polytechnic Institute

Peter F. Patel-Schneider, Nuance Communications

**Contributors:**

Li Ding, formerly at Rensselaer Polytechnic Institute

[Ankesh Khandelwal](#), Rensselaer Polytechnic Institute

Please refer to the [errata](#) for this document, which may include some normative corrections.

A [color-coded version of this document showing changes made since the previous version](#) is also available.

This document is also available in these non-normative formats: [PDF version](#), [Reference Card](#).

See also [translations](#).

**Copyright** © 2012 [W3C](#)® ([MIT](#), [ERCIM](#), [Keio](#)), All Rights Reserved. W3C [liability](#), [trademark](#) and [document use](#) rules apply.

---

## Abstract

The OWL 2 Web Ontology Language, informally OWL 2, is an ontology language for the Semantic Web with formally defined meaning. OWL 2 ontologies provide classes, properties, individuals, and data values and are stored as Semantic Web documents. OWL 2 ontologies can be used along with information written in RDF, and OWL 2 ontologies themselves are primarily exchanged as RDF documents. The OWL 2 [Document Overview](#) describes the overall state of OWL 2, and should be read before other OWL 2 documents.

This document provides a non-normative quick reference guide to the OWL 2 language. It also provides links to other documents, including the [OWL 2 Primer](#) for language introduction and examples, the [OWL 2 Structural Specification and Functional Syntax](#) document for more details of the functional syntax, and the [OWL 2 New Features and Rationale](#) document for new feature descriptions.

## Status of this Document

### May Be Superseded

*This section describes the status of this document at the time of its publication. Other documents may supersede this document. A list of current W3C publications and the latest revision of this technical report can be found in the [W3C technical reports index](#) at <http://www.w3.org/TR/>.*

### Summary of Changes

There have been no [substantive](#) changes since the [previous version](#). For details on the minor changes see the [change log](#) and [color-coded diff](#).

### Please Send Comments

Please send any comments to [public-owl-comments@w3.org](mailto:public-owl-comments@w3.org) ([public archive](#)). Although work on this document by the [OWL Working Group](#) is complete, comments may be addressed in the [errata](#) or in future revisions. Open discussion among developers is welcome at [public-owl-dev@w3.org](mailto:public-owl-dev@w3.org) ([public archive](#)).

### Endorsed By W3C

*This document has been reviewed by W3C Members, by software developers, and by other W3C groups and interested parties, and is endorsed by the Director as a W3C Recommendation. It is a stable document and may be used as reference material or cited from another document. W3C's role in making the Recommendation is to draw attention to the specification and to promote its widespread deployment. This enhances the functionality and interoperability of the Web.*

### Patents

*This document was produced by a group operating under the [5 February 2004 W3C Patent Policy](#). This document is informative only. W3C maintains a [public list of any patent disclosures](#) made in connection with the deliverables of the group; that page also includes instructions for disclosing a patent.*

---

## Table of Contents

- [1 Names, Prefixes, and Notation](#)
- [2 OWL 2 constructs and axioms](#)
  - [2.1 Class Expressions](#)

- [2.2 Properties](#)
- [2.3 Individuals & Literals](#)
- [2.4 Data Ranges](#)
- [2.5 Axioms](#)
- [2.6 Declarations](#)
- [2.7 Annotations](#)
- [2.8 Ontologies](#)
- [3 Built-in Datatypes and Facets](#)
  - [3.1 Built-in Datatypes](#)
  - [3.2 Facets](#)
- [4 Appendix](#)
  - [4.1 New Features in OWL 2](#)
  - [4.2 Additional Vocabulary in OWL 2 RDF Syntax](#)
- [5 Appendix: Change Log \(Informative\)](#)
  - [5.1 Changes Since Recommendation](#)
  - [5.2 Changes Since Proposed Recommendation](#)
  - [5.3 Changes Since Candidate Recommendation](#)
- [6 Acknowledgments](#)

## 1 Names, Prefixes, and Notation

Names in OWL 2 are IRIs, often written in a shorthand prefix:localname, where prefix is a [prefix name](#) that expands to an IRI, and localname is the remainder of the name. The [standard prefix names](#) in OWL 2 are:

Prefix Name	Expansion
rdf:	<a href="http://www.w3.org/1999/02/22-rdf-syntax-ns#">http://www.w3.org/1999/02/22-rdf-syntax-ns#</a>
rdfs:	<a href="http://www.w3.org/2000/01/rdf-schema#">http://www.w3.org/2000/01/rdf-schema#</a>
owl:	<a href="http://www.w3.org/2002/07/owl#">http://www.w3.org/2002/07/owl#</a>
xsd:	<a href="http://www.w3.org/2001/XMLSchema#">http://www.w3.org/2001/XMLSchema#</a>

We use notation conventions in the following tables\*:

Letters	Meaning	Letters	Meaning	Letters	Meaning	Letters	Meaning
C	class expression	CN	class name	D	data range	DN	datatype name
P	object property expression	PN	object property name	R	data property	A	annotation property
a	individual	aN	individual name	_a	anonymous individual (a <a href="#">blank node label</a> )	v	literal
n	non-negative integer**	f	facet	ON	ontology name	U	IRI
s	IRI or anonymous individual	t	IRI, anonymous individual, or literal	p	prefix name	_x	blank node
(a <sub>1</sub> ... a <sub>n</sub> )	<a href="#">RDF list</a>						

\* All of the above can have subscripts. \*\* as a shorthand for "n"^^xsd:nonNegativeInteger

## 2 OWL 2 constructs and axioms

For an OWL 2 DL ontology, there are some [global restrictions](#) on axioms.

In the following tables the first column provides links to the [Primer](#) (if applicable), the second column provides links to the [Functional Syntax](#), and the third column gives RDF triples in the [Turtle syntax](#).

### 2.1 Class Expressions

#### [Predefined and Named Classes](#)

Language Feature	Functional Syntax	RDF Syntax
named class	CN	CN
universal class	<a href="#">owl:Thing</a>	owl:Thing
empty class	<a href="#">owl:Nothing</a>	owl:Nothing

#### [Boolean Connectives and Enumeration of Individuals](#)

Language Feature	Functional Syntax	RDF Syntax
<a href="#">intersection</a>	<a href="#">ObjectIntersectionOf(C<sub>1</sub> ... C<sub>n</sub>)</a>	_:x rdf:type owl:Class. _:x owl:intersectionOf ( C <sub>1</sub> ... C <sub>n</sub> ).
<a href="#">union</a>	<a href="#">ObjectUnionOf(C<sub>1</sub> ... C<sub>n</sub>)</a>	_:x rdf:type owl:Class. _:x owl:unionOf ( C <sub>1</sub> ... C <sub>n</sub> ).
<a href="#">complement</a>	<a href="#">ObjectComplementOf(C)</a>	_:x rdf:type owl:Class. _:x owl:complementOf C.
<a href="#">enumeration</a>	<a href="#">ObjectOneOf(a<sub>1</sub> ... a<sub>n</sub>)</a>	_:x rdf:type owl:Class. _:x owl:oneOf ( a <sub>1</sub> ... a <sub>n</sub> ).

#### [Object Property Restrictions](#)

Language Feature	Functional Syntax	RDF Syntax
<a href="#">universal</a>	<a href="#">ObjectAllValuesFrom(P C)</a>	_:x rdf:type owl:Restriction. _:x owl:onProperty P. _:x owl:allValuesFrom C
<a href="#">existential</a>	<a href="#">ObjectSomeValuesFrom(P C)</a>	_:x rdf:type owl:Restriction. _:x owl:onProperty P. _:x owl:someValuesFrom C
<a href="#">individual value</a>	<a href="#">ObjectHasValue(P a)</a>	_:x rdf:type owl:Restriction. _:x owl:onProperty P. _:x owl:hasValue a.
<a href="#">local reflexivity</a>	<a href="#">ObjectHasSelf(P)</a>	_:x rdf:type owl:Restriction. _:x owl:onProperty P. _:x owl:hasSelf "true"^^xsd:boolean.
<a href="#">exact cardinality</a>	<a href="#">ObjectExactCardinality(n P)</a>	_:x rdf:type owl:Restriction. _:x owl:onProperty P. _:x owl:cardinality n.
<a href="#">qualified exact cardinality</a>	<a href="#">ObjectExactCardinality(n P C)</a>	_:x rdf:type owl:Restriction. _:x owl:onProperty P. _:x owl:qualifiedCardinality n. _:x owl:onClass C.

maximum cardinality	<a href="#">ObjectMaxCardinality(n P)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty P. _:x owl:maxCardinality n.</code>
<a href="#">qualified maximum cardinality</a>	<a href="#">ObjectMaxCardinality(n P C)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty P. _:x owl:maxQualifiedCardinality n. _:x owl:onClass C.</code>
minimum cardinality	<a href="#">ObjectMinCardinality(n P)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty P. _:x owl:minCardinality n.</code>
<a href="#">qualified minimum cardinality</a>	<a href="#">ObjectMinCardinality(n P C)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty P. _:x owl:minQualifiedCardinality n. _:x owl:onClass C.</code>

## Data Property Restrictions

Language Feature	Functional Syntax	RDF Syntax
universal	<a href="#">DataAllValuesFrom(R D)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty R. _:x owl:allValuesFrom D.</code>
existential	<a href="#">DataSomeValuesFrom(R D)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty R. _:x owl:someValuesFrom D.</code>
literal value	<a href="#">DataHasValue(R v)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty R. _:x owl:hasValue v.</code>
exact cardinality	<a href="#">DataExactCardinality(n R)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty R. _:x owl:cardinality n.</code>
qualified exact cardinality	<a href="#">DataExactCardinality(n R D)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty R. _:x owl:qualifiedCardinality n. _:x owl:onDataRange D.</code>
maximum cardinality	<a href="#">DataMaxCardinality(n R)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty R. _:x owl:maxCardinality n.</code>
qualified maximum cardinality	<a href="#">DataMaxCardinality(n R D)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty R. _:x owl:maxQualifiedCardinality n. _:x owl:onDataRange D.</code>
minimum cardinality	<a href="#">DataMinCardinality(n R)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty R. _:x owl:minCardinality n.</code>
qualified minimum cardinality	<a href="#">DataMinCardinality(n R D)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperty R. _:x owl:minQualifiedCardinality n. _:x owl:onDataRange D.</code>

## Restrictions Using n-ary Data Range

In the following table ' $D^n$ ' is an n-ary data range.

Language Feature	Functional Syntax	RDF Syntax
n-ary universal	<a href="#">DataAllValuesFrom(R<sub>1</sub> ... R<sub>n</sub> D<sup>n</sup>)</a>	<code>_:x rdf:type owl:Restriction. _:x owl:onProperties ( R<sub>1</sub> ... R<sub>n</sub> ). _:x owl:allValuesFrom D<sup>n</sup>.</code>

n-ary existential	<a href="#">DataSomeValuesFrom(R<sub>1</sub> ... R<sub>n</sub> D<sup>n</sup>)</a>	$\begin{aligned} & \exists \text{ rdf:type owl:Restriction.} \\ & \exists \text{ owl:onProperties ( R}_1 \dots \text{ R}_n \text{ ).} \\ & \exists \text{ owl:someValuesFrom D}^n. \end{aligned}$
-------------------	---	---

## 2.2 Properties

### [Object Property Expressions](#)

Language Feature	Functional Syntax	RDF Syntax
<a href="#">named object property</a>	<a href="#">PN</a>	PN
<a href="#">universal object property</a>	<a href="#">owl:topObjectProperty</a>	owl:topObjectProperty
<a href="#">empty object property</a>	<a href="#">owl:bottomObjectProperty</a>	owl:bottomObjectProperty
<a href="#">inverse property</a>	<a href="#">ObjectInverseOf(PN)</a>	$\exists \text{ owl:inverseOf PN}$

### [Data Property Expressions](#)

Language Feature	Functional Syntax	RDF Syntax
<a href="#">named data property</a>	<a href="#">R</a>	R
<a href="#">universal data property</a>	<a href="#">owl:topDataProperty</a>	owl:topDataProperty
<a href="#">empty data property</a>	<a href="#">owl:bottomDataProperty</a>	owl:bottomDataProperty

## 2.3 Individuals & Literals

Language Feature	Functional Syntax	RDF Syntax
<a href="#">named individual</a>	<a href="#">aN</a>	aN
<a href="#">anonymous individual</a>	<a href="#">_:a</a>	$\_a$
<a href="#">literal</a> (datatype value)	<a href="#">"abc"^^DN</a>	"abc"^^DN

## 2.4 Data Ranges

### [Data Range Expressions](#)

Language Feature	Functional Syntax	RDF Syntax
<a href="#">named datatype</a>	<a href="#">DN</a>	DN
<a href="#">data range complement</a>	<a href="#">DataComplementOf(D)</a>	$\begin{aligned} & \exists \text{ rdf:type rdfs:Datatype.} \\ & \exists \text{ owl:datatypeComplementOf D.} \end{aligned}$
<a href="#">data range intersection</a>	<a href="#">DataIntersectionOf(D<sub>1</sub>...D<sub>n</sub>)</a>	$\begin{aligned} & \exists \text{ rdf:type rdfs:Datatype.} \\ & \exists \text{ owl:intersectionOf (D}_1 \dots \text{ D}_n \text{ ).} \end{aligned}$
<a href="#">data range union</a>	<a href="#">DataUnionOf(D<sub>1</sub>...D<sub>n</sub>)</a>	$\begin{aligned} & \exists \text{ rdf:type rdfs:Datatype.} \\ & \exists \text{ owl:unionOf (D}_1 \dots \text{ D}_n \text{ ).} \end{aligned}$
<a href="#">literal enumeration</a>	<a href="#">DataOneOf(v<sub>1</sub> ... v<sub>n</sub>)</a>	$\begin{aligned} & \exists \text{ rdf:type rdfs:Datatype.} \\ & \exists \text{ owl:oneOf ( v}_1 \dots \text{ v}_n \text{ ).} \end{aligned}$
<a href="#">datatype restriction</a>	<a href="#">DatatypeRestriction(DN f<sub>1</sub> v<sub>1</sub> ... f<sub>n</sub> v<sub>n</sub>)</a>	$\begin{aligned} & \exists \text{ rdf:type rdfs:Datatype.} \\ & \exists \text{ owl:onDatatype DN.} \\ & \exists \text{ owl:withRestrictions ( :x}_1 \dots \text{ :x}_n \text{ ).} \\ & \exists \text{ j f}_j \text{ v}_j. \quad j=1\dots n \end{aligned}$

## 2.5 Axioms

### [Class Expression Axioms](#)

Language Feature	Functional Syntax	RDF Syntax
<a href="#">subclass</a>	<a href="#">SubClassOf(C<sub>1</sub> C<sub>2</sub>)</a>	C <sub>1</sub> rdfs:subClassOf C <sub>2</sub> .

<a href="#">equivalent classes</a>	<a href="#">EquivalentClasses</a> (C <sub>1</sub> ... C <sub>n</sub> )	C <sub>j</sub> owl:equivalentClass C <sub>j+1..n-1</sub>
<a href="#">disjoint classes</a>	<a href="#">DisjointClasses</a> (C <sub>1</sub> C <sub>2</sub> )	C <sub>1</sub> owl:disjointWith C <sub>2</sub> .
pairwise disjoint classes	<a href="#">DisjointClasses</a> (C <sub>1</sub> ... C <sub>n</sub> )	_x rdf:type owl:AllDisjointClasses. _x owl:members ( C <sub>1</sub> ... C <sub>n</sub> ).
disjoint union	<a href="#">DisjointUnionOf</a> (CN C <sub>1</sub> ... C <sub>n</sub> )	CN owl:disjointUnionOf ( C <sub>1</sub> ... C <sub>n</sub> ).

## Object Property Axioms

Language Feature	Functional Syntax	RDF Syntax
<a href="#">subproperty</a>	<a href="#">SubObjectPropertyOf</a> (P <sub>1</sub> P <sub>2</sub> )	P <sub>1</sub> rdfs:subPropertyOf P <sub>2</sub> .
<a href="#">property chain inclusion</a>	<a href="#">SubObjectPropertyOf</a> (ObjectPropertyChain(P <sub>1</sub> ... P <sub>n</sub> ) P)	P owl:propertyChainAxiom (P <sub>1</sub> ... P <sub>n</sub> ).
<a href="#">property domain</a>	<a href="#">ObjectPropertyDomain</a> (P C)	P rdfs:domain C.
<a href="#">property range</a>	<a href="#">ObjectPropertyRange</a> (P C)	P rdfs:range C.
<a href="#">equivalent properties</a>	<a href="#">EquivalentObjectProperties</a> (P <sub>1</sub> ... P <sub>n</sub> )	P <sub>j</sub> owl:equivalentProperty P <sub>j+1..n-1</sub>
<a href="#">disjoint properties</a>	<a href="#">DisjointObjectProperties</a> (P <sub>1</sub> P <sub>2</sub> )	P <sub>1</sub> owl:propertyDisjointWith P <sub>2</sub> .
<a href="#">pairwise disjoint properties</a>	<a href="#">DisjointObjectProperties</a> (P <sub>1</sub> ... P <sub>n</sub> )	_x rdf:type owl:AllDisjointProperties. _x owl:members ( P <sub>1</sub> ... P <sub>n</sub> ).
<a href="#">inverse properties</a>	<a href="#">InverseObjectProperties</a> (P <sub>1</sub> P <sub>2</sub> )	P <sub>1</sub> owl:inverseOf P <sub>2</sub> .
<a href="#">functional property</a>	<a href="#">FunctionalObjectProperty</a> (P)	P rdf:type owl:FunctionalProperty.
<a href="#">inverse functional property</a>	<a href="#">InverseFunctionalObjectProperty</a> (P)	P rdf:type owl:InverseFunctionalProperty.
<a href="#">reflexive property</a>	<a href="#">ReflexiveObjectProperty</a> (P)	P rdf:type owl:ReflexiveProperty.
<a href="#">irreflexive property</a>	<a href="#">IrreflexiveObjectProperty</a> (P)	P rdf:type owl:IrreflexiveProperty.
<a href="#">symmetric property</a>	<a href="#">SymmetricObjectProperty</a> (P)	P rdf:type owl:SymmetricProperty.
<a href="#">asymmetric property</a>	<a href="#">AsymmetricObjectProperty</a> (P)	P rdf:type owl:AsymmetricProperty.
<a href="#">transitive property</a>	<a href="#">TransitiveObjectProperty</a> (P)	P rdf:type owl:TransitiveProperty.

## Data Property Axioms

Language Feature	Functional Syntax	RDF Syntax
<a href="#">subproperty</a>	<a href="#">SubDataPropertyOf</a> (R <sub>1</sub> R <sub>2</sub> )	R <sub>1</sub> rdfs:subPropertyOf R <sub>2</sub> .
<a href="#">property domain</a>	<a href="#">DataPropertyDomain</a> (R C)	R rdfs:domain C.
<a href="#">property range</a>	<a href="#">DataPropertyRange</a> (R D)	R rdfs:range D.
<a href="#">equivalent properties</a>	<a href="#">EquivalentDataProperties</a> (R <sub>1</sub> ... R <sub>n</sub> )	R <sub>j</sub> owl:equivalentProperty R <sub>j+1..n-1</sub>
disjoint properties	<a href="#">DisjointDataProperties</a> (R <sub>1</sub> R <sub>2</sub> )	R <sub>1</sub> owl:propertyDisjointWith R <sub>2</sub> .
pairwise disjoint properties	<a href="#">DisjointDataProperties</a> (R <sub>1</sub> ... R <sub>n</sub> )	_x rdf:type owl:AllDisjointProperties. _x owl:members ( R <sub>1</sub> ... R <sub>n</sub> ).
<a href="#">functional property</a>	<a href="#">FunctionalDataProperty</a> (R)	R rdf:type owl:FunctionalProperty.

## Datatype Definitions

Language Feature	Functional Syntax	RDF Syntax
<a href="#">datatype definition</a>	<a href="#">DatatypeDefinition(DN D)</a>	DN owl:equivalentClass D.

## Assertions

Language Feature	Functional Syntax	RDF Syntax
<a href="#">individual equality</a>	<a href="#">SameIndividual(a<sub>1</sub> ... a<sub>n</sub>)</a>	a <sub>j</sub> owl:sameAs a <sub>j+1</sub> . j=1...n-1
<a href="#">individual inequality</a>	<a href="#">DifferentIndividuals(a<sub>1</sub> a<sub>2</sub>)</a>	a <sub>1</sub> owl:differentFrom a <sub>2</sub> .
pairwise individual inequality	<a href="#">DifferentIndividuals(a<sub>1</sub> ... a<sub>n</sub>)</a>	_x rdf:type owl:AllDifferent. _x owl:members (a <sub>1</sub> ... a <sub>n</sub> ).
<a href="#">class assertion</a>	<a href="#">ClassAssertion(C a)</a>	a rdf:type C.
<a href="#">positive object property assertion</a>	<a href="#">ObjectPropertyAssertion( PN a<sub>1</sub> a<sub>2</sub> )</a>	a <sub>1</sub> PN a <sub>2</sub> .
<a href="#">positive data property assertion</a>	<a href="#">DataPropertyAssertion( R a v )</a>	a R v.
<a href="#">negative object property assertion</a>	<a href="#">NegativeObjectPropertyAssertion(P a<sub>1</sub> a<sub>2</sub> )</a>	_x rdf:type owl:NegativePropertyAssertion. _x owl:sourceIndividual a <sub>1</sub> . _x owl:assertionProperty P. _x owl:targetIndividual a <sub>2</sub> .
<a href="#">negative data property assertion</a>	<a href="#">NegativeDataPropertyAssertion(R a v )</a>	_x rdf:type owl:NegativePropertyAssertion. _x owl:sourceIndividual a. _x owl:assertionProperty R. _x owl:value v.

## Keys

Language Feature	Functional Syntax	RDF Syntax
<a href="#">Key</a>	<a href="#">HasKey(C (P<sub>1</sub> ... P<sub>m</sub>) (R<sub>1</sub> ... R<sub>n</sub>))</a>	C owl:hasKey (P <sub>1</sub> ... P <sub>m</sub> R <sub>1</sub> ... R <sub>n</sub> ). m+n>0

## 2.6 Declarations

Language Feature	Functional Syntax	RDF Syntax
<a href="#">class</a>	<a href="#">Declaration( Class( CN ) )</a>	CN rdf:type owl:Class.
<a href="#">datatype</a>	<a href="#">Declaration( Datatype( DN ) )</a>	DN rdf:type rdfs:Datatype.
<a href="#">object property</a>	<a href="#">Declaration( ObjectProperty( PN ) )</a>	PN rdf:type owl:ObjectProperty.
<a href="#">data property</a>	<a href="#">Declaration( DataProperty( R ) )</a>	R rdf:type owl:DatatypeProperty.
<a href="#">annotation property</a>	<a href="#">Declaration( AnnotationProperty( A ) )</a>	A rdf:type owl:AnnotationProperty.
<a href="#">named individual</a>	<a href="#">Declaration( NamedIndividual( aN ) )</a>	aN rdf:type owl:NamedIndividual.

## 2.7 Annotations

### Annotations

Language Feature	Functional Syntax	RDF Syntax
<a href="#">annotation assertion</a>	<a href="#">AnnotationAssertion(A s t)</a>	s A t.
<a href="#">annotation of an axiom</a> where the axiom in RDF is one or more triples of the form s <sub>i</sub> U t <sub>i</sub> , i.e., with the same predicate U.	AXIOM( <a href="#">Annotation(A t)</a> ...)	_x <sub>i</sub> A t. s <sub>i</sub> U t <sub>i</sub> . ... _x <sub>i</sub> rdf:type

		<code>owl:Axiom.</code> <code>_:Xi</code> <code>owl:annotatedSource</code> <code>sj.</code> <code>_:Xi</code> <code>owl:annotatedProperty</code> <code>U.</code> <code>_:Xi</code> <code>owl:annotatedTarget</code> <code>tj.</code>
<a href="#">annotation of an axiom</a> where the axiom in RDF is <code>_:x U t1</code>	<code>AXIOM(Annotation(A t)</code> <code>... )</code>	<code>_:x A t.</code> <code>_:x U t1.</code> <code>...</code>
<a href="#">annotation of another annotation</a> (the other annotation in RDF starts with <code>s1</code> )	<code>Annotation(Annotation(A t) ... A1 t1)</code>	<code>_:x A t.</code> <code>s1 A1 t1.</code> <code>...</code> <code>_:x rdf:type</code> <code>owl:Annotation.</code> <code>_:x</code> <code>owl:annotatedSource</code> <code>s1.</code> <code>_:x</code> <code>owl:annotatedProperty</code> <code>A1.</code> <code>_:x</code> <code>owl:annotatedTarget</code> <code>t1.</code>

## Annotation Properties

Language Feature	Functional Syntax	RDF Syntax
named annotation property	<a href="#">A</a>	<code>A</code>
human-readable name	<a href="#">rdfs:label</a>	<code>rdfs:label</code>
human-readable comment	<a href="#">rdfs:comment</a>	<code>rdfs:comment</code>
additional information	<a href="#">rdfs:seeAlso</a>	<code>rdfs:seeAlso</code>
defining agent	<a href="#">rdfs:isDefinedBy</a>	<code>rdfs:isDefinedBy</code>
version information	<a href="#">owl:versionInfo</a>	<code>owl:versionInfo</code>
deprecation	<a href="#">owl:deprecated</a>	<code>owl:deprecated</code>
backwards compatibility	<a href="#">owl:backwardCompatibleWith</a>	<code>owl:backwardCompatibleWith</code>
incompatibility	<a href="#">owl:incompatibleWith</a>	<code>owl:incompatibleWith</code>
prior version	<a href="#">owl:priorVersion</a>	<code>owl:priorVersion</code>

## Annotation Axioms

Language Feature	Functional Syntax	RDF Syntax
<a href="#">annotation subproperties</a>	<a href="#">SubAnnotationPropertyOf(A1 A2)</a>	<code>A1 rdfs:subPropertyOf A2.</code>
annotation property domain	<a href="#">AnnotationPropertyDomain(A U)</a>	<code>A rdfs:domain U.</code>
annotation property range	<a href="#">AnnotationPropertyRange(A U)</a>	<code>A rdfs:range U.</code>

## 2.8 Ontologies

### Ontologies

Language Feature	Functional Syntax	RDF Syntax
<a href="#">OWL ontology (importing)<sup>1,2</sup></a>	<a href="#">Ontology([ON [U]] Import(ON1)...</a>	<code>ON rdf:type owl:Ontology.</code> <code>[ON owl:versionIRI U.]</code> <code>ON owl:imports ON1. ...</code>

	Annotation(A t) ... )	ON A t. ...
prefix declaration <sup>3</sup>	Prefix(p=U)	@prefix p U.

1. [ ] represents optional constructs
2. In the RDF syntax \_:x is used in place of ON if there is no ontology name.
3. RDF syntax is in Turtle, other RDF serializations may vary.

## 3 Built-in Datatypes and Facets

### 3.1 Built-in Datatypes

Universal Datatype	rdfs:Literal							
Numbers	<a href="#">owl:rational</a>		<a href="#">owl:real</a>					
	<a href="#">xsd:double</a>	<a href="#">xsd:float</a>	<a href="#">xsd:decimal</a>	<a href="#">xsd:integer</a>				
	<a href="#">xsd:long</a>	<a href="#">xsd:int</a>	<a href="#">xsd:short</a>	<a href="#">xsd:byte</a>				
	<a href="#">xsd:nonNegativeInteger</a>		<a href="#">xsd:nonPositiveInteger</a>					
	<a href="#">xsd:positiveInteger</a>		<a href="#">xsd:negativeInteger</a>					
	<a href="#">xsd:unsignedLong</a>		<a href="#">xsd:unsignedInt</a>					
	<a href="#">xsd:unsignedShort</a>		<a href="#">xsd:unsignedByte</a>					
	<a href="#">rdf:PlainLiteral</a> (RDF plain literals)							
Strings	<a href="#">xsd:string</a>	<a href="#">xsd:NCName</a>	<a href="#">xsd:Name</a>	<a href="#">xsd:NMTOKEN</a>				
	<a href="#">xsd:token</a>	<a href="#">xsd:language</a>	<a href="#">xsd:normalizedString</a>					
Boolean Values	<a href="#">xsd:boolean</a> (value space: <i>true</i> and <i>false</i> )							
Binary Data	<a href="#">xsd:base64Binary</a>		<a href="#">xsd:hexBinary</a>					
IRIs	<a href="#">xsd:anyURI</a>							
Time Instants	<a href="#">xsd:dateTime</a> (optional time zone offset)							
	<a href="#">xsd:dateTimeStamp</a> (required time zone offset)							
XML Literals	<a href="#">rdf:XMILiteral</a>							

### 3.2 Facets

Facet	Value	Applicable Datatypes	Explanation
<a href="#">xsd:minInclusive</a> <a href="#">xsd:maxInclusive</a> <a href="#">xsd:minExclusive</a> <a href="#">xsd:maxExclusive</a>	literal in the corresponding datatype	Numbers, Time Instants	Restricts the value-space to greater than (equal to) or lesser than (equal to) a value
<a href="#">xsd:minLength</a> <a href="#">xsd:maxLength</a> <a href="#">xsd:length</a>	Non-negative integer	Strings, Binary Data, IRIs	Restricts the value-space based on the lengths of the literals
<a href="#">xsd:pattern</a>	xsd:string literal as a regular expression	Strings, IRIs	Restricts the value space to literals that match the regular expression
<a href="#">rdf:langRange</a>	xsd:string literal as a regular expression	rdf:PlainLiteral	Restricts the value space to literals with language tags that match the regular expression

## 4 Appendix

### 4.1 New Features in OWL 2

Class Expressions	<ul style="list-style-type: none"> <li><a href="#">local reflexivity</a> (self restriction)</li> <li><a href="#">object</a> and <a href="#">data</a> qualified exact/maximum/minimal cardinality restriction</li> <li><a href="#">universal</a> and <a href="#">existential</a> restriction on n-ary data range</li> </ul>
Class Axioms	<ul style="list-style-type: none"> <li><a href="#">pairwise disjoint classes</a></li> <li><a href="#">class disjoint union</a></li> </ul>
Property Expressions	<ul style="list-style-type: none"> <li><a href="#">universal</a> and <a href="#">empty</a> object property</li> <li><a href="#">universal</a> and <a href="#">empty</a> data property</li> <li><a href="#">inverse object property expression</a></li> </ul>
Property Axioms	<ul style="list-style-type: none"> <li><a href="#">property chain inclusion</a></li> <li><a href="#">disjoint object properties</a></li> <li><a href="#">disjoint data properties</a></li> <li><a href="#">reflexive</a>, <a href="#">irreflexive</a>, and <a href="#">asymmetric</a> object property.</li> </ul>
Data Ranges	<ul style="list-style-type: none"> <li><a href="#">datatype definition</a></li> <li><a href="#">data range complement</a>, <a href="#">intersection</a> and <a href="#">union</a></li> <li><a href="#">datatype restriction</a> and <a href="#">facets</a></li> <li><a href="#">hook for n-ary datatype</a></li> </ul>
Assertions	<ul style="list-style-type: none"> <li><a href="#">negative object property assertion</a></li> <li><a href="#">negative data property assertion</a></li> </ul>
Annotation	<ul style="list-style-type: none"> <li><a href="#">annotation assertion</a></li> <li><a href="#">annotation of an axiom or an annotation</a></li> <li><a href="#">annotation subproperties</a></li> <li><a href="#">annotation property domain</a> and <a href="#">range</a></li> <li><a href="#">owl:deprecated annotation property</a></li> </ul>
<a href="#">Extra Built-in Datatypes</a>	<ul style="list-style-type: none"> <li><a href="#">owl:rational</a>, <a href="#">owl:real</a>, <a href="#">xsd:dateTimeStamp</a>, <a href="#">rdf:PlainLiteral</a></li> </ul>
Others	<ul style="list-style-type: none"> <li><a href="#">key</a></li> <li><a href="#">declaration</a></li> <li><a href="#">metamodeling capabilities</a> (Punning)</li> <li><a href="#">anonymous individual</a></li> </ul>

### 4.2 Additional Vocabulary in OWL 2 RDF Syntax

Feature	Vocabulary	Note
data range	<a href="#">owl:DataRange</a>	deprecated in OWL 2, replaced by <a href="#">rdfs:Datatype</a>
membership of a set of pairwise different individuals	<a href="#">owl:distinctMembers</a>	can alternatively use <a href="#">owl:members</a>
ontology property	<a href="#">owl:OntologyProperty</a>	
deprecation	<a href="#">owl:DeprecatedClass</a> , <a href="#">owl:DeprecatedProperty</a>	alternative RDF syntax: s <a href="#">rdf:type</a> <a href="#">owl:DeprecatedClass</a> . or s <a href="#">rdf:type</a> <a href="#">owl:DeprecatedProperty</a> . can be replaced by  s <a href="#">owl:deprecated</a> "true"^^ <a href="#">xsd:boolean</a> .

## 5 Appendix: Change Log (Informative)

### 5.1 Changes Since Recommendation

This section summarizes the changes to this document since the [Recommendation of 27 October, 2009](#).

- With the publication of the XML Schema Definition Language (XSD) 1.1 Part 2: Datatypes [Recommendation of 5 April 2012](#), the elements of OWL 2 which are based on XSD 1.1 are now considered required, and the note detailing the optional dependency on the XSD 1.1 [Candidate Recommendation of 30 April, 2009](#) has been removed from the "Status of this Document" section.
- Minor typographical errors were corrected as detailed on the [OWL 2 Errata](#) page.

### 5.2 Changes Since Proposed Recommendation

This section summarizes the changes to this document since the [Proposed Recommendation of 22 September, 2009](#).

- Minor editorial changes to "Annotations" table.
- Minor editorial change to the explanation of table headers and others.
- Link to a pdf version of the guide, i.e., the OWL 2 Reference Card.

### 5.3 Changes Since Candidate Recommendation

This section summarizes the changes to this document since the [Candidate Recommendation of 11 June, 2009](#).

- The "Features At Risk" note w.r.t. the owl:rational and rdf:XMLLiteral datatypes was removed: implementation support has been adequately demonstrated, and the features are no longer considered at risk (see [Resolution 5](#) and [Resolution 6](#), 05 August 2009).
- Some minor editorial changes were made.

## 6 Acknowledgments

The starting point for the development of OWL 2 was the [OWL1.1 member submission](#), itself a result of user and developer feedback, and in particular of information gathered during the [OWL Experiences and Directions \(OWLED\) Workshop series](#). The working group also considered [postponed issues](#) from the [WebOnt Working Group](#).

This document has been produced by the OWL Working Group (see below), and its contents reflect extensive discussions within the Working Group as a whole. The editors extend special thanks to Bernardo Cuenca Grau (Oxford University), Christine Golbreich (Université de Versailles St-Quentin and LIRMM), Ivan Herman (W3C/ERCIM), and Bijan Parsia (University of Manchester) for their thorough reviews.

The regular attendees at meetings of the OWL Working Group at the time of publication of this document were: Jie Bao (RPI), Diego Calvanese (Free University of Bozen-Bolzano), Bernardo Cuenca Grau (Oxford University Computing Laboratory), Martin Dzbor (Open

University), Achille Fokoue (IBM Corporation), Christine Golbreich (Université de Versailles St-Quentin and LIRMM), Sandro Hawke (W3C/MIT), Ivan Herman (W3C/ERCIM), Rinke Hoekstra (University of Amsterdam), Ian Horrocks (Oxford University Computing Laboratory), Elisa Kendall (Sandpiper Software), Markus Krötzsch (FZI), Carsten Lutz (Universität Bremen), Deborah L. McGuinness (RPI), Boris Motik (Oxford University Computing Laboratory), Jeff Pan (University of Aberdeen), Bijan Parsia (University of Manchester), Peter F. Patel-Schneider (Bell Labs Research, Alcatel-Lucent), Sebastian Rudolph (FZI), Alan Ruttenberg (Science Commons), Uli Sattler (University of Manchester), Michael Schneider (FZI), Mike Smith (Clark & Parsia), Evan Wallace (NIST), Zhe Wu (Oracle Corporation), and Antoine Zimmermann (DERI Galway). We would also like to thank past members of the working group: Jeremy Carroll, Jim Hendler, and Vipul Kashyap.