



Research-to-Operations/Applications Success Stories

Alan Gerard, NSSL Division Chief, WRDD






Research-to-Operations...

...is at the heart of what
NSSL has been since
we started...






Weather Radar





Multi-Radar Multi-Sensor System (MRMS)







Research → Improved Operations → Improved Services



Polarimetric QPE performance during past summer flash flood events

The R(A) / R(Kdp) algorithm. 24 –hour total


Tennessee flash flood



Ida. Louisiana, Mississippi




Ida. US Northeast





Research → Improved Operations → Improved Services



Photos: Here's a look at the destruction left by the remnants of Ida in Mass.



Some areas are thought to have received 7 to 8 inches of rain, with one report of 9.5 inches in New Bedford.



*Given significant reports of flash flooding and extremely high values from our flash flood parameters like **CREST unit streamflow (3000+ units in some cases)**, hourly rain rates (an ASOS in NJ had an hourly rate of almost 3") etc. coming out of PA/NJ/NY we have high confidence that flash flooding will occur in our area. Several areas of the mid Atlantic are currently experiencing greater than **1 in 200 year (our scale stops at 200) flooding**, which is quite a concerning figure given this wall of water will be pushing into our area. In an effort to alert the public before they wind down for bed and to really push messaging to encourage people to stay off roadways during the morning commute, we have tossed out flash flood warnings for several of our "flashy" counties*




R20, R2X and Knowledge Transfer





R20, R2X and Knowledge Transfer



MESOSCALE DISCUSSION 0120
NWS STORM PREDICTION CENTER NORMAN OK
1101 AM CST THU FEB 20 2014

AREAS AFFECTED...NERN TX...SRN AR...NWRN LA

CONCERNING...SEVERE POTENTIAL...WATCH LIKELY

VALID 201701Z - 201900Z

PROBABILITY OF WATCH ISSUANCE...80 PERCENT




SUMMARY...PRE-FRONTAL DEEP CONVECTION HAS JUST COMMENCED ACROSS THE ARKLATEX. THIS ACTIVITY WILL INTENSIFY THIS AFTERNOON WITH A PREDOMINANT MODE OF SHORT LINE SEGMENTS AND EMBEDDED SUPERCELL STRUCTURES LIKELY. ALL SEVERE RISKS APPEAR POSSIBLE...BUT SHOULD GENERALLY REMAIN ISOLATED IN COVERAGE THROUGH MID-AFTERNOON.

DISCUSSION...WITHIN A PRE-FRONTAL CONFLUENCE BAND ALONG THE AXIS OF RICHEST LOW-LEVEL MOISTURE ACROSS THE ARKLATEX...LIGHTNING-PRODUCING CONVECTION HAS COMMENCED JUST WEST OF SHV IN NERN TX AS A STOUT EML NOTED IN 12Z SHV/FWD RAOBS HAS ERODED. ALTHOUGH SURFACE HEATING HAS BEEN SLOWED BY ABUNDANT CLOUDINESS WITHIN THE WARM SECTOR...GRADUAL DESTABILIZATION WILL CONTINUE AND SHOULD YIELD MODEST BUOYANCY WITH MLCAPE INCREASING TO 1000-1500 J/KG. WITH DEEP-LAYER SHEAR GENERALLY PARALLELING THIS INITIATION CORRIDOR...ALONG WITH VEER-BACK WIND PROFILES SAMPLED IN SHV VWP DATA...CONVECTIVE MODE SHOULD LARGELY CONSIST OF SHORT-LINE SEGMENTS. NEVERTHELESS...SUFFICIENT LOW-LEVEL SRH WILL EXIST FOR ROTATING UPDRAFTS CAPABLE OF PRODUCING ALL SEVERE HAZARDS. 12Z NSSL-WRF APPEARS TO HAVE A REASONABLE SCENARIO WITH REGARD TO TIMING OF THIS CONVECTION AND SUGGESTS INTENSITY/COVERAGE WILL INCREASE DURING THE AFTERNOON WITH APPROACH OF THE SURFACE COLD FRONT.







R2O, R2X and Knowledge Transfer





Citizen Science/mPING



Since January 2020: 632,744 reports
Database queried 268.3 million
times; over 5 million NWS queries

- Started in 2010 as an outgrowth of the local (central OK) Winter Hydrometeor Ground Truth Experiment to support research and validation of the WSR-88D Hydrometeorological Classification Algorithm
- With time, potential operational application of crowdsourced obs became apparent, and NSSL partnered with NWS personnel to make data available through LDM into AWIPS





Citizen Science/mPING


2020 NWS Weather Forecast Office (WFO) Survey Results

mPING is used operationally in large majority of responding WFOs

mPING mainly used for situational awareness, but also to: monitor and verify forecasts, verify warnings, cross-check against spotter reports, and (at times) in the warning decision making process

mPING is used often by about half the respondents to adjust short term forecasts out to 12 hours

Bottom line: based on this survey, mPING has significant operational utility for the NWS WFOs



Time	Size	Location	County	State	Lat	Lon	Comments
1213	100	HOUNT CARBELL	WABASH	IL	3842	8776	(PAX)
0431	175	WHITE CITY	MORRIS	KS	3680	9673	(TOP)
0550	100	BELTON	CASS	MO	3801	9453	MOSTLY NICKEL SIZED HAIL WITH A FEW UP TO QUARTER SIZED. (EAX)
0612	100	2 NW ASHLAND	BOONE	MO	3879	9228	LOTS OF HAIL ACCUMULATING ON THE GROUND. (LSX)
0628	175	S OLATHE	JOHNSON	KS	3889	9481	GOLF BALL SIZED HAIL REPORTED AT 175TH AND HUR-LEN (EAX)
0642	100	BELTON	CASS	MO	3801	9453	PEA AND DIME SIZE HAIL COVERING THE GROUND A FEW AS LARGE AS QUARTERS. (EAX)
0710	150	HOLDEN	JOHNSON	MO	3871	9399	(EAX)
0737	150	WHITTEN AIR FORCE BASE	JOHNSON	MO	3873	9355	(EAX)
0744	100	WARRENTON	WARREN	MO	3882	9114	REPORT FROM HPING: QUARTER (1.00 IN.), (LSX)
0748	125	2 NE SAINT PETERS	ST. CHARLES	MO	3880	9057	REPORT FROM HPING: HALF DOLLAR (1.25 IN.), (LSX)
0750	100	HELL	CHARLES	MO	3888	9092	(LSX)
0800	100	SEDALIA	PETTIS	MO	3870	9323	PEA TO QUARTER SIZED HAIL REPORTED AT WALMART AND 50 HIGHWAY IN SEDALIA. (EAX)
0800	100	INDEPENDENCE	JACKSON	MO	3909	9442	NICKEL TO QUARTER SIZED HAIL. (EAX)
0814	150	2 W SAINT CHARLES	ST. CHARLES	MO	3880	9055	REPORT FROM HPING: PING PONG BALL (1.50 IN.), (LSX)
0826	125	2 NNE FLORESANT	ST. LOUIS	MO	3883	9031	(LSX)
0840	125	1 NW POAS	MADISON	IL	3880	9084	VIA TWITTER. (LSX)
0858	150	1 SE HIGHLAND	MADISON	IL	3873	8965	REPORT FROM HPING: PING PONG BALL (1.50 IN.), (LSX)





Citizen Science/mPING

2020 NWS Weather Forecast Office (WFO) Survey Results

mPING is used operationally in large majority of responding WFOs

mPING mainly used for situational awareness, but also to: monitor and verify forecasts, verify warnings, cross-check against spotter reports, and (at times) in the warning decision making process

mPING is used often by about half the respondents to adjust short term forecasts out to 12 hours

Bottom line: based on this survey, mPING has significant operational utility for the NWS WFOs



NWSHonolulu
@NWSHonolulu

Follow

Another active weather day is in progress across the state. Please send us your reports of flooding via social media or the mPING app (owl.li/Q93830jtS4X)! Monitor weather.gov/honolulu for updates to all watches and warnings. #hiwx #hisurf

Flash Flood Warnings The entire island of Kauai
Timing: Until 1pm today
Hazard: Heavy showers with rain rates of more than 2"/hour
Impacts: Flash flooding is occurring. Streams are high and some roads are closed. Additional rainfall could quickly produce flash flooding across already saturated grounds.
Flash Flood Watch: All islands
Timing: Through late tonight
Hazard: An upper level low combined with enhanced low level moisture will bring heavy rains and the threat of flash flooding.
Impacts: Flash flooding of poor drainage areas, streams, and low lying areas is possible, especially in areas where the ground is already saturated.
High Surf Warning: **Advisory:** North and West facing shores of Niihau and Kauai, Oahu, Molokai (warning); North facing shores of Maui (warning) and the Big Island (advisory).
Timing: Until 6am Sunday
See weather.gov/honolulu for details

Current Advisories, Watches and Warnings
(as of 1:05 PM HST April 14, 2018)

Please monitor weather.gov/Honolulu for updates

National Weather Service Honolulu
 April 14th, 2018 issued at 11am HST

2:15 PM - 14 Apr 2018

8 Retweets 11 Likes



Robert Ballard
@firebomb56

Following

#hiwx Flash Flood Watch for Kauai & Oahu starting at 6 pm this evening, and continuing until 6 pm Wednesday. Please send reports of rain & flooding using the #mPING app! Mahalo.

1:05 PM - 3 Apr 2018





March 22-25 2021 Southeast Severe/Flash Flood Event

NSSL's influence in the operational community







CAM Ensembles and SPC Forecasts

SPC forecasts

HREF output






MRMS Severe in Operations

“Clean” MRMS rotation tracks for Alabama supercells

In addition to being used in warning operations, critical for providing post-event decision support to emergency management and damage surveys



MRMS Severe in Operations




Recent example of NWS use of MRMS rotation tracks product in post-event damage assessment (NWS St. Louis, October 24 2021 tornado event)

Storm Survey Underway

Two survey teams have been sent to assess the extent and severity of the damage in:

- Chester, IL
- Coffman, MO
- St. Mary, MO
- Chloride, MO
- Catherine Place, MO
- Fredericktown, MO

Please let us know if you have any information about damage in these areas!




Issued: 10/25/2021 7:25 AM

NWS ST. LOUIS
weather.gov/lx @NWSSLouis





Warning Ops R20





Dual-pol Radar in Warning Ops

- [04:03:15] <nws-stein.nelson@nwschat.weather.gov/78e4de59> Really need to hit this hard, Vr increasing heading for south Newnan
- [04:03:27] <nws-david.nadler@nwschat.weather.gov/NWSChatLive_207.64.72.94_033628> ****IMPORTANT NOTE**** Given the trajectory of tornadic storm approaching FFC office, we may need to evacuate quickly...within next 20 minutes. If this occurs, NWS Birmingham would assume warning operations until the threat has cleared our office.
- [04:04:11] <media-kris.w.jackson@nwschat.weather.gov/Home> be safe
- [04:04:30] <gtri-ssrc-john.trostel@nwschat.weather.gov/NWSChatLive_130.207.218.254_033102> That looks quite alarming! CC, reflectivity, SRV, etc...
- [04:04:35] <em-michael.f.rega@nwschat.weather.gov/NWSChatLive_98.251.15.191_033912> Please be safe
- [04:04:55] <nws-stein.nelson@nwschat.weather.gov/78e4de59> Large TDS still growing some
- [04:05:58] <nws-stein.nelson@nwschat.weather.gov/78e4de59> 63kt Vr
- [04:06:09] <nws-stein.nelson@nwschat.weather.gov/78e4de59> Heading into Newnan now
- [04:06:56] <nws-dylan.lusk@nwschat.weather.gov/Office> Tornado emergency for newnan
- [04:08:32] <nws-stein.nelson@nwschat.weather.gov/78e4de59> Were extending the TOR into Fayette
- [04:12:59] <ham-dave.christie@nwschat.weather.gov/NWSChatLive_73.106.222.116_031358> Report from trained weather spotter ham - at 12:10 tornado hit homes near High School in Newnan. Major damage.





Dual-pol Radar in Warning Ops

GAC077-260415-
/O.CON.KFFC.TO.W.0014.000000T0000Z-210326T0415Z/
Coweta GA-
1157 PM EDT Thu Mar 25 2021

...A TORNADO WARNING REMAINS IN EFFECT UNTIL 1215 AM EDT FOR
NORTHWESTERN COWETA COUNTY...

At 1157 PM EDT, a confirmed large and extremely dangerous tornado was located near Powers Crossroads, or 8 miles southwest of Newnan, moving east at 45 mph.

This is a PARTICULARLY DANGEROUS SITUATION. TAKE COVER NOW!

HAZARD...Damaging tornado.

SOURCE...Radar confirmed tornado.

IMPACT...You are in a life-threatening situation. Flying debris may be deadly to those caught without shelter. Mobile homes will be destroyed. Considerable damage to homes, businesses, and vehicles is likely and complete destruction is possible.

Locations impacted include...

Newnan, Moreland, East Newnan, Arnco-Sargent, Powers Crossroads, Handy and Madras.





Dual-pol Radar in Warning Ops

Severe Weather Statement

National Weather Service Peachtree City GA
1206 AM EDT Fri Mar 26 2021

GAC077-260415-
/O.CON.KFFC.TO.W.0014.000000T0000Z-210326T0415Z/
Coweta GA-
1206 AM EDT Fri Mar 26 2021

...TORNADO EMERGENCY FOR The City of Newnan...

...A TORNADO WARNING REMAINS IN EFFECT UNTIL 1215 AM EDT FOR CENTRAL COWETA COUNTY...

At 1206 AM EDT, a confirmed large and destructive tornado was located over Newnan, moving northeast at 55 mph.

TORNADO EMERGENCY for Newnan. This is a PARTICULARLY DANGEROUS SITUATION. TAKE COVER NOW!

HAZARD...Deadly tornado.

SOURCE...Radar confirmed tornado.

IMPACT...You are in a life-threatening situation. Flying debris may be deadly to those caught without shelter. Mobile homes will be destroyed. Considerable damage to homes, businesses, and vehicles is likely and complete destruction is possible.

Locations impacted include...

Newnan, East Newnan, Arnco-Sargent and Madras.



Uncrewed Aerial Systems in Damage Surveys



Skydio 2




Quantum Trinity F90+

Collaboration with
NWS WFOs and EMs



Large-scale mapping Visible & Multispectral (RGB, RedEdge, NIR) imagery




UAS Damage Surveys






27-28 March Severe Weather






27-28 March Severe Weather





27-28 March Severe Weather




18 mPING reports of severe weather in SPC report log

Additional reports of flash flooding





Tennessee Flash Flooding 27-28 March



NATIONAL WEATHER SERVICE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

HOME FORECAST PAST WEATHER SAFETY INFORMATION EDUCATION NEWS SEARCH ABOUT

Local forecast by:
"City, St" or ZIP code
Enter location ...
[Location Help](#)

News Headlines

- [Online SKYWARN Spotter Class Tonight at 630 pm CDT -- Sign Up Now!](#)
- [List of Tornadoes across Tennessee in 2021](#)
- [6 To 10 Day Outlook](#)
- [Temperature and Precipitation Outlook for Nov-Dec-Jan 2021-22](#)

March 27-28, 2021 Historic Flash Flooding
[Weather.gov > Nashville, TN > March 27-28, 2021 Historic Flash Flooding](#)

Nashville, TN
Weather Forecast Office

[Current Hazards](#) [Current Conditions](#) [Radar](#) [Forecasts](#) [Rivers and Lakes](#) [Climate and Past Weather](#) [Local Programs](#)



Overview



CAM Ensemble and WPC Forecasts



WPC forecast

HREF output







MRMS/FLASH in WPC Operations





MRMS/FLASH in WPC Operations



Mesoscale Precipitation Discussion 0079
NWS Weather Prediction Center College Park MD
959 PM EDT Sat Mar 27 2021

Areas affected...Tennessee...South-Central to Southeastern Kentucky

Concerning...Heavy rainfall...Flash flooding likely

Valid 280155Z - 280800Z



Summary...Significant to dangerous flash flooding is likely over portions of western to middle Tennessee this evening, including the Nashville metro, and could also extend into portions of southeastern Kentucky. Heavy rainfall due to thunderstorms are expected to produce additional localized 3-6" totals through 4 AM CDT.

Discussion...Large scale forcing for ascent provided by the approach of a mid/upper level shortwave and the increasing low level convergence an advancing cold front has pooled copious amounts of moisture and instability over the region this evening. Recent IR satellite imagery shows a blossom of deeper convection continuing across much of western to middle Tennessee and regional radar indicates that individual/discrete cells earlier have morphed into several clusters/line segments due to multiple boundary interactions. The recent MRMS QPE suggests upwards of 2"/hr totals are common in the strongest convection and FLASH QPE/FFG ratios are already 200-300 percent across portions of middle TN.





MRMS/FLASH in WPC Operations



210328/0151 GOES16 CH13 IR_10.3
WPC MPD #0079

Mesoscale Precipitation Discussion 0079
NWS Weather Prediction Center College Park MD
959 PM EDT Sat Mar 27 2021

Areas affected...Tennessee...South-Central to Southeastern Kentucky

Concerning...Heavy rainfall...Flash flooding likely

boundary interactions. The recent MRMS QPE suggests upwards of 2"/hr totals are common in the strongest convection and FLASH QPE/FFG ratios are already 200-300 percent across portions of middle TN.

LEVEL convergence an advancing cold front has pooled copious amounts of moisture and instability over the region this evening. Recent IR satellite imagery shows a blossom of deeper convection continuing across much of western to middle Tennessee and regional radar indicates that individual/discrete cells earlier have morphed into several clusters/line segments due to multiple boundary interactions. The recent MRMS QPE suggests upwards of 2"/hr totals are common in the strongest convection and FLASH QPE/FFG ratios are already 200-300 percent across portions of middle TN.





Research-to-Operations...

...is at the heart of what NSSL has been since we started...and will continue to be moving forward...

