

# Mariners

## WEATHER LOG

**Volume 59, Number 3**

**December 2015**





# Mariners Weather Log

ISSN 0025-3367

U.S. Department of Commerce  
Dr. Kathryn D. Sullivan  
Under Secretary of Commerce for Oceans and Atmosphere & Acting  
NOAA Administrator  
Acting Administrator

National Weather Service  
Dr. Louis Uccellini  
NOAA Assistant Administrator for Weather Services

Editorial Supervisor  
Paula M. Rychtar

Layout and Design  
Stuart Hayes  
NTSC Technical Publications Office

ARTICLES, PHOTOGRAPHS, AND LETTERS SHOULD BE SENT  
TO:

Ms. Paula M. Rychtar, Editorial Supervisor  
Mariners Weather Log  
NDBC (W/OPS 51)  
Bldg. 3203  
Stennis Space Center, MS 39529-6000  
Phone: (228) 688-1457 Fax: (228) 688-3923  
E-Mail: paula.rychtar@noaa.gov

SOME IMPORTANT WEB PAGE ADDRESSES

NOAA  
<http://www.noaa.gov>

National Weather Service  
<http://www.weather.gov>

National Data Buoy Center  
<http://www.ndbc.noaa.gov>

AMVER Program  
<http://www.amver.com>

VOS Program  
<http://www.vos.noaa.gov>

Mariners Weather Log  
<http://www.vos.noaa.gov/mwl.shtml>

Marine Dissemination  
<http://www.nws.noaa.gov/om/marine/home.htm>

TURBOWIN e-logbook software  
<http://www.knmi.nl/turbowin>

U.S. Coast Guard Navigation Center  
<http://www.navcen.uscg.gov/marcomms/>

See these Web pages for further links.

## From the Editor

The December issue of the Mariners Weather Log always seems to creep upon me giving me a feeling of astonishment that another year has come to pass. It goes by so quickly! It is my hope that those of you reading this magazine and your loved ones, have had a fruitful, safe and overall happy year.

2015 produced unprecedented weather events worldwide; which only solidifies our quest for good quality data from our VOS participants. Climate change is the suggested culprit, but without in-depth analysis of our atmosphere and oceans this is only speculation. As part of the VOS program, the data that you transmit from your ships across the globe provide analysts with the capability to give some insight on these rare events that are becoming more commonplace and learn how we can become better stewards of our Earth. We had record breaking snowfall and brutal record low temperatures in the northeast portion of the USA. In March, there were four simultaneous tropical cyclones in the southern hemisphere. Two of these made landfall in Australia and one devastated Vanuatu. Chile's Atacama Desert, one of the driest places in the world received an unprecedented torrential rain, which resulted in the flooding of the Copiapo River and claiming at least nine lives; the worst rain disaster experienced there in 80 years. I think you get the picture. So keep those observations coming and please know that we so appreciate your time and effort. Your observations really do matter!

Staying on topic, we have an article giving an overview on the Arabian Sea, Yemen; two tropical cyclones back to back leaving a path of destruction in their path.

I would like to give a warm and much anticipated welcome to our newest Port Meteorological Officer, Rusty Albaral. Rusty will be taking care of the New Orleans area of responsibility. With this hail, we must say farewell to one of our international colleagues, Graeme Ball, who has retired from his service at the Bureau of Meteorology, Australia. Thank you Graeme and good luck!

Now go grab yourself a cup of tea, or perhaps some eggnog and settle in for another issue of the Mariners Weather Log.

Have a safe Holiday Season - Paula

**On the Cover:** Cyclone Chapala November 1, 2015,  
Image Courtesy NOAA View Data Imagery,  
Environmental Visualization Laboratory  
<http://www.nnvl.noaa.gov/>





## Table of Contents

Yemen Sees Unprecedented Tropical Cyclone Double-Whammy .....	4
Strong El Niño Continues .....	7
WANTED: Freezing Spray and Icing Observations .....	8
Estimating Wave Height Using Wind Speed during a Tropical Cyclone .....	10
Shipwreck: <b>ONOKO</b> : Lost on Lake Superior 100 Years Ago .....	13
<i>Whale Alert</i> : Free iPad and iPhone App Helps Mariners Avoid Right Whales and Monetary Fines .....	15
Hail and Farewell! .....	17

## Departments:

### Marine Weather Review

Mean Circulation Highlights and Climate Anomalies May through August 2015 .....	18
Marine Weather Review - North Atlantic Area – September 2014 through February 2015 .....	22
Marine Weather Review - North Pacific Area – September 2014 through February 2015 .....	54
Tropical Atlantic and Tropical East Pacific Areas – January through April 2015 .....	83
Tropical Atlantic and Tropical East Pacific Areas – May through August 2015 .....	95

### VOS Program

VOS Program New Recruits: July1, 2015 through October 31, 2015 .....	106
VOS Cooperative Ship Report: January 1, 2015 through October 31, 2015 .....	107

<b>Points of Contact</b> .....	125
--------------------------------	-----

---



# Yemen Sees Unprecedented Tropical Cyclone Double-Whammy

By Andrea Thompson  
Senior Science Writer for Climate Central


This year's hurricane season in the Arabian Sea was already one for the books, thanks to just one storm, Cyclone Chapala. This cyclone became one of the strongest ever recorded there and the first hurricane-strength storm known to make landfall in Yemen this past November 3rd, 2015.

Now the arid country has had an unprecedented back-to-back strike, as Cyclone Megh made landfall near the major port city of Aden early Tuesday morning, November 10th.

This marked the first time storms in such quick succession have been recorded in the Arabian Sea at this time of year. The unheard-of activity may have received a boost from El Niño and recent research has suggested that both changing levels of air pollution and climate change could alter tropical cyclone activity in the region.

While Megh wasn't as strong as Chapala when it made landfall, having weakened to tropical storm strength, it was still expected to dump considerable rains on the region. As the up to 24 inches of rain Chapala dumped in some areas made clear, such rains can lead to extensive, dangerous flooding in such a dry landscape.

Megh formed just two days after Chapala slammed into Yemen, a considerable surprise given how few storms the Arabian Sea region typically sees. The basin may only see one or two tropical cyclones in a whole year, compared to other basins, which range from five to more than



This photo shows a high definition visual of Cyclone Chapala November 1, 2015. Chapala made landfall on Tuesday November 2nd west of Mukalla. Right behind it you can see the formation of Cyclone Megh, which will make a direct hit on Yemen's Socotra Island November 8th and make a final landfall in mainland Yemen on November 10th. (Image: NOAA/EUMETSAT)

20 in an average season. (Tropical cyclone is the generic term for hurricanes, typhoons and cyclones, different names for the same phenomena.)

Cyclones are less common in the Arabian Sea than in other ocean basins because, despite very warm waters that would otherwise provide ample fuel for storm convection, winds in the region are generally hostile, cutting off storm formation and development.

If storms do form, they tend to do so before or after the summer monsoon season, when wind shear — winds moving at different directions at different levels of the atmosphere — is at its worst.

So the timing of Chapala and Megh isn't unusual, but the short time between one storm and the other hasn't been seen in the historical record, with high-quality data going back to 1990.




“In the historical record we’ve never seen two tropical cyclones spin up, especially one after the other, during this time of year,” Amato Evan, an atmospheric scientist at the Scripps Institution of Oceanography, said in email.

At its peak strength, Chapala had winds of about 155 mph, equivalent to a Category 4 hurricane. By wind speed, it was the second strongest storm ever recorded in the region, behind Cyclone Gonu in 2007. (By another measure, which takes into account a storm’s winds over its entire lifetime, Chapala was the strongest.)

Chapala was able to reach such heights because it happened to encounter a particularly favorable environment, with wind patterns that actually encouraged its development. That let the storm take advantage of ocean waters with unusually high temperatures, even for the always-warm Arabian Sea.

Megh has also benefited from this conducive environment, though waters along its path weren’t quite as warm, thanks to the relatively cooler waters Chapala left in its wake, and it topped out Category 3 strength.


One reason winds may have been so favorable for both storms could be El Niño, the force that seems to be behind so many trends this year. Monsoon winds in the region tend to be weaker during an El Niño, Suzana Camargo, a hurricane researcher at Columbia University’s Lamont-Doherty Earth Observatory, remarked in an email. “It’s not clear, though, if we can obviously blame these storms on El Niño, as it would be important to do a more in-depth analysis, but that’s my suspicion,” she said.



This photo shows a high definition visual of Cyclone Chapala November 1, 2015. Chapala made landfall on Tuesday November 2nd west of Mukalla. Right behind it you can see the formation of Cyclone Megh, which will make a direct hit on Yemen’s Socotra Island November 8th and make a final landfall in mainland Yemen on November 10th This is a photo taken from NOAA View Data Imagery, Environmental Visualization Laboratory

<http://www.nnvl.noaa.gov/>





This infrared image was taken by Suomi NPP satellite's VIIRS instrument around 1005Z on November 9, 2015 (Image: NOAA/NASA) tropical cyclone, Megh, Yemen, Oman, Gulf of Aden, NPP, VIIRS, 2015.11.09

These same conditions have also allowed for the development of another storm, in the Bay of Bengal. The last time there were storms in both areas simultaneously was 2010, hurricane researcher Philip Klotzbach, of Colorado State University, told Forbes.

Megh took a slightly more southerly path than Chapala, brushing the coast of Somalia as it headed toward landfall. That interaction with land, as well as dry air from the Arabian Peninsula, weakened the storm before it hit Yemen.

Reports about damage in the Aden area will likely take time to fully emerge, though the reinsurance firm Aon Benfield cited reports of widespread flooding and damage and at least two deaths on the island of Socotra, which was also hit hard by Chapala.

Rain and flooding are major concerns again with Megh as Yemen typically only sees about 2 inches of rain in a year. Chapala's rains caused severe flooding in and around Mukalla — the impact was visible from satellites observing from space, which saw floodwaters near the coast and numerous wadis, or ephemeral streams, flush with water.

Arabian Sea cyclone activity has generally received much less attention from researchers than busier basins, but this season could change that.


"This year will probably raise my interest in this area again," said Camargo, who along with Evan conducted a survey of activity in the region in 2011.

Of the research that has been done, there are some potential forces that could be at play to allow for stronger Arabian Sea storms. Another study that involved Evan suggested that increased aerosol pollution could be allowing for more intensification of Arabian Sea storms.

"In the paper we speculated that the very thing we have right now (very strong cyclones occurring during the post-monsoon season) would be possible in the future as a result of increased pollution and lower wind shear," Evan said.

Other research has suggested that climate change could lead to an increase in cyclone activity in the Arabian Sea, but a decrease in the Bay of Bengal. Research on such potential links is limited and requires further study, Camargo said.





Tropical Cyclone Chapala November 1, 2015 (Image: NOAA/NASA)

Content sharing agreement and written permissions to use this article were obtained prior to production for the sole use of the Mariners Weather Log.


For more articles and related news go to:

<http://wxshift.com/news/>  
[athompson@climatecentral.org](mailto:athompson@climatecentral.org)



# Strong El Niño Continues

This image shows the satellite sea surface temperature departure for the month of October 2015, where orange-red colors are above normal temperatures and are indicative of El Niño. This event is forecast to continue through the winter, likely ranking as one of the top three (3) strongest events since 1950, before fading in late spring or early summer. El Niño has already produced significant global impacts, and is expected to affect temperature and precipitation patterns across the United States during the upcoming months. Seasonal outlooks generally favor below-average temperatures and above-median precipitation across the southern tier of the United States, and above-average temperatures and below-median precipitation over the northern tier of the United States.



(Image: NOAA)



# WANTED: Freezing Spray and Icing Observations

## Freezing Spray Project



National Oceanic and Atmospheric Administration • Environment Canada

**Ever experience freezing spray conditions on your vessel?  
*Report it!***

**Send us your observation:**

- Date & Time**
- Latitude & Longitude**
- Icing conditions**
- Air temperature**
- Sea conditions**
- Wind conditions**
- Past Experiences**



Ice accumulated on NOAA Ship OSCAR DYSON  
Photo credits: NOAA Office of Marine and Aircraft Operations

Freezing spray is an important safety issue in coastal Canadian and United States waters. In an effort to improve freezing spray forecasts, NOAA and Environment Canada are teaming up to evaluate each country's freezing spray forecast models and tools. Analysis of freezing spray cases, forecaster feedback, and ship observations will allow Environment Canada and NOAA scientists and forecasters to better predict dangerous freezing spray conditions to protect life and property at sea.

***The success of this study depends on you:  
Whenever possible, please report icing conditions to NOAA and Environment Canada  
Send reports online :***

**<http://go.usa.gov/WYbm>**

### **The Freezing Spray Project**

For many mariners, the threat of freezing spray is treated very seriously. The combined forces of the ocean, wind, and cold temperatures can result in a very dangerous situation for vessels caught up in the elements. When these forces work together under the right conditions, ice accretion can reduce a vessel's stability and the results can be devastating. The fishing vessel **LADY OF GRACE** was one such example where ice accretion caused the vessel to capsize, killing all four people aboard in 2007.





The National Weather Service (NWS) and Environment Canada (EC) routinely forecast freezing spray conditions between October and March in the higher latitudes. James Kells, Senior Marine Forecaster with the NWS's Ocean Prediction Center, stated, "The hazard created by freezing spray is a common occurrence during the cold weather months in the high latitudes." Last year alone, the National Weather Service issued over three thousand freezing spray warnings.

Because of the life threatening conditions and the complexity of freezing spray forecasting, EC and the NWS teamed up to understand how these conditions are being forecasted and are looking for ways to improve.

To date, this joint collaborative effort has succeeded in modifying the Overland model (Overland 1990) and has introduced different models, such as Sawada (nomogram) and the Modified Stallabrass model (Stallabrass 1980) to forecasting offices. Each model handles the physics of freezing spray differently. For example, Overland was developed to forecast categorical icing rates (light, moderate, severe) and has a sensitivity to low sea surface temperatures and is highly driven by changes in air temperature. Stallabrass requires additional weather parameters such as wave and relative humidity information and uses a vessel's speed and height to calculate spray flux, an important parameter that includes how the spray freezes onto a vessel's structure. Having each of these models available and understanding the inputs broadens a forecaster's perspective and gives them more options to consider before making their predictions.

The project is also making efforts to compare and understand the strengths and weaknesses of these existing models. To do this, forecasting tools have been developed that allow forecasters to visualize the differences between models within the Graphical Forecast Editor that is used by every NWS office. The guidance provided by the existing freezing spray models can now be easily displayed and compared. They can also be saved in order to investigate events that may be recorded later.

The difficult situation we are in now is verifying the models and our forecasts. This is usually a straightforward process because many vessels provide meteorological observations. However, during the course of this project, NOAA and EC quickly realized that most mariners heed freezing spray warnings and stay tied up at the pier or they do not report it. Without observations, our ability to improve the current forecasting capabilities is limited.

To thoroughly evaluate the different computer models that predict freezing spray, the team needs to know what conditions actually developed during icing events. Every observation submitted during this study will provide critical insight into model performance, strengths and weaknesses. Each observation is a step towards enhancing the ability of each agency to protect life and property at sea.

The success of this project depends on you and the entire maritime industry: whenever possible, please report icing conditions to NOAA and Environment Canada!

**To submit an observation, please visit**

**<http://go.usa.gov/WYbm>**

# Estimating Wave Height Using Wind Speed during a Tropical Cyclone

*Professor S. A. Hsu  
Louisiana State University  
Email: shihahsu@outlook.com*

**Abstract:** Analysis of wind and wave measurements from five NDBC data buoys during three hurricanes and one typhoon indicates that the significant wave height is approximately 30 percent of the wind speed at 10 meters. This 30% rule between wave height and wind speed should be useful for mariners as a safety guide during tropical cyclones.

## 1. Introduction

The wave height used in this study is the significant wave height,  $H_s$ , which is defined as the average height of the highest one-third of the waves observed at a specific point (see, e.g., Hsu, 1988). This parameter is very useful because it is approximately equal to the wave height that a trained observer would visually estimate for a given sea state (e.g. Bishop, 1984). During wind seas when the effect of swell is negligible, Carter (1982) developed the following equations for duration and/or fetch limited seas (see also, Taylor and Yelland, 2001) that for fetch limited seas,

$$H_s = 0.0163X^{0.5} U_{10}, \quad (1)$$

$$T_p = 0.566X^{0.3} U_{10}^{0.4}, \quad (2)$$

And for duration limited seas,

$$H_s = 0.0146D^{5/7} U_{10}^{9/7}, \quad (3)$$

$$T_p = 0.540D^{3/7} U_{10}^{4/7}, \quad (4)$$

The sea is considered fetch limited if

$$D > 1.167 X^{0.7} U_{10}^{-0.4}, \quad (5)$$

Where  $H_s$  is the significant wave height in meters,  $T_p$  is the dominant wave period in seconds,  $U_{10}$  is the wind speed at 10 meter in meters per second,  $X$  is the fetch in kilometer, and  $D$  is the duration in hours.

Because both fetch and duration parameters are not normally available, it is the purpose of this study to simplify aforementioned equations during tropical cyclones. Furthermore, operational formulas will be provided so that rapid estimation of  $H_s$  from  $U_{10}$  may be made.

## 2. Data Analysis and Results

Because the parameter of fetch is not available routinely, we first eliminate it from **Equations (1)** and **(2)**, and get,  
For fetch limited seas,

$$U_{10} = 13413H_s^3 / T_p^5, \quad (6)$$

Similarly, for duration limited seas by eliminating the duration parameter from **Equations (3)** and **(4)**,

$$U_{10} = 14754H_s^3 / T_p^5, \quad (7)$$

According to Drennan et al (2005), a wind sea is defined when

$$H_s / L_p \geq 0.020, \quad (8)$$

$$L_p = (g/2\pi) T_p^2 = 1.56T_p^2 \quad (9)$$

Here  $L_p$  is the dominant wave length and  $g$  is the gravitational acceleration. Note that the parameter  $H_s / L_p$  is called wave steepness.

Now, we can investigate the relation between  $H_s$  and  $T_p$ . During Hurricane Katrina over Buoy 42040 (from 0200UTC on 27 thru 1400UTC on 30 August 2005), an extreme wave height of 16.91m (55ft) was recorded by the National Data Buoy Center (NDBC) ([www.ndbc.noaa.gov](http://www.ndbc.noaa.gov)). Using the criteria as set in **Equations (8)** and **(9)** during the passage of Katrina near 42040, one can plot  $H_s$  against  $T_p$  as shown in **Figure 1**.






Figure 1. Relation between  $T_p$  and  $H_s$  at NDBC Buoy 42040 during Hurricane Katrina.

It is found that 86 percent of the relation between  $H_s$  and  $T_p$  can be explained by a power law (since the coefficient of determination,  $R^2 = 0.86$ ). Because the exponent of this power law relation, which is 0.37, is very close to 0.40, we may replace it by 0.40. Our analysis is provided in **Figure 2**, which shows that,

$$T_p = 5.35 H_s^{0.4}, \quad (10)$$

**Equation (10)** should be useful, if the correlation coefficient,  $R = 0.88$ , is acceptable.

Substituting **Equations (10)** into **(6)** and **(7)**, respectively, we have,  
For fetch limited seas,

$$H_s = 0.33 U_{10} \quad (11)$$

And for duration limited seas,

$$H_s = 0.30 U_{10} \quad (12)$$

In this study, four datasets (including three hurricanes and one typhoon) are analyzed. They are Hurricane Kate at Buoy 42003 (from 1600UTC on 18 thru 2300UTC on 21 in November 1985), Hurricane Ivan at 42003 (from 0100UTC on 13 thru 1100UTC on 16 in September 2004), Hurricane Katrina at 42003 (from 0400UTC on 26

thru 0500UTC on 28 in August 2005), and Typhoon Russ at 52009 near Guam (from 0100UTC on 16 thru 1400UTC on 20 in December 1990). Note that, while the anemometer at Buoy 42003 was located at 10m, the anemometer at Buoy 52009 during Typhoon Russ was located at 5m. Therefore, the wind data from 52009 were corrected from 5 to 10m using the logarithmic wind profile law (Hsu, 1988) and the roughness length parameterization based on Taylor and Yelland (2001). Our results are presented in **Figure 3**.

### 3. Conclusions

Since our result shown in **Figure 3** is identical to **Equation (12)**, it is concluded that the significant wave height can be estimated linearly from the wind speed. Furthermore, although the difference between **Equations (11)** and **(12)** is about 9%, which is within the 10% composite margin of error in wind measurements at sea according to NDBC, **Equation (11)** may also be employed for safety reasons.

### Acknowledgements

Buoy measurements provided by NDBC are greatly appreciated.





Figure 2. Relation between  $T_p$  and  $H_s^{0.4}$  at 42040 during Katrina.

Figure 3. Relation between  $H_s$  and  $U_{10}$  during Hurricanes Kate, Ivan, Katrina and Typhoon Russ.



## References

- Bishop, J. M., 1984: *Applied Oceanography*, Wiley, New York.
- Drennan, W. M., P. K. Taylor and M. J. Yelland, 2005: Parameterizing the sea surface roughness, *Journal of Physical Oceanography*, 35, 835-848.
- Hsu, S. A., 1988: *Coastal Meteorology*, Academic Press, San Diego, CA.
- Carter, D. J. T., 1982: Prediction of wave height and period for a constant wind velocity using the JON-SWAP formula, *Ocean Engineering*, 9, 17-33.
- Taylor, P. K., and M. J. Yelland, 2001: The dependence of sea surface roughness on the height and steepness of the waves, *Journal of Physical Oceanography*, 31, 572-590.





# Shipwreck: ONOKO

By Skip Gillham



ONOKO – courtesy: Historical Collections of the Great Lakes

## ONOKO: Lost on Lake Superior 100 Years Ago

The iron-hulled bulk freighter **ONOKO** was built at Cleveland, Ohio, by the Globe Iron Works. It was launched at their shipyard on Feb. 16, 1882, and was hailed as the first ore boat of this type on the Great Lakes and, at 302 ft, in overall length, the largest ship to ever ply the inland seas to that date.

**ONOKO** was built for the fleet of Philip Minch and was soon an active carrier setting new standards for cargo transportation. The ship sailed for Chicago on April 19, 1882 and loaded 2,536 tons of coal there for a Lake Superior port. There the ship took on about 88,000 bushels of wheat for Buffalo.

As late as 1887, **ONOKO** was still setting records with a load of 3,048 tons of iron ore moving through the Soo Locks in a single trip. It also had the largest cargo through these same locks in 1888 but the tonnage was down to only 2,849 for that trip.

Tragedy, due to heavy fog on Lake Michigan off Racine, WI on May 16, 1896, led to a collision between **ONOKO** and the schooner **MARY D. AYER**. Five sailors in the smaller boat perished.

A change in the corporate organization of the company placed **ONOKO** under the banner of the Kinsman Transit Co. in 1905. The ship was transferred to this newly organized fleet and remained in their service for another decade.

A grounding in a snowstorm off Southeast Shoal while carrying coal across Lake Erie, between Point Pelee and Wheatley, ON, on Dec. 1, 1910, interrupted end of year service but the ship was refloated with the aid of three tugs and resumed trading.


On Sept. 15, 1915, **ONOKO** foundered in Lake Superior, off Knife Island, about 17 miles west of Duluth, MN. It went down stern first in a space of 35 minutes. On board for this final trip was a cargo of 110,000 bushels of wheat that had been consigned to a storage elevator at Toledo, OH.

The explanation for the loss is that one of the hull plates had worked loose and simply dropped off while heading down the lake. The ship had been briefly aground earlier in the month and the suspicion was this weakened one of the plates beneath the engine room.


Water rushed in unabated and the crew abandoned their doomed vessel to the lifeboats before it sank in an initially reported 340 ft of water. The loss of the ship and its cargo was noted at \$160,000.

Fortunately, the tanker **RENOWN** was nearby and the alert Captain had correctly assessed the situation, turned his ship, and came back to assist. The Standard Oil tanker crew was able to rescue the drifting sailors.

The remains of **ONOKO** were found in 1987. The ship actually rests in only 207 ft of water and is upside down. The hull is broken in two near the stern. This once historic ship remains where it landed a century ago this past fall after a most unusual accident on Lake Superior.



1920 painting showing port side profile as originally rigged;  
Institute for Great Lakes Research archives, Bowling Green State University



**ONOKO** sinking, as photographed by an unidentified seaman on the Standard Oil Tanker, **RENOWN**,  
Sep. 15, 1915; Institute for Great Lakes Research archives, Bowling Green State University

Special thanks: Images courtesy of Historical Collections of the Great Lakes, Bowling Green State University  
<http://www.bgsu.edu/library/cac/collections/hcgl.html>

Additional information regarding  
the **ONOKO** is available at:

<http://www.mnhs.org/places/nationalregister/shipwrecks/onoko/onoko.php>





# Whale Alert: Free iPad and iPhone App Helps Mariners Avoid Right Whales and Monetary Fines



Collision between whales and ships is a problem that is drawing world-wide attention. From the United States to the Mediterranean to New Zealand, mariners are increasingly being asked to take action to reduce the risk of such collisions, but receive little help in doing so. Led by scientists from the US National Oceanic and Atmospheric Agency's (NOAA) Stellwagen Bank National Marine Sanctuary, a consortium of scientists, industry representatives and conservation groups have developed a solution. **Whale Alert** is a free mobile application that provides the maritime community and others with up-to-date information pertaining to North Atlantic right whale management initiatives and regulations, and displays them on nautical charts. NOAA is the United States agency with responsibility for protecting endangered marine species, such as the North Atlantic right whale.

## How can **Whale Alert** Benefit Mariners?

In US waters, mariners are required to abide by regulatory management initiatives designed to protect the highly endangered North Atlantic right whale (U.S. Law 50CF 224.105). Failure to comply with these regulations can result in substantial fines. To date, NOAA has issued penalty assessments ranging from \$11,500 to \$92,000 to ships violating speed restrictions in designated Seasonal Management Areas (SMAs). However, it is difficult for mariners to stay updated on management measures and to know when they are in a special management zone. **Whale Alert** provides all mariner-relevant right whale information on digital nautical charts and displays them on an iPad or iPhone. Using an iPad to display **Whale Alert** has the advantage of keeping information separate from a ship's ECDIS screen, thereby not interfering with navigation and safety. The charts can be automatically updated to ensure that mariners are receiving the most recent information possible. **Whale Alert** provides mariners with "one-stop shopping" for all the information they need to comply with measures designed to protect right whales.

## What will Mariners See on **Whale Alert**?

**Whale Alert** provides mariners with a visual display of all relevant right whale management initiatives on digital nautical charts via their iPad or iPhone, including:

- Current ship location - An icon depicts a ship's real-time GPS derived location;
- Seasonal Management Areas (SMA) – SMAs are ocean areas in which the US Government requires mariners to transit at speeds  $\leq 10$  knots. SMAs are active only during specific times of the year when right whales are historically present. SMAs appear on **Whale Alert** charts as orange-colored areas and are only displayed during the time period in which the SMA is active. As a ship enters an SMA a pop-up window (triggered by their GPS location) appears notifying the mariner that he/she should be traveling at a speed  $\leq 10$  knots;
- Mandatory Ship Reporting (MSR) – MSRs are areas that, when entering, a ship must contact the US Coast Guard to receive right whale information. MSRs are displayed in **Whale Alert** as a blue line that borders the reporting area. When a ship enters an MSR, a pop-up display appears reminding the mariner to report to the US Coast Guard and providing information on reporting procedures;
- Areas to be Avoided (ATBA) – IMO sanctioned ATBAs to protect right whales appear on the **Whale Alert** charts in red when and where they are active;




- Recommended Routes (RR) - NOAA has established RRs in key right whale habitats that guide ships through areas with a reduced likelihood of collision with whales. RRs are displayed in purple;
- Dynamic Management Areas (DMAs) – DMAs are ocean areas where an aggregation of right whales has been sighted outside of an SMA. DMAs typically last 2-weeks and mariners are requested to reduce speeds to  $\leq 10$  knot when transiting. Active DMA zones are shaded grey on the *Whale Alert* display;
- Near real-time acoustic alerts – Right whale acoustic detection buoys use moored hydrophones and satellite communications to quickly identify the presence of right whales in the TSS through and around NOAA's Stellwagen Bank National Marine Sanctuary. Detection buoys appear on *Whale Alert* charts as green circles. The circles turn yellow to indicate that a right whale has been detected within the past 24 hrs and a  $\leq 10$  knot speed is requested;

**Whale Alert** was designed with considerable input from the maritime community. The Massachusetts Port Authority and Boston Harbor Pilots Association were lead groups, while NYK Line and the Norwegian and Holland America cruise lines were part of a test fleet to gain additional industry input and make the app operational. The US Coast Guard was instrumental in working with the team to transmit information via AIS. On the conservation side, the International Fund for Animal Welfare provided program input and funding. In addition to the Stellwagen Bank National Marine Sanctuary, scientists and engineers from the Bioacoustic Research Program at Cornell University, the Center for Coastal and Ocean Mapping at the University of New Hampshire, NOAA's Northeast Fisheries Science Center, and the Woods Hole Oceanographic Institution provided expertise supporting different aspects of the app. EarthNC, with extensive experience in spatial mapping and real-time mobile data acquisition, developed the app itself.

### What Else can *Whale Alert* Provide Mariners?

Sightings of whales can be submitted directly to our **Whale Alert** database with the help of the whale ID guide contained in the app.



Real-time NOAA PORTS® (Physical Oceanographic Real-Time System) weather and tide data are displayed.

iPads can easily be configured such that only approved apps can be deployed, thereby assuring safety on a vessel's bridge. For more information about **Whale Alert**, including set up requirements and instructions go to [whalealert.org](http://whalealert.org). To provide feedback and ideas to the *Whale Alert* development team you can fill out a survey at: [stellwagen.noaa.gov/protect/survey.html](http://stellwagen.noaa.gov/protect/survey.html). To obtain the **free Whale Alert** mobile app go to the App Store or [whalealert.org](http://whalealert.org).





# Hail and Farewell!

## New Orleans has a New Port Meteorological Officer..

Rusty Albaral grew up in the New Orleans area before shipping off to the Marines in the early nineties. Upon completion of Boot Camp and Marine Combat Training, he received orders to the Surface Weather Observation Course at Keesler AFB, Biloxi, MS.



After completion of the course and four years of operational weather observing, Rusty then attended the Meteorological and Oceanographic Analyst

Forecasting Course back in Biloxi. After graduating from the course, he would go on to complete his 20 year Marine Corps career as a Lead Forecaster, Meteorological & Oceanographic Formal School Instructor, Instructor Supervisor, Commanding General's Staff Meteorologist, Regional Technical Training Supervisor, and Lead Watch Supervisor. Along the way, Rusty deployed to Hungary/Kosovo to support the Kosovo Campaign and deployed to Iraq during Operation Iraqi Freedom. In addition, he was twice awarded the Navy Commendation Medal for meritorious service and the Navy Achievement Medal twice for superior performance. Over the course of his 20 year military weather career, Rusty found his most rewarding tour was being a technical training instructor at the Meteorological and Oceanographic Analyst Forecaster's Course on Keesler AFB. Rusty was designated a Master Training Specialist by the Naval Technical Training Unit, for excellence in technical competence, instructional methodology and military leadership. Upon retiring in 2013, Rusty attended and graduated with an Associate of Arts from Mississippi Gulf Coast Community College and is currently pursuing his Bachelor of Science degree in Applied Computing from Tulane University. In addition to his worldwide experience as an operational weather forecaster, Rusty genuinely enjoys teaching weather observing, forecasting, and weather awareness at any level. During his spare time, he spends as much time as possible on the water with family and friends. When not on the water, Rusty enjoys catching live music and sneaking in 18 holes of golf when he can.

## VOS Says Farewell to an International Colleague

A Fond Farewell to one of our international colleagues, Graeme Ball; Manager, Marine Operations Group at Bureau of Meteorology-Melbourne, Australia. His area of responsibility included the Australian Voluntary Observing Fleet (VOS), XBT Ship of Opportunity Program, Drifting buoys, Profiling floats and Waverider buoys. Graeme



Ball retired last month (October 2015) with a long list of accomplishments and an overwhelming list of responsibilities that he handled effortlessly. Graeme began working at the BOM as Manager of the Marine Operations in 1997. His dedication to environmental studies gave way to other opportunities to enhance programs within the field on oceanography and meteorology. In 2002, Graeme became the Chair of JCOMM Ship Observations Team (SOT), an active member to the JCOMM Observations Coordination Group (OCG) and the Chair for the International Buoy Program (IBPIO) for the Indian Ocean (southern Hemisphere). These, I am sure, are only a few of Graeme's accomplishments. Needless to say, his shoes will be hard to fill. In his retirement, Graeme won't be idle as his many interests will keep him and his wife Robyn very busy. Both have a love for travel, and recently have joined an Australian Club for hiking adventures. Along with hiking and bushwalking in the outback, Graeme enjoys kayaking and cycling...and Australian football, which is nothing, like the football in the U.S.A. by the way! His team: GEELONG CATS. Included in all these activities and interests are his grandchildren, family and friends.

Congratulations on your retirement Graeme!

Cheers!



# Mean Circulation Highlights and Climate Anomalies

## May through August 2015



*All anomalies reflect departures from the 1981-2010 base period.*

*Anthony Artusa, Meteorologist, Operations Branch, Climate Prediction Center NCEP/NWS/NOAA*

### May-June 2015

During May, the mid tropospheric height and anomaly pattern featured well above average heights across Alaska, the Gulf of Alaska, and western Canada, in association with an amplified ridge. Above average heights were also observed over the eastern contiguous US, the western Mediterranean region, and northwest Russia. Below average heights characterized the far northern reaches of the Atlantic from Baffin Island, Canada eastward across Greenland and Iceland to Scandinavia. Below average heights were also noted in eastern Siberia, near the North Pole, and the southwestern contiguous US, **Figure 1**. The Sea Level Pressure (SLP) and Anomaly map for May (**Figure 2**) roughly mirrored the 500 hPa circulation features. In June, the 500 hPa flow pattern featured above average heights from the Bering Sea southeastward to the US Rockies, and western Russia (**Figure 3**). The only area with significantly below average heights was Scandinavia. The Sea Level Pressure and Anomaly map for June (**Figure 4**) shows a very weak, nondescript pattern, with below average SLP for northern Scandinavia and the adjacent arctic coast of northwest Russia.

Arctic sea ice extent was 5.5 percent below the 1981-2010 average in May 2015. This is the third smallest May sea ice extent since satellite records began in 1979. In contrast, Antarctic sea ice extent was 12.1 percent above the 1981-2010 average, making this the largest May sea ice extent on record (**Reference 1**).



Caption for 500 hPa Heights and Anomalies: Figures 1,3,5,7 Northern Hemisphere mean and anomalous 500-hPa geopotential height (CDAS/Reanalysis). Mean heights are denoted by solid contours drawn at an interval of 6 dam. Anomaly contour interval is indicated by shading. Anomalies are calculated as departures from the 1981-2010 base period monthly means.

Caption for Sea-Level Pressure and Anomaly: Figures 2,4,6,8 Northern Hemisphere mean and anomalous sea level pressure (CDAS/Reanalysis). Mean values are denoted by solid contours drawn at an interval of 4 hPa. Anomaly contour interval is indicated by shading. Anomalies are calculated as departures from the 1981-2010 base period monthly means.



# Selected Significant Climate Anomalies and Events May 2015

## GLOBAL AVERAGE TEMPERATURE

May 2015 average global land and ocean temperature was the warmest May since records began in 1880.

## ARCTIC SEA ICE EXTENT

May 2015 sea ice extent was 5.5 percent below the 1981–2010 average—the third smallest May sea ice extent since satellite records began in 1979.

## ALASKA

Warm temperatures engulfed much of the state, resulting in the warmest May since statewide records began in 1918.

## CONTIGUOUS UNITED STATES

Wetter than average conditions were widespread across the central U.S. This was the wettest May on record and the all-time wettest month in 121-years of record keeping. Colorado, Oklahoma, and Texas also had their wettest May on record.

## United Kingdom

May 2015 maximum temperatures were the coolest since 1996.

## India

A deadly heat wave impacted India from May 21<sup>st</sup>–31<sup>st</sup>, causing more than 2,200 fatalities.

## Spain

Spain experienced warmer-than-average and drier-than-average conditions during May—resulting in the driest May since 1947 and the second warmest May since 1961 (behind 1964).

## ARGENTINA

Warmer-than-average conditions during March through May contributed to the nation's warmest autumn (March–May) since national records began in 1961.

## AUSTRALIA



Below-average precipitation was observed across much of Australia, with Tasmania the only region recording above-average precipitation in May.

## ANTARCTIC SEA ICE EXTENT

May 2015 sea ice extent was 12.1 percent above the 1981–2010 average—the largest May sea ice extent on record.



Material provided in the above map was compiled for NOAA's State of the Climate report. For more information visit: <http://www.ndbc.noaa.gov/sotc> (Reference 1)



Caption for 500 hPa Heights and Anomalies: Figures 1,3,5,7

Northern Hemisphere mean and anomalous 500-hPa geopotential height (CDAS/Reanalysis). Mean heights are denoted by solid contours drawn at an interval of 6 dam. Anomaly contour interval is indicated by shading. Anomalies are calculated as departures from the 1981-2010 base period monthly means.

Caption for Sea-Level Pressure and Anomaly: Figures 2,4,6,8 Northern Hemisphere mean and anomalous sea level pressure (CDAS/Reanalysis). Mean values are denoted by solid contours drawn at an interval of 4 hPa. Anomaly contour interval is indicated by shading. Anomalies are calculated as departures from the 1981-2010 base period monthly means.

## The Tropics

During May and June, sea surface temperatures (SSTs) were above average across the equatorial Pacific. The monthly Nino 3.4 indices were +1.0C (May) and +1.3C (June). The depth of the oceanic thermocline (measured by the depth of the 20C isotherm) was above average in the eastern equatorial Pacific (May and June), and the east central Pacific (May). Corresponding sub surface temperatures ranged from 1-6C above average during the 2 month period. Low level (850 hPa) westerly wind anomalies and upper level (200 hPa) easterly wind anomalies continued across the equatorial Pacific in May, and the western and central Pacific in June. Convection was enhanced in the central and eastern Pacific during both months, suppressed across Indonesia in June.



## July-August 2015

The July 2015 mid tropospheric circulation pattern was characterized by well above average 500 hPa heights across most of the Arctic Ocean and Greenland. Well below average heights were analyzed from the northeast North Atlantic across northern Europe to northwest Russia. Below average heights were also noted over the Bering Sea and adjacent far northern Pacific (**Figure 5**).

The SLP and Anomaly pattern (**Figure 6**) for July generally shows anomalies of the same sign as those of the 500 hPa pattern. In August, the mean circulation was characterized by a wave number 5 pattern, though the ridge-trough couplet over the United States had very small anomalies. Above average 500 hPa heights extended from the North Pole southward across central and eastern Europe, east Asia, the Bering Sea and Gulf of Alaska, and over northern Canada. Below average heights were noted across the northeast Atlantic, north central Russia, the temperate western Pacific, and from the northern coast of Alaska southeastward into western Canada (**Figure 7**). The SLP and Anomaly map (**Figure 8**) roughly mirrors the 500 hPa pattern.



## The Tropics

SSTs across the equatorial Pacific continued to be above average during July and August. The monthly Nino 3.4 indices were +1.6C and The depth of the oceanic thermocline was above average in the eastern equatorial Pacific during the two month period, and sub surface temperatures ranged from 1-6C above average. Low level westerly's (850 hPa) and upper level easterlies r (200 hPa) remained strong across the western and central Pacific during the period. Deep tropical cloudiness and related thunder






storm activity remained enhanced over the central and eastern equatorial Pacific, and suppressed over Indonesia and the western Pacific. Collectively, these oceanic and atmospheric anomalies are consistent with El Niño conditions.



Caption for 500 hPa Heights and Anomalies: Figures 1,3,5,7

Northern Hemisphere mean and anomalous 500-hPa geopotential height (CDAS/Reanalysis). Mean heights are denoted by solid contours drawn at an interval of 6 dam. Anomaly contour interval is indicated by shading. Anomalies are calculated as departures from the 1981-2010 base period monthly means.

Caption for Sea-Level Pressure and Anomaly: Figures 2,4,6,8 Northern Hemisphere mean and anomalous sea level pressure (CDAS/Reanalysis). Mean values are denoted by solid contours drawn at an interval of 4 hPa. Anomaly contour interval is indicated by shading. Anomalies are calculated as departures from the 1981-2010 base period monthly means.



An unprecedented three Category 4 hurricanes occurred on the same date (August 29, 2015) in the central and eastern tropical Pacific - Kilo, Ignacio and Jimena (Image/NASA) (Reference 2)

**References:**

1. <http://www.ncdc.noaa.gov/sotc/service/global/extremes/201505.gif>
2. [http://eoimages.gsfc.nasa.gov/images/imagerecords/86000/86512/three\\_stormsnight\\_vir\\_2015242.jpg](http://eoimages.gsfc.nasa.gov/images/imagerecords/86000/86512/three_stormsnight_vir_2015242.jpg)

Much of the information used in this article originates from the Climate Diagnostics Bulletin archive:

([http://www.cpc.ncep.noaa.gov/products/CDB/CDB\\_Archive\\_html/CDB\\_archive.shtml](http://www.cpc.ncep.noaa.gov/products/CDB/CDB_Archive_html/CDB_archive.shtml))

# Marine Weather Review – North Atlantic Area

## September 2014 to February 2015

*George P. Bancroft*  
*Ocean Forecast Branch, Ocean Prediction Center, College Park, MD*  
*NOAA National Center for Environmental Prediction*

### Introduction

The fall to mid-winter period of September 2014 to February 2015 featured the onset of mainly a progressive and amplified pattern of developing cyclones moving from southwest to northeast across the North Atlantic toward Greenland and Iceland, with cyclones less frequently taking a more northwesterly track toward the Davis Strait, or a more southern track over the central North Atlantic waters toward Europe. The heavy weather season started early with two hurricane force lows developing in middle to late September. October featured two such events including one with tropical origin (Hurricane Gonzalo). The numbers of hurricane force lows then increased from November to January, reaching a peak of 12 events in January, before easing to eight in February. These trends support the seasonal increase in numbers of hurricane force lows to a peak in January in the North Atlantic found in a study done in 2005 based on QuikSCAT winds (VonAhn and Sienkiewicz, 2005). One cyclone developed a central pressure below 940 hPa east of Greenland early in January. Three other cyclones, one in early December and two in January, developed central pressures in the low 940s.

The six month period includes the last half of the hurricane season in the Atlantic basin. It turned out to be a quiet season in terms of the number of named tropical cyclones. The three tropical cyclones that affected OPC's marine area north of 31N were hurricanes, including two major hurricanes (category 3 or higher on the Saffir-Simpson scale, Reference 4 and 5).

One of these, Gonzalo, was the strongest and briefly developed into a post tropical hurricane force (extratropical) low over the North Atlantic. There was no late season activity after October.

### Tropical Activity

#### Hurricane Edouard:

Edouard briefly became a major hurricane while approaching 31N near 58W on the morning of September 16th with maximum sustained winds of 105 kts. The cyclone moved northward and then turned northeast late on the 16th and accelerated the following day with a slow weakening trend. By the 18th the weakening cyclone turned eastward along 40N, passing near 40N 42W as a minimal hurricane with 65 kts winds at 1800 UC on the 18th, and then weakening to a tropical storm six hours later.

Edouard then lost tropical characteristics and became a post tropical gale near 40N 38W at 1800 UTC on the 19th. The cyclone then turned southeast and then south late on the 20th as a remnant low, and dissipated near 30N 32W late on the 22nd.

#### Hurricane Fay:

A short lived tropical cyclone with non tropical origin, Fay briefly became a hurricane while approaching and then passing over and just north of the island of Bermuda early on October 12th, with highest sustained winds 70 kts on the morning of the 12th. As a cold front approached, Fay then turned northeast and then east and weakened (**Figure 1**), and passed near 34N 59W as a 50 kts tropical storm at 0000 UTC on the 13th. Fay then became a post tropical cyclone the next morning and merged with a front. Post tropical Fay was strongest while passing near 33N 44W with a 1000 hPa central pressure and storm force winds at 1200 UTC on the 14th. The **ALLIANCE ST. LOUIS** (WGAE) near 36N 60W reported north winds of 40 kts and 5.8 m seas (19 ft) at 0600 UTC on the 13th.

The **MAERSK DAYTON** (DDSC2) near 34N 46W reported north winds 35 kts and 6.7m



seas (22 ft) at 1600 UTC on the 14th, and the **ESMERALDA** (9HA3564) near 34N 40W encountered northeast winds of 40 kts two hours later. Fay then tracked east southeast on the 14th and then accelerated northeast late on the 15th and became absorbed by a large gale to the north early on the 17th.

### Hurricane Gonzalo:

Gonzalo's winds peaked at 125 kts (category 4 intensity on the Saffir-Simpson scale) when 460 nm south southwest of Bermuda at 1200 UTC October 16 (Ref. 5). Gonzalo crossed into OPC's marine area near 31N 66W as a 105 kts (category 3), although weakening, hurricane at 1800 UTC on the 17th and passed over Bermuda 0030 UTC on the 18th. The Bermuda airport (TXKF) reported a west wind of 81 kts shortly after passage of the hurricane's eye. Gonzalo then tracked northeast and slowly weakened but remained a hurricane until transition into a post tropical cyclone on the 19th (**Figure 2**). **Figure 3** is an ASCAT image showing strongest winds around Gonzalo, up to 75 kts, close to the center, a characteristic of tropical cyclones. Gonzalo was still a hurricane at that time. After briefly maintaining hurricane force winds as a post tropical low, Gonzalo then moved northeast and weakened to a gale the following night, before re-intensifying into a storm force low passing near northern Scotland with a 976 hPa center at 0600 UTC on the 21st. Post tropical Gonzalo then moved in-

land over Denmark as a gale late on the 21st.

## Other Significant Events of the Period

### Northwestern Atlantic Storms, September 3-7:

A developing cyclone moved from northern Quebec on the morning of September 3rd to the Davis Strait early the next day, where it developed a lowest central pressure of 980 hPa and storm force winds. An ASCAT (METOP-A) pass from 1305 UTC on the 4th returned south to southeast winds up to 45 kts off the southwest Greenland coast, meaning possible storm force considering the low bias of ASCAT winds. The cyclone weakened in the Davis Strait on the 5th and was followed by another cyclone moving from central Quebec on the 5th to the northern Labrador Sea with a central pressure as low as 984 hPa at 1800 UTC on the 7th. The **EURODAM** (PHOS) near 59.5N 47W reported southeast winds of 51 kts and 4.0 m seas (13 ft) two hours later. The cyclone then weakened while turning toward the southeast and dissipated southeast of Cape Farewell late on the 9th.

### North Atlantic Storm, Greenland area, September 12-15:

Low pressure moved from southern Quebec early on September 11th to the Labrador coast on the morning of the 12th and then to the east Greenland waters early on the 14th, where

it became the first hurricane force low of the fall season (**Figure 4**). Westerly winds south of the low of up to 60 kts detected by ASCAT are channeled against the southern tip of Greenland (**Figure 5**). This data supports the presence of hurricane force winds due to the low bias of ASCAT at high wind speeds. The **MARY ARTICA** (BATEU00) reported east winds of 45 kts near 65N 38W at 0800 UTC on the 14th. The cyclone then weakened while passing between Greenland and Iceland the following night.

### North Atlantic Storm, Greenland area, September 28-October 1:

Low pressure moving off the southern Labrador coast on the morning of September 27th developed gale force winds, and then turned northeast toward the east Greenland waters on the 28th and early on the 29th while rapidly intensifying (**Figure 6**) and became the second hurricane force low of the month. The central pressure fell 28 hPa in the twenty four hour period ending at 0600 UTC on the 29th. The ship **BATEU08** (64N 33W) reported south winds of 65 kts at 2200 UTC on the 29th. The second part of **Figure 6** shows a second developing storm moving north toward the east Greenland waters, after having moved off the southern Labrador coast the previous day. It, along with the other low, formed a complex storm system between Greenland and Iceland by 1200 UTC on the 30th with a lowest central pressure of 952 hPa near 64N 31W.

The combined center then accelerated northeast on October 1st and passed north of Iceland late on the 1st. Ship **BATEU08** encountered west winds of 45 kts near 60N 48W at 1600 UTC on that day.




Figure 1. OPC North Atlantic Surface Analysis charts valid 1800 UTC October 12 (Part 2 – west) and 1800 UTC October 13, 2014 (Part 1 – east). Twenty-four hour forecast tracks are shown with the forecast central pressures given as the last two whole digits in millibars except for tropical cyclones at twenty-four hours (tropical symbol at the forecast position).




Figure 2. OPC North Atlantic Surface Analysis charts (Part 2) valid 0600 UTC and 1800 UTC October 19, 2014.






Figure 3. ASCAT METOP-B(Advanced Scatterometer) image of satellite-sensed winds with 25-km resolution around Hurricane Gonzalo shown in the first part of Figure 2. The valid time of the pass is 0116 UTC October 19, 2014, or less than five hours prior to the valid time of the first part of Figure 2. Imagery is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research.




Figure 4. OPC North Atlantic Surface Analysis charts valid 1200 UTC September 12 (Part 2) and 1200 UTC September 14, 2014.






Figure 5. ASCAT (METOP-B) image of satellite-sensed winds with 25-km resolution around the south side of the cyclone shown in the second part of Figure 4. The valid time of the pass is 1352 UTC September 14, 2014, or about two hours later than the valid time of the second part of Figure 4. The southern tip of Greenland appears at the top of the image. Imagery is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research.




Figure 6. OPC North Atlantic Surface Analysis charts (Part 1) valid 0600 UTC September 28 and 1800 UTC September 29, 2014.



**North Atlantic Storm, October 12-15:**

The development of this cyclone, the first of two to develop a 948 hPa central pressure and occurring as Tropical Storm Fay was traversing the southern waters, is depicted in **Figure 1**. It originated near the northern mid- Atlantic coast of the U.S. early on October 11th, moved northeast and quickly intensified after passing east of the island of Newfoundland on the afternoon of the 12th. The central pressure fell 46 hPa in the 24 hour period ending at 1200 UTC on the 13th, or almost twice the rate needed for a meteorological “bomb” at 60N (Sanders and Gyakum, 1980). The **ARCADIA** (ZCDN2) sent several reports, including a report of northwest winds of

90 kts near 49N 42W and 5.2 m seas (17 ft) at 0900 UTC on the 13th. Four hours later the same ship encountered northwest winds of 65 kts and 12.8 m seas (42 ft) near 49N 40W. This was followed three hours later by a report of northwest winds 70 kts and 11.3 m seas (37 ft) near 50N 39W. The **INDEPENDENCE II** (WGAX) near 49N 40W encountered southeast winds of 60 kts at 0600 UTC on the 13th. The cyclone, after maintaining hurricane force winds from 0600 UTC on the 13th through 0000 UTC on the 14th, began to weaken and drift east with its top winds lowering to gale force by early on the 15th. The cyclone then became absorbed by a large gale passing to the south the next day.

Observation	Position	Date / Time UTC	Wind Speed, kts	Seas (m/ft)
Seven Seas Navigator	35.6N 75W	02/0800	N 50	N/A
(C6Z19)	35N 75W	02/1100	NW 50	N/A
Maersk Iowa	40N 72W	02/1400	N 50	N/A
(KABL)				
Maersk Detroit	40N 65W	02/1800	SW 50	10.7/35
(WMDK)				
Ship CFL24	43.8N 60.6W	03/0900	W 51	6.0/20
Thebaud Platform	43.9N 60.2W	03/0600	SW 54 G67	N/A
(CFO383)				
Buoy 44014	36.6N 74.8W	02/0200	NW 41 G49	4.5/15
		02/0600	Peak gust 51	
		02/0800		Maximum 6.0/20
Buoy 41048	32.0N 69.5W	02/0600	SW 35 G49	5.5/18
		02/0900		Maximum 8.0/26
Buoy 44137	42.3N 62.0W	03/0300	SW 43 G52	9.5/31
		03/0200	Peak gust 54	
		03/0400		Maximum 10.0/33
Buoy 44024	42.3N 65.9W	03/0200	NW 37 G47	7.5/25
		03/0700		Maximum 8.0/26

**Table 1. Selected ship, platform and buoy observations taken during the southwestern North Atlantic storm of November 1-3, 2014.**

### Southwestern North Atlantic Storm, November 1-3:

The initial rapid development of this system is shown in [Figure 7](#). The trailing low pressure system and secondary cold front on the southeast U.S. coast absorbed the initial low off the mid Atlantic coast during the 24 hour period. The cyclone became the only hurricane force event over the southwestern waters during the four month period through December. The lowest central pressure was 974 hPa over the Gulf of St. Lawrence at 0600 UTC on the 3rd. The cyclone stalled there before dissipating late on the 4th as a new cyclone formed to the north and moved toward Iceland. Some notable surface observations taken in this event are listed in [Table 1](#).

### North Atlantic Storm, November 8-10:

Low pressure originating over the northeastern U.S. and New England on the afternoon of November 6th moved northeast to the Gulf of St. Lawrence late on November 7th and then over the following 24 hours reformed northeastward off the southern Labrador coast as a 961 hPa storm center ([Figure 8](#)). A scatterometer pass ([Figure 9](#)) returned winds up to 60 kts north of an occluded front approaching Greenland. The low bias of ASCAT at higher wind speeds indicates winds likely reached hurricane force late on the 8th before the system turned toward the east and weakened the following night and on the 9th. The cyclone then

dissipated by early on the 10th as a new cyclone developed to the east.

### Northwestern Atlantic Storm, November 15-16:

The main development of this cyclone, which originated near the North Carolina coast early on November 13th, is shown in [Figure 10](#). In this 24 hour period the low center's central pressure dropped 27 hPa, and the lowest central pressure occurred six hours later. Like in the previous event, November 8-10, this cyclone developed winds to 60 kts in ASCAT imagery ([Figure 11](#)), but on the south side of the center where there is a tight pressure gradient as indicated in the second part of [Figure 10](#). BATEU06 (51N 55W) reported west winds of 40 kts at 1900 UTC on the 15th. The platform HIBERNIA (46.7N 48.7W) reported west winds 49 kts at a height of 139 m and seas 3.0 m (10 ft) at 1500 UTC on the 15th, and 12 hours prior, reported 4.0 m seas (13 ft). The cyclone subsequently stalled and weakened near the southern tip of Greenland late on the 16th and on the 17th.

### North Atlantic Storm, November 17-19:

A wave of low pressure that formed on a front south of Newfoundland at 0000 UTC November 16th (second part of [Figure 10](#)) moved northeast and rapidly intensified over the central waters after 0600 UTC on the 17th, with the central pressure dropping 26 hPa in the following 24 hours.

[Figure 12](#) shows the cyclone near maximum intensity at 1200 UTC on the 18th. The cyclone developed a lowest central pressure of 967 hPa six hours later near 50N 23W when OPC analyzed it as a hurricane force low. [Figure 14](#) shows wind retrievals from two ASCAT-B passes with the pass at 1307 UTC on the 18th revealing northwest winds to 60 kts. The cyclone therefore briefly developed hurricane force winds early on the 18th before it drifted southeast and weakened, and became a gale force low in the east central waters 1200 UTC on the 19th ([Figure 13](#)). Dissipation followed on the next day.

### Northwestern Atlantic Storms, November 18-23:

Two hurricane force lows affected the Labrador Sea and southern Greenland late in November. The more intense of these developed a lowest central pressure of 948 hPa while moving off the northern Labrador coast at 1200 UTC on the 19th, after forming in the Gulf of St. Lawrence 24 hours prior ([Figure 12](#) and [Figure 13](#)). The central pressure fell 40 hPa during the twenty four hour period ending at 0600 UTC on the 19th. Winds lowered to storm force the afternoon of the 19th and to gale force the next day as the system moved north through the Davis Strait while weakening. The second low initially followed an inland track through the Great Lakes on the 19th ([Figure 13](#)) and along the St. Lawrence River the next day before intensifying into a



hurricane force low with a central pressure as low as 960 hPa near 56N 50W at 1800 UTC on the 22nd. This event was similar in intensity and winds to the November 8-10 storm. An ASCAT-A image from 1415 UTC on the 22nd revealed retrieved winds on the edge of the pass from the east to 55 kts on the north side and from the west 50 kts on the south side. The ship **VRY03** (47N 43W) reported south winds of 46 kts at 0000 UTC on the 22nd. The platform **HIBERNIA** (46.7N 48.7W) encountered west winds of 50 kts and 6.0 m seas (20 ft) at 0600 UTC on the 23rd. The cyclone subsequently weakened to a gale force low while passing near the southern tip of Greenland at 1800 UTC on the 23rd before dissipating by the 25th as a new low formed to the northeast.

#### **North Atlantic Storm, November 29-December 1:**

A subsequent event at the end of November involved low pressure tracking from the southeastern U.S. on the 27th northeast across the Grand Banks late on the 28th and then as shown in **Figure 15** the final development into a hurricane force low passing near Iceland at 1800 UTC on the 30th. The cyclone passed north of Iceland six hours later with a lowest central pressure of 957 hPa. The ASCAT-B image in **Figure 16** returned a swath of west winds containing numerous 60 kts wind reports, and it is possible the pass missed higher winds as these retrieved winds are on the edge of a pass.

The cyclone then continued to move northeast from Iceland and weakened on December 1st.

#### **Northwestern Atlantic Storm, December 1-2:**

This short lived event involved a low pressure area moving northeast across Quebec on November 30th, passing off the north Labrador coast the following night and then briefly developing hurricane force winds while passing near 62N 59W with a 968 hPa center around 1800 UTC December 1st. An ASCAT-B pass from 2329 UTC on the 1st returned a swath of west winds to 55 kts south of the center similar to the winds in **Figure 16** but not quite as strong. The system then moved north through the Davis Strait and weakened rapidly the following night and on the 2nd.

#### **Northwestern Atlantic/ Greenland Storms, December 4-6:**

The development of the stronger of two cyclones from its origin as an open wave over New Brunswick over a 36 hour period is depicted in **Figure 17**. Similar to the December 7-11 event that followed, the central pressure fell 50 hPa in the 24 hour period ending at 0000 UTC December 5th, or more than twice the rate of deepening needed for a meteorological "bomb" at 60N (Sanders and Gyakum, 1980). To support this development, two short wave troughs appear on a 500 hPa analysis for 0000 UTC on the 4th (**Figure 18**) at the start of


rapid intensification, supported by strong 500 hPa winds, and are about to come into phase or reinforce one another. More information on use of the 500 Millibar chart may be found in the References (Sienkiewicz and Chesneau, 2008). The primary cyclone spawned a new or secondary low center on the east side of Greenland by 0600 UTC on the 5th (**Figure 17**) which briefly developed hurricane force winds six hours later. An ASCAT-A pass from 2318 UTC December 4th with partial coverage revealed southeast winds to 50 kts off the southwest Greenland coast and west winds to 50 kts in the Labrador Sea. The primary cyclone dissipated over Greenland late on the 5th while the secondary low moved northeast and dissipated near Iceland late on the 6th.

#### **North Atlantic Storm, December 7-11:**


This developing cyclone moved from New England early on December 6th northeast to the Labrador Sea on the 7th and developed storm and hurricane force winds while passing near and east of Greenland on the night of the 7th and on the 8th. **Figure 19** depicts the final 36 hour period of development, including a fall in central pressure of 51 hPa in the 24 hour period ending at 1800 UTC on the 8th. Hurricane force winds accompanied the system as it moved through the East Greenland Sea over the following twenty four hours. The lowest central pressure was 941 hPa (27.79 in) as shown in the second part of **Figure 19**,

making it the second deepest of the six month period in the North Atlantic. The scatterometer image in **Figure 20** taken about eight hours prior to maximum intensity returned a swath of 50 to 60 kts on the south side and even some 70 kts barbs along the Greenland coast. The **IRENA ARTICA** (BATEU05) near 61N 42W reported north winds of 50 kts at 1000 UTC on the 8th. The ship **BATEU08** (60N 39W) encountered west winds 50 kts at 1700 UTC on the 9th. Buoy 64045 (59.2N 11.7W) reported west winds

45 kts with gusts to 62 kts and 14.0 m seas (46 ft) at 0300 UTC on the 10th, followed six hours later by a report of 15.8 m seas (52 ft). Buoy 62105 (55.0N 12.4W) reported similar conditions at 0800 UTC on the 10th and, one hour later, a peak gust of 63 kts and 15.2 m seas (50 ft). The system weakened while passing east of Iceland on the 10th and was pushed inland over Norway by the approach of the next major cyclone by the 13th (**Figure 21**). (cont. Page 36)



**Figure 7. OPC North Atlantic Surface Analysis charts (Part 2) valid 1200 UTC November 1 and 2, 2014.**



**Figure 8. OPC North Atlantic Surface Analysis charts (Part 2) valid 0000 UTC November 8 and 9, 2014.**






Figure 9. ASCAT (METOP-B) image of satellite-sensed winds with 25-km resolution around the storm shown in the second part of Figure 8. The valid time of the eastern pass containing the higher wind retrievals is 2304 UTC November 8, 2014, or about one hour prior to the valid time of the second part of Figure 8. Imagery is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research




Figure 10. OPC North Atlantic Surface Analysis charts (Part 2) valid 0000 UTC November 15 and 16, 2014.






Figure 11. ASCAT (METOP-A) image of satellite-sensed winds with 25-km resolution around the cyclone shown in the second part of Figure 10. The valid time of the pass containing the strongest winds is 0047 UTC November 16, 2014, or about three quarters of an hour later than the valid time of the second part of Figure 10. The center of the cyclone appears near 56N 50W. Imagery is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research.




Figure 12. OPC North Atlantic Surface Analysis charts (Parts 1 and 2) valid 1200 UTC November 18, 2014. The two parts overlap between 40W and 50W.






Figure 13. OPC North Atlantic Surface Analysis charts (Parts 1 and 2) valid 1200 UTC November 19, 2014. The two parts overlap between 40W and 50W.




Figure 14. ASCAT (METOP-B) image of satellite-sensed winds with 25-km resolution around mainly and north and northwest sides of the strong cyclone shown in Part 1 of Figure 12. The valid time of the passes is 1127 UTC and 1307 UTC November 18, 2014, with the later pass valid only one hour later than the valid time of Figure 12. Imagery is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research.






Figure 15. OPC North Atlantic Surface Analysis charts (Part 1) valid 1800 UTC November 29 and 30, 2014.




Figure 16. ASCAT (METOP-B) image of satellite-sensed winds with 25-km resolution around the hurricane-force low near Iceland shown in the second part of Figure 15. The valid time of the pass is 2031 UTC November 30, 2014, or about two and one-half hours later than the valid time of the second part of Figure 15. Imagery is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research.




Figure 17. OPC North Atlantic Surface Analysis charts (Part 2) valid 1800 UTC December 3 and 0600 UTC December 5, 2014.




Figure 18. OPC North Atlantic 500-MB Analysis chart valid 0000 UTC December 4, 2014. Chart is computer-generated with short-wave troughs (dashed lines) manually added.



### **North Atlantic Storms, Iceland area, December 13-15:**

The initial development was as a new low near the east Greenland coast at 1200 UTC on the 12th which became a storm over Iceland at 1800 UTC on the 13th, while another low formed and dropped south from the Denmark Strait to form the hurricane force low as shown in the first part of [Figure 19](#). The two lows consolidated into one hurricane force low with a 953 hPa central pressure east of Iceland near 66N 7W 24 hours later (second part of [Figure 19](#)). An ASCAT-A pass from 2330 UTC on the 13th showed west to northwest winds to 55 kts on the edge of the pass south of the low west of Iceland.

[Figure 22](#) contains the same type of imagery around the combined low east of Iceland. Some wind retrievals are missing but otherwise winds in the 50 to 60 kts range are widespread around the south and west sides of the low. The cyclone subsequently drifted southwest on the 15th and 16th with winds weakening to below gale force.

### **North Atlantic Storm, Greenland-Iceland area, December 15-18:**

A new low formed just south of Greenland near 59N 44W at 1200 UTC on December 15th and moved northeast toward Iceland. It briefly developed hurricane force winds with the center near 64N 34W at 1200 UTC on the 16th, and then redeveloped to the east near Iceland

early on the 17th. The central pressure fell 40 hPa in the 24 hour period ending at 1800 UTC on the 16th. The lowest central pressure was 949 hPa at 0600 UTC on the 17th as the center approached Iceland. ASCAT-A imagery at 1355 UTC on the 17th revealed a swath of west winds 50 to 60 kts extending from near the southern tip of Greenland east to near 33W. The cyclone lingered over Iceland until the morning of the 18th while weakening, and then dissipated just south of Iceland later that day.

### **North Atlantic Storm, December 19-21:**

A low pressure center, already with gale force winds, moved northeast from the island of Newfoundland with a 987 hPa center on the morning of the 19th and developed storm force winds with a new center forming to the north near 57N 40W 12 hours later. The cyclone developed hurricane force winds with a central pressure as low as 964 hPa near 62N 39W by 0000 UTC on the 20th, with a weakening trend setting in as the low moved toward Iceland the next day. An ASCAT A pass from 2243 UTC on the 20th showed a Greenland tip jet similar to [Figure 5](#) for the mid-September event except in this event scatterometer winds were as high as 70 kts. The ship **BATEU08** (63N 45W) encountered southwest winds of 44 kts at 2100 UTC on the 20th. The cyclone's top winds weakened to storm force as it approached Iceland the next day and became absorbed by another storm

passing north of Iceland late on the 21st.

### **Northwestern Atlantic Storm, December 25-27:**

This cyclone, initially strong while passing through eastern Canada on the 25th and 26th, briefly developed hurricane force winds late on the 26th as southeast winds ahead of an occluded front became enhanced and channeled against the southwest Greenland coast. An ASCAT-B pass from 2313 UTC December 26th revealed a swath of southeast winds to 60 kts near the southwest Greenland coast ahead of the approaching front, while the cyclone's 968 hPa center was over northern Labrador. The cyclone then drifted east on the night of the 26th and on the 27th with winds weakening to gale force the following night.

### **North Atlantic Storms, January 2-5:**

Low pressure originating over the Gulf of St. Lawrence early on January 2nd moved northeast and developed hurricane force winds with a 972 hPa central pressure in the eastern Labrador Sea on the night of the 3rd before forming a new hurricane force low in the east Greenland waters by 1200 UTC on the 4th. The new cyclone developed a lowest central pressure of 964 hPa near 62N 36W six hours later. An ASCAT pass from 1243 UTC on the 4th showed northwest to north winds to 55 kts west of the center. The cyclone weakened as a



new center formed to the north early on the 5th ([Figure 23](#)) and the two centers dissipated late on the 5th in the Denmark Strait.

### **North Atlantic Storm, January 5-10:**

An area of low pressure moved northeast from the Gulf of St. Lawrence early on the 5th and over the following thirty six hours became the deepest low of the six month period with a pressure of 936 hPa ([Figure 23](#) and [Figure 24](#)). The central pressure fell 36 hPa in the 24 hour period ending at 1800 UTC on the 6th. The ASCAT image in [Figure 27](#) reveals a wind maximum coming off the southern tip of Greenland of up to 55 kts, with data coverage incomplete. Although this cyclone was the deepest of the period, it did not have the highest winds. The fast moving, more compact system that followed and passed to the south produced much stronger winds. The cyclone subsequently stalled and weakened in the east Greenland waters ([Figure 25](#) and [Figure 26](#)).

### **Northeastern Atlantic Storms, January 7-10:**

The first of two fast moving intense cyclones crossing the central and northeast Atlantic waters originated as the low pressure wave off the U.S. East Coast which raced northeast and approached the British Isles in two days ([Figure 24](#) and [Figure 25](#)). The cyclone appears at maximum intensity in [Figure 25](#). It was remarkable in that it produced the strongest winds seen in ASCAT imagery

during the period. The ASCAT (METOP-B) image in [Figure 28](#) includes some 80 kts observations. **BATUK01** near 58N 3W reported west winds of 60 kts at 0700 UTC on the 9th.

The **GLOBAL PRODUCER** (ZQSD5) at 58.3N 0.8W encountered seas to 13.5 m (44 ft) at 1000 UTC on the 9th. The platform 62114 (58.3N 0.8W) reported west winds of 60 kts at 0700 UTC on the 9th. Buoy 62161 (58.4N 1.2E) reported seas as high as 9.5 m (31 ft) three hours later. The cyclone weakened after passing north of Scotland early on the 9th and then moved inland later that day. The second cyclone originated over northern New England early on the 7th and moved quickly offshore, passing just south of the island of Newfoundland early on the 8th. The **APL EGYPT** (A8BZ6) near 40N 50W encountered southwest winds of 45 kts and 8.5 m seas (28 ft) at 1400 UTC on the 8th. The low center then rapidly intensified after passing over the central waters, and developed hurricane force winds with a 953 hPa center near the Norwegian coast ([Figures 25](#) and [Figure 26](#)). The central pressure fell 38 hPa in the twenty four hour period ending at 0600 UTC on the 10th. Scatterometer winds in the 50 to 65 kts range appear south and southwest of the center ([Figure 29](#)). The cyclone then moved inland and rapidly weakened the following night.

### **Northwestern Atlantic Storm, January 9-11:**

[Figure 25](#) and [Figure 26](#) show

low pressure moving from well inland over southern Canada to the Labrador Sea where it developed hurricane force winds on the 10th. An ASCAT-B pass from 2302 UTC on the 10th showed winds 50 to 60 kts on the south side of the center. The cyclone weakened to a gale while passing east of Greenland early on the 11th and then intensified again to a 960 hPa storm force low the following day ([Figure 30](#)). It then became absorbed by the second of two deep cyclones with pressures in the low 940s passing to the south 0600 UTC on the 15th, described below.

### **Northeastern Atlantic Storm, January 11-13:**

A wave of low pressure over the north central waters rapidly intensified as it moved rapidly northeast over a 24 hour period ([Figure 30](#)) with the central pressure dropping 51 hPa. This was the first of two lows with pressures in the low 940s to move over the northeastern waters in close succession. Scatterometer imagery from 2040 UTC on the 12th ([Figure 31](#)) returned a swath of west winds 50 to 65 kts on the south side before the system departed the area via the Norwegian Sea and weakened to a gale.

### **North Atlantic Storm, January 13-16:**

Just as the preceding event was reaching its maximum, the next developing low was inland over southern Quebec. It passed northeast of the island of Newfoundland early on January

13th and developed storm force winds out over the North Atlantic and hurricane force winds while approaching the British Isles on the 14th. The central pressure fell 42 hPa in the 24 hour period ending at 0600 UTC on the 14th. The lowest central pressure was 942 hPa, reached as the low passed just west of Scotland at 0600 UTC on the 15th. The ship **BATFR60** (48N 6W) reported south winds of 55 kts at 2200 UTC on the 14th. The vessel **BAREU12** (46N 21W) encountered northwest winds of 45 kts and 9.0 m seas (30 ft) at 1800 UTC on the 14th. Buoy 62023 (51.4N 7.8W) reported southwest winds of 55 kts with gusts to 69 kts and 8.2 m seas (27 ft) three hours later. Buoy 62081 (51.1N 13.3W) reported seas of 11.0 m (36 feet) at 0400 UTC on the 15th. An ASCAT pass from 2224 UTC on the 14th showed a swath of west winds 50 to 60 kts west of Ireland and also detected some easterly winds to 50 kts on the north side of the cyclone. The system weakened as it passed north of the British Isles late on the 15th and weakened to a gale in the Norwegian Sea the following day.

**Northwestern Atlantic/ Davis Strait Storm, January 17-18:**

A developing low moved through Quebec and Labrador on January 16th and emerged in the Labrador Sea on the 17th as a storm force low. It then moved through the Davis Strait with a lowest central pressure of 972 hPa and briefly developed hurricane force winds late on the 17th (**Figure 32**). Rapid

weakening followed early on the 18th as the cyclone passed north of the area.

**North Atlantic Storms, January 17-20:**

A complex low pressure system entering the Labrador Sea consolidated over a 24 hour period ending at 0000 UTC January 19th to form a deep 960 hPa low east of Greenland (**Figure 32**). The ASCAT-B pass in **Figure 33** reveals a broad swath of winds 50 kts or more that includes some 70 kts winds. A view of the north side of the cyclone in the same imagery shows winds 50 to 60 kts along the east Greenland coast. The ship **BAREU12** (46N 42W) reported west winds of 55 kts at 0600 UTC on the 18th.

The **MAERSK PEMBROKE** (PDHY) near 45N 47W encountered west winds of 40 kts and 9.8 m seas (32 ft) 12 hours later. The cyclone subsequently weakened to a storm force low in the east Greenland waters on the 19th as a new low formed to the west later on the 29th and briefly developed hurricane force winds the following night. The system resumed weakening on the 20th with winds diminishing to gale force.

**North Atlantic Storms, January 23-28:**

An initial development consisted of a low pressure wave near Cape Hatteras early on January 22nd which intensified as it moved offshore and developed storm force winds and a pressure of 985 hPa as it passed south of Nova Scotia at 0600

UTC on the 23rd before moving across Newfoundland and temporarily weakening to a gale. ASCAT-B imagery from 0131 UTC on the 23rd revealed winds 50 to 55 kts on the west side and some of the buoy and platform observations listed in

**Table 2** indicate this cyclone approached hurricane force while in the southwestern waters. After weakening in the Labrador Sea late on the 23rd, the cyclone re-intensified to a storm force low as it passed east of Greenland, and its lowest central pressure of 955 hPa came after it passed northeast of Iceland on the 25th. The subsequent development of a stronger system is depicted in **Figure 34**. Originating over the southeast U.S., a low pressure wave rapidly intensified over the southwestern waters where the central pressure fell 40 hPa in the 24 hour period ending at 0600 UTC on the 25th. The cyclone developed hurricane force winds at 0000 UTC on the 25th near the New England offshore waters and maintained these winds until it reached the Denmark Strait on the night of the 27th. **Figure 35** is an ASCAT image from 0031 UTC January 26th, just prior to when the system reached maximum intensity showing a partial view of winds to 50 kts north and south of the center, but there is no data available from the west side. The cyclone dissipated north of the area late on the 28th. (cont. Page 49)






Figure 19. OPC North Atlantic Surface Analysis charts valid 1800 UTC December 7 (Part 2) and 0600 UTC December 9, 2014 (Part 1).




Figure 20. ASCAT (METOP-A) image of satellite-sensed winds with 25-km resolution around the cyclone shown in the second part of Figure 19. The valid time of the pass is 2153 UTC December 8, 2014, or about eight hours prior to the valid time of the second part of Figure 19. Imagery is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research.






Figure 21. OPC North Atlantic Surface Analysis charts (Part 1) valid 1800 UTC December 13 and 14, 2014.




Figure 22. ASCAT (METOP-A) image of satellite-sensed winds with 25-km resolution around the cyclone shown in the second part of Figure 21. The center of the cyclone is northeast of Iceland, a part of which appears on the left side of the image. The valid times of the passes are 1948 UTC and 2128 UTC December 14, 2014, or one and three-quarters to three and one half hours later than the valid time of the second part of Figure 21. Imagery is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research.






Figure 23. OPC North Atlantic Surface Analysis charts (Parts 1 and 2) valid 1200 UTC January 5, 2015. The two parts overlap between 40W and 50W.




Figure 24. OPC North Atlantic Surface Analysis charts (Parts 1 and 2) valid 0000 UTC January 7, 2015. The two parts overlap between 40W and 50W.




Figure 25. OPC North Atlantic Surface Analysis charts (Parts 1 and 2) valid 0000 UTC January 9, 2015. The two parts overlap between 40W and 50W.






Figure 26. OPC North Atlantic Surface Analysis charts (Parts 1 and 2) valid 1200 UTC January 10, 2015. The two parts overlap between 40W and 50W.





**Figure 27. ASCAT (METOP-B) image of satellite-sensed winds with 25-km resolution around the south side of the hurricane-force low shown in Figure 24. The southern tip of Greenland appears near the upper-left corner of the image. Portions of two passes are shown (1233 and 1414 UTC January 7, 2015). The valid time of the earlier (eastern) pass is about twelve and one-half hours later than the valid time of Figure 24. Imagery is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research.**



**Figure 28. ASCAT (METOP-B) image of satellite-sensed winds with 25-km resolution around the hurricane-force low northwest of the British Isles shown in Figure 25. The valid time of the pass containing wind retrievals of 50 kt or higher is 2201 UTC January 8, 2015, or two hours prior to the valid time of Figure 25. Image is credited to NOAA/NESDIS/ Center for Satellite Applications and Research.**






Figure 29. ASCAT (METOP-B) image of satellite-sensed winds with 25-km resolution around the hurricane-force low near Norway shown in Figure 26. The valid time of the pass is 1127 UTC January 10, 2015, or about one-half hour prior to the valid time of Figure 25. Image is credited to NOAA/NESDIS/ Center for Satellite Applications and Research.






Figure 30. PC North Atlantic Surface Analysis charts (Part 1) valid 1200 UTC January 11 and 12, 2015.





**Figure 31. ASCAT (METOP-B) image of satellite-sensed winds with 25-km resolution around the hurricane-force low shown in the second part of Figure 30. The valid time of the pass is 2040 UTC January 12, 2015, or about eight and three quarters hours later than the valid time of the second part Figure 30. Image is credited to NOAA/NESDIS/ Center for Satellite Applications and Research.**



**Figure 32. OPC North Atlantic Surface Analysis charts valid 0000 UTC January 18 (Part 2) and 0000 UTC January 19, 2015 (Part 1).**






Figure 33. ASCAT (METOP-B) image of satellite-sensed winds with 25-km resolution around the south semicircle of the hurricane-force low shown in the second part of Figure 32. The valid time of the pass is 2335 UTC January 18, 2015, or about one-half hour prior to the valid time of the second part Figure 32. The southern tip of Greenland appears near the upper-left corner of the figure. Image is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research.






Figure 34. OPC North Atlantic Surface Analysis charts (Part 2) valid 1200 UTC January 24 and 0000 UTC January 26, 2015.





**Figure 35. ASCAT (METOP-B) image of satellite-sensed winds with 25-km resolution around the eastern semicircle of the hurricane-force cyclone shown in the second part of Figure 34. The valid time of the pass is 0031 UTC January 26, 2015, or about one-half hour later than the valid time of the second part Figure 34. Portions of Labrador and the island of Newfoundland appear in the lower-left side of the image. Image is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research.**



**Figure 36. OPC North Atlantic Surface Analysis charts (Part 2) valid 1800 UTC February 12 and 13, 2015.**






Figure 37. ASCAT (METOP-B) image of satellite-sensed winds with 25-km resolution around the west side of the hurricane-force cyclone shown in the second part of Figure 36. The valid time of the pass is 1452 UTC February 13, 2015, or about three hours prior to the valid time of the second part Figure 36. Image is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research.




Figure 38. GOES-13 visible satellite image valid at 1745 UTC February 13, 2015.



**Western North Atlantic Storm, February 2-4:**

An intensifying area of low pressure moved off the New Jersey coast already as a storm force low on the afternoon of February 2nd and developed central pressures in the 970s while passing just south of and then over the Canadian Atlantic provinces late on the 2nd and during the following night. The cyclone developed a lowest central pressure of 964 hPa while briefly developing hurricane force winds in the Labrador Sea at 0600 UTC on the 4th. An ASCAT-B pass from 0045 UTC on the 4th with limited coverage due to sea ice returned an area of south winds 50 to 55 kts off the southern Labrador coast.

The **BRITISH INTEGRITY** (MGGF9) near 46N 55W reported south winds of 50 kts and 4.5 m seas (15 ft) at 1400 UTC on the 3rd. The platform **HIBERNIA** (46.7N 48.7W) reported south winds of 65 kts (anemometer height 139 m) at 2100 UTC on the 3rd and seas of 5.2 m (17 ft) three hours later, while **TERRA NOVA FPSO** (VCXF, 46.4N 48.4W) encountered south winds of 50 kts at a height of 53 m. Buoy 44137 (42.3N 62.0W) reported south winds of 45 kts with gusts to 58 kts at 0700 UTC on the 3rd, and maximum significant wave heights of 9.0 m (30 ft) four hours later. The cyclone subsequently moved into the Davis Strait and rapidly weakened late on the 4th.

Observation	Position	Date / Time UTC	Wind Speed, kts	Seas (m/ft)
Ship CFL24	43.8N 60.6W	22/2200	NE 62	N/A
		23/0300	NW 57	6.0/20
		23/0400		7.5/25
Thebaud Platform (CFO383)	43.9N 60.2W	23/0000	NE 51 G62	N/A
		23/0300	NW 60 G72	N/A
Buoy 44141	43.0N 58.0W	23/0600	W 47 G58	8.0/26
		23/0700		8.5/28
		25/0900		Maximum 9.0/30
Buoy 41002	31.9N 74.8W	24/1700	SW 35 G49	4.5/15
		24/1900	Peak Gust 62	5.0/16
Buoy 41025	35.0 75.4W	24/1000	SW 37 G49	6.0/20
		24/1100	Peak Gust 60	6.5/21
Buoy 44139	44.2N 57.1W	25/1000	S 39 G51	7.0/23
		25/1700		Maximum 9.5/31
Buoy 44037	43.5N 67.9W	27/1800	NE 45 G56	9.0/30
		28/0000		Maximum 10.0/33
Buoy 44024	42.3N 65.9W	27/1100	NE 49 G64	N/A
		27/2000		9.0/30
Buoy 44008	40.5N 69.2W	27/0800	NE 45 G58	8.5/28
		27/0700	Peak Gust 60	N/A

**Table 2. Selected platform and buoy observations taken during the North Atlantic storms of January 23-28, 2015.**

Observation	Position	Date / Time UTC	Wind Speed, kts	Seas (m/ft)
Buoy 44005	43.2N 69.1W	27/1100	NE 43 G54	9.0/30
		27/2100		Maximum 11.5/38

**Table 2. (cont.) Selected platform and buoy observations taken during the North Atlantic storms of January 23-28, 2015.**

**North Atlantic Storm, February 11-13:**

A gale force low moved northeast off the U.S. mid Atlantic coast early on February 9th with slow strengthening through the night of the 10th, and then rapid intensification after passing the Grand Banks on the 11th. The central pressure fell 19 hPa in only a twelve hour period ending at 0600 UTC on the 12th, when it developed a lowest central pressure of 973 hPa and hurricane force winds near 53N 33W. An ASCAT pass from 2248 UTC on the 11th revealed a compact circulation with retrieved winds of 50 to 55 kts on the south side close to the low center. The cyclone then moved east and maintained storm force winds until it reached the British Isles, when it weakened to a gale. It then dissipated over northern France early on the 15th.

**North Atlantic Storm, February 12-15:**

A frontal wave of low pressure over the Carolinas moved offshore and rapidly intensified into a hurricane force low within the following 24 hour period (Figure 36). The central pressure fell 42 hPa during this period, impressive for that low latitude. Winds in its compact circulation reached at least 70 kts

with the scatterometer imagery in Figure 37 showing the strongest winds of 70 kts at the edge of the pass. The visible satellite image in Figure 38 valid six hours prior to time of maximum intensity (962 hPa) shows a comma cloud pattern and well defined center of the cyclone and the lines of clouds forming to the west as cold air streams off the East Coast. The **MODU HENRY GOODRICH** (YJQN7, 46.1N 54.5W) reported northeast winds of 70 kts at 1800 UTC on the 12th.

**THEBAUD PLATFORM**

(CFO383, 43.9N 60.2W) encountered northwest winds of 56 kts with gusts to 72 kts at 1600 UTC on the 13th. Buoy 44141 (43.0N 58.0W) reported southwest winds of 55 kts with gusts to 72 kts at 1700 UTC on the 13th, and highest seas of 8.2 m (27 ft) five hours later. Buoy 44139 (44.2N 57.1W) reported southwest winds of 49 kts with gusts to 68 kts at 1900 UTC on the 13th, and seas of 7.5 m (25 ft) one hour later. The cyclone then passed north of the island of Newfoundland by the 14th with its top winds weakening to storm force, and on the 15th passed between Greenland and Iceland.

**Western North Atlantic Storm, February 14-17:**


The next event followed closely

behind the departing cyclone in the second part of Figure 36, originating as a coastal redevelopment of the low north of the Great Lakes. It briefly developed hurricane force winds with a new center near 41N 67W at 1800 UTC on the 15th. The system consolidated into a 958 hPa cyclone near 47N 61W 12 hours later. The **OLEANDER** (V7SX3) near 38N 71W reported northwest winds of 60 kts at 1800 UTC on the 15th. The **MONTE AZUL** (CQHQ) near 33N 65W encountered west winds of 50 kts and 10.7 m seas (35 ft) at 1800 UTC on the 15th. The **KAAN KALKAVAN** (TCTX2) reported west winds of 60 kts near 37N 56W at 2100 UTC on the 16th. Buoy 44037 (43.5N 67.9W) reported northwest winds of 54 kts with gusts to 68 kts at 2300 UTC on the 15th, and three hours prior, a gust of 74 kts and 7.5 m seas (25 ft). The cyclone subsequently passed north of the island of Newfoundland and weakened to a gale early on the 17th as new lows formed to the east and northeast.

**Northeastern Atlantic Storms, February 21-23:**

Low pressure tracked from the northeastern U.S. early on February 10th to the Labrador coast early on the 21st, when it spawned a new low on the front





**Figure 39. OPC North Atlantic Surface Analysis charts valid 0600 UTC February 21 (Part 2) and 1800 UTC February 22, 2015 (Part 1).**

south of Greenland (Figure 39) which took over as the main low twenty four hours later. The new low deepened by 42 hPa in the twenty four hour period ending at 1200 UTC on the 22nd. The new low developed a lowest central pressure of 945 hPa 12 hours later, and it in turn formed a secondary cyclone on the front southeast of Iceland (Figure 39). The ASCAT image in Figure 40 shows the well defined front south of Iceland as the main focus for hurricane force winds between the front and Iceland. Buoy 62081 (51.1N 13.3W) at 1800 UTC on the 23rd reported west winds of 38 kts with gusts to 55 kts and 13.5 m seas (45 ft). The ship **AS VICTORIA** (A8SO7) near 48N 16W encountered west winds of 55 kts at 1800 UTC on the 23rd. The two lows merged near northern Scotland on the

afternoon of the 23rd before weakening to a gale the next day and moving inland over Norway late on the 24th.

**North Atlantic Storms, February 25-27:**

Low pressure originating in the southern Labrador Sea on February 23rd moved north and rapidly intensified in the East Greenland Sea on the 25th (Figure 41) with the central pressure falling 39 hPa in the 24 hour period ending at 0000 UTC on the 26th. The cyclone appears at maximum intensity in the second part of Figure 41, making it the deepest February cyclone. Like the first of two fast moving cyclones on January 7-10 this cyclone produced winds as high as 80 kts detected by ASCAT (Figure 42). This intense system also generated hurricane force winds on the

north side as well. The cyclone then continued to move north-east and weakened to a gale northeast of Iceland on the 27th. A second low forming off the North Carolina coast early on the 25th moved to the Gulf of St. Lawrence later that day and became a storm in the Labrador Sea on the 26th, and then briefly developed hurricane force winds with a 967 hPa center near 58N 43W at 0600 UTC on the 27th. An ASCAT-B pass from 2329 UTC on the 26th showed a swath of west to northwest winds of 50 to 55 kts off the southern Labrador coast. A weakening trend followed the next day.




Figure 40. ASCAT (METOP-B) image of satellite-sensed winds with 25-km resolution around the north side of the hurricane-force cyclone in the vicinity of Iceland, shown in the second part of Figure 39. The valid time of the pass containing the strongest winds is 2221 UTC February 22, 2015, or about four and one-half hours later than the valid time of the second part Figure 39. Image is courtesy of NOAA/NESDIS/ Center for Satellite Applications and Research.




Figure 41. OPC North Atlantic Surface Analysis charts (Part 1) valid 0000 UTC February 25 and 26, 2015.





# Marine Weather Review – North Pacific Area

## September 2014 to February 2015

George P. Bancroft

Ocean Forecast Branch, Ocean Prediction Center, College Park, MD  
NOAA National Center for Environmental Prediction

### Introduction

The weather pattern over the North Pacific was more active during the early fall months of September and October than during the same period a year ago as a series of cyclones moved northeast or east out of the western Pacific near Japan to the Bering Sea or just south the Aleutian Islands to the Gulf of Alaska, with three each in September and October developing hurricane force winds. Some of these included former western North Pacific tropical cyclones. Other developing lows moved out of the central or eastern North Pacific toward the Gulf of Alaska. Cyclones continued to develop mainly on a southwest to northeast track during November and December with increasing energy, with some originating in the eastern Pacific and a few turning north toward the western Bering Sea or even going west of the Kamchatka Peninsula, where they weakened. One of these, former Super Typhoon Nuri, became the most intense extratropical cyclone ever detected on the North Pacific in early November. December was the most active month with nine systems developing hurricane force winds. Activity decreased in January 2015 which produced seven hurricane force systems, and then fell off

sharply in February when no cyclones with that intensity developed. A study done a decade ago based on QuikSCAT winds found that December has the highest number of hurricane force events (VonAhn and Sienkiewicz, April 2005).

Tropical activity in North Pacific including cyclones appearing on OPC oceanic surface analyses was concentrated from September to early November, with Two (2) tropical storms, Three (3) super typhoons and one hurricane occurring. The hurricane in late October, Ana, originated in the central Pacific and moved north of 30N into OPC's high seas area, an unusual occurrence. One tropical cyclone, Higos, made a brief appearance on OPC's North Pacific radiofacsimile charts in early February.

### Tropical Activity


Tropical Storm Fengshen: Fengshen tracked northeast to the south of Japan as a strengthening tropical storm on September 7 and on the following night. The cyclone passed near 28N 133E at 1200 UTC on the 7th with sustained winds of 45 kts. The **LAMBERT MARU** (7JMK) near 27N 132E reported west winds of 45 kts and 8.5 m seas (28 ft) at that time. Six hours later the

**NORTHWEST SEAEAGLE** (ZCAS2) encountered northwest winds 50 kts near 28N 134E. **Figure 1** shows Fengshen at maximum strength as a tropical storm, transitioning into a post tropical storm force low. The ASCAT image in **Figure 2** returned winds to 50 kts and even some 55 kts west of the center. With low bias of the imagery at higher wind speeds, actual winds likely approached hurricane force. After initially weakening to a gale while moving out over the central North Pacific over the following two days, Fengshen re-intensified into a storm while turning north into the Bering Sea on the 12th. It developed a lowest central pressure of 961 hPa near 56N 172W at 0600 UTC on the 13th. Six hours later the buoy 46072 (51.7N 172.2W) reported west winds 35 kts with gusts to 45 kts and 5.5 m seas (18 ft), and highest significant wave heights of 7.5 m (25 ft) seven hours later. Buoy 46073 (55.0N 172.0W) reported similar conditions at 0400 UTC on the 13th, and a peak gust of 49 kts one hour later.

### Tropical Storm Kammuri:

Kammuri originated in the deep tropics from a non tropical low near 10N 158E early on September 20 and moved northwest, becoming a tropical storm near 21N 150E four days





**Figure 1. OPC North Pacific Surface Analysis charts (Part 2 - west) valid 1800 UTC September 8 and 9, 2014. Twenty-four hour forecast tracks are shown with the forecast central pressures given as the last two whole digits in millibars (hPa), with the exception of tropical cyclones, for which just a tropical symbol is given at the twenty-four hour position (if still a tropical cyclone). Tropical cyclone information appears in text boxes.**

later and developing a maximum intensity of 55 kts for sustained winds while passing near 24N 145E at 1800 UTC on the 26th. The cyclone moved north and began to weaken the following day and became a minimal tropical storm on the 28th before becoming a post tropical storm force low east of Japan near 35N 149E at 0600 UTC on the 29th. Kammuri then moved northeast and weakened to a gale a day later before turning southeast October 1 and dissipating out over the North Pacific two days later.

### Super-Typhoon Phanfone:


A developing tropical cyclone near 10N 155E at 1200 UTC September 28 and moved west northwest, becoming a tropical storm near 12N 152E 12 hours later and Typhoon Phanfone near 17N 144E 0000 UTC October 1 with sustained winds of 65 kts. Phanfone continued to intensify for the next three days and briefly became a low end super typhoon with sustained winds of 130 kts while passing near 26N 133E at 0000 UTC October 4. The cyclone began to recurve northeast into the westerlies on the 4th and weaken

while approaching Japan. **HYUNDAI REPUBLIC** (H3ZA) near 31N 128E reported north winds of 46 kts and 9.8 m seas (32 ft) at 0600 UTC on the 5th. At 0600 UTC on the 6th the **HATSU ETHIC** (VQFS4) near 39N 142E encountered north winds of 55 kts and 4.9 m seas (16 ft). **Figure 3** shows Phanfone undergoing extratropical transition as it merges with a front and subsequent re-intensification into an intense 948 hPa hurricane force low over the central North Pacific 60 hours later. **Figure 4** is an infrared satellite image of Tropical Storm Phanfone six hours before being declared post tropical by Joint Typhoon Warning Center. It shows what looks like a partial eyewall of central dense overcast becoming embedded in frontal clouds. The ASCAT image in **Figure 5** shows scatterometer winds around the post tropical cyclone as it was approaching maximum intensity, with highest winds 50 to 55 kts on the south side. The image might miss higher winds in the data free gap between passes. The cyclone maintained hurricane force winds from 1800 UTC on the 7th through 0000 UTC on the 9th. After that the cyclone weakened with its top winds lowering to


gale force in the Gulf of Alaska by the 10th. Dissipation followed late on the 11th in the northern Gulf of Alaska.

**Super-Typhoon Vongfong:**

Tropical Storm 19W formed near 7N 162E at 0600 UTC October 3 and moved northwest, becoming Typhoon Vongfong late on the 4th and passing near 16N 143E with sustained winds of 80 kts at 0000 UTC on the 6th (Figure 3). Rapid intensification followed, with Vongfong becoming a super typhoon early on the 7th with maximum sustained winds of 130 kts, near 17N 135E, and peaked in intensity six hours later with sustained winds of 150 kts. A weakening trend set in early on the 8th as the center of Vongfong passed west of 130E, the western



**Figure 2. ASCAT METOP-A (Advanced Scatterometer) image of satellite-sensed winds (25-km resolution) around Post-Tropical Fengshen shown in the second part of Figure 1. The valid time of the pass is 2318 UTC September 9, 2014, or about five hours later than the valid time of the second part of Figure 1. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research.**



**Figure 3. OPC North Pacific Surface Analysis charts (Part 2) valid 0000 UTC October 6 and 1200 UTC October 8, 2014.**






Figure 4. MTSAT2 infrared satellite image valid 0532 UTC October 6, 2014 or about five and one-half hours later than the valid time of the first part of Figure 3. Satellite senses temperature on a scale from warm (black) to cold (white) in this type of image.




Figure 5. ASCAT (METOP-A) image of satellite-sensed winds (25-km resolution) around the hurricane-force cyclone (Post-Tropical Phanfone) shown in the second part of Figure 3. The valid time of the eastern pass is 0738 UTC October 8, and of the western pass 0918 UTC October 8, 2014. The valid time of the later pass is about three hours prior to the valid time of the second part of Figure 3. Image is courtesy of NOAA/NESDIS/Center for Satellite Application and Research.

boundary of the Unified Surface Analysis ([www.opc.ncep.noaa.gov](http://www.opc.ncep.noaa.gov)). Vongfong returned as a north-eastward moving weakening tropical storm late on the 12th and early on the 13th (**Figure 6**) and became post tropical east of Japan late on the 13th. The **PUTERI ZAMRUD** (9MCD3) near 32N 135E reported north-east winds of 68 kts at 1800 UTC on the 11th. The second part of **Figure 6** shows Vongfong at maximum strength as a post tropical storm force low. A scatterometer pass from 1036 UTC on the 14th revealed winds to 55 kts on the south and west sides, similar to **Figure 2**. The cyclone then moved north-east and gradually weakened, with its top winds lowering to gale force south of the eastern Aleutian Islands late on the 16th, and dissipated near the southern Alaska coast by the 20th.

### Hurricane Ana:

Tropical systems originating in the eastern or central tropical Pacific do not normally move northward and cross 30N into OPC's high seas area. Ana, a minimal tropical storm west of Hawaii early on October 22, moved northward and re-intensified into a low end category 1 hurricane with sustained winds of 65 kts while passing north of 30N by early on the 25th (**Figure 7**). Tropical Cyclone Julio performed a similar feat the previous August. Ana then tracked northeastward as a weakening tropical system in the warm sector of a gale passing to the north as depicted in

**Figure 7**. Ana became a post tropical storm force low near 42N 148W early on the 26th and developed a central pressure down to 984 hPa near 49N 140W the next day, before weakening near Southeast Alaska on the 28th.

### Super-Typhoon Nuri:

Nuri was the most significant event of the period in the North Pacific, both as a tropical cyclone and as an intense extratropical low. Originating well south of Japan near 12N 140E 1200 UTC October 30, the developing tropical cyclone became Tropical Storm Nuri 24 hours later and then moved northwest while rapidly intensifying. Nuri became a typhoon near 15N 133E at 1800 UTC November 1 and a super typhoon 18 hours later while turning northward. The peak intensity of 155 kts for sustained winds with gusts to 190 kts came as the center passed near 18N 132E at 1800 UTC on the 2nd. Nuri then turned northeastward and began to weaken the next day, weakening to a tropical storm south of Tokyo near 29N at 0000 UTC on the 6th. At 1800 UTC on the 6th Nuri was a strong tropical storm before becoming a post tropical hurricane force low six hours later. **Figure 8** depicts the rapid re-intensification into an intense extratropical low over a thirty six hour period. The central pressure fell 57 hPa in a 24 hour period ending at 0000 UTC on the 8th more than twice the rate needed for the cyclone to be considered a "bomb" (Sanders and Gyakum, 1980).

The 924 hPa central pressure was likely a record for the North Pacific, with the previous record 925 hPa at Dutch Harbor, AK in a late October storm in 1977 (Reference 7). **Figure 9** is an infrared satellite image of the post tropical cyclone near peak intensity, showing a fully occluded and mature system with broad cold topped frontal bands wrapping around a well defined center. The ASCAT image in **Figure 10** returned winds 50 to 65 kts both north and south of the center with the highest 70 kts appearing north of an occluded front. Also at the surface, a drifting buoy at 55.08N 170.71E (21574) reported a lowest pressure of 929 hPa at 0210 UTC on the 8th. Shemya, Alaska in the western Aleutians reported a southeast wind of 63 kts with gusts to 80 kts at 1929 UTC on the 7th and a peak gust of 84 kts at 1856 UTC on the 7th, followed by a lowest pressure of 946 hPa at 1956 UTC on the 8th. **WELLINGTON STAR** (C6TJ9) near 53N 172E reported southeast winds of 55 kts and 8.2 m seas (27 ft) at 1900 UTC on the 7th. Buoy 46035 (57.0N 177.7W) reported at 0600 UTC on the 8th a southeast wind of 40 kts with gusts 45 kts and 4.0 m seas (13 ft), and seas of 8.8 m (29 ft) 20 hours later. Buoy 46072 (51.7N 172.2W) reported highest seas of 9.5 m (31 ft) at 0100 UTC on the 9th. The cyclone subsequently moved east and weakened with its top winds lowering to storm force late on the 8th and to gale force the next day as it stalled over the central Bering Sea. The system dissipated near the central Aleutians on the 13th.






Figure 6. OPC North Pacific Surface Analysis charts (Part 2) valid 1200 UTC October 13 and 14, 2014.




Figure 7. OPC North Pacific Surface Analysis charts (Part 1 - east) valid 0600 UTC October 25 and 26, 2014.




Figure 8. OPC North Pacific Surface Analysis charts (Part 2) valid 1800 UTC November 6 and 0600 UTC November 8, 2014.




Figure 9. MTSAT2 infrared satellite image valid 1032 UTC November 8, 2014 or about four and one-half hours later than the valid time of the second part of Figure 8. Satellite senses temperature on a scale from warm (black) to cold (white) in this type of image.



## Typhoon Higos:

Higos drifted northwest into OPC's North Pacific radiofac-simile chart area near 154E on the morning of February 10 as a weakening typhoon with maximum sustained winds of 85 kts. 12 hours later Higos was a tropical storm near 17N 153E with sustained winds of 50 kts. The cyclone then weakened to a tropical depression at 1200 UTC on the 11th before accelerating north and becoming a dissipating remnant low near 20N 154E at 1800 UTC on the 12th.

## Other Significant Events of the Period

### Western North Pacific Storm, September 4-5:

An early season storm force low developed in the western waters early in September. A frontal wave of low pressure moved east northeast from Japan on the 1st and developed a lowest central pressure of 974 hPa with storm force winds near 44N 176E at 1800 UTC on the 5th. An ASCAT (METOP-A) pass from 2257 UTC on the 5th revealed a small area of winds to 50 kts on the south side of the center. The cyclone turned northward toward the Bering Sea on the 6th when its winds weakened to gale force. The **COSCO HARMONY** (VRJA4) near 49N 175E reported northeast winds of 45 kts and 5.8 m seas (19 ft) at 0600 UTC on the 6th. The **MSC TEXAS** (DCSY2) near 48N 172W encountered southeast winds of 45 kts at 2100 UTC on the 6th. The cyclone stalled in the southern Bering Sea with winds below gale force on the 8th.

### Northwest Pacific Storm, September 18-20:

Originating south of Japan early on the 17th, this cyclone developed into the first hurricane force




Figure 10. 25-km ASCAT (METOP-B) image of satellite-sensed winds around the hurricane-force low (Post-Tropical Nuri) shown in the second part of Figure 8. Portions of two passes are shown, with valid times of 2202 UTC and 2343 UTC November 7, 2014. The valid time of the later pass is about six and one-quarter hours prior to the valid time of the second part of Figure 8. The western Aleutian Islands appear in the image. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research.

low of the season as depicted in Figure 11. The central pressure fell 32 hPa in the 24 hour period ending at 1200 UTC on the 19th. The second part of Figure 11 shows the cyclone at maximum intensity. An ASCAT (METOP-A) pass from 1053 UTC on the 19th revealed winds to 50 kts southeast of the center of a compact circulation. **BUDAPEST EXPRESS** (DGWE2) reported south winds of 45 kts near 42N 162E at 2100 UTC on the 18th. The **EVER SAFETY** (3EMQ4) encountered west winds of 35 kts and 9.0 m seas (30 ft) near 46N 162E at 0600 UTC on the 20th. The system subsequently weakened as it moved into the western Bering Sea, where it stalled and dissipated on the 23rd.

### Eastern North Pacific Storm, September 21-24:

Figure 12 depicts the development of this hurricane force low. It originated in the central waters well south of the central Aleutians early on the

20th. The second part of **Figure 12** shows the cyclone near maximum intensity. The ASCAT image in **Figure 13** shows a swath of 50 kts winds on the south and west sides.




Figure 11. OPC North Pacific Surface Analysis charts (Part 2) valid 0600 UTC September 18 and 1800 UTC September 19, 2014.




Figure 12. OPC North Pacific Surface Analysis charts (Part 1) valid 0600 UTC September 22 and 1800 UTC September 23, 2014.



### Northwest Pacific Storm, September 25-27:

A developing low moved northeast across Japan on September 24 and developed storm force winds near the northern Kurile Islands early on the 26th and a lowest central pressure 976 hPa with hurricane force winds near 49N 162E at 0000 UTC on the 27th. The **SANTA FIORENZA** (A8AJ4, 48N 156E) reported north winds of 50 kts at 2200 UTC on the 26th. Two hours later the **HANOVER EXPRESS** (DFGX2) encountered north winds of 45 kts and 9.0 m seas (30 ft). An ASCAT METOP-B image from 2315 UTC on the 26th showed northwest winds of 50 kts at the edge of a pass and it is possible it missed higher winds. The cyclone subsequently moved east from the 27th through the 30th as a gale and then turned northeast and moved into Southeast Alaska late on October 3rd.

### Western North Pacific Storm, October 11-13:

Low pressure formed well southeast of Japan near 27N 158E at 0600 UTC October 11th and moved northeast while intensifying over the next 36 hours, briefly developing hurricane force winds on the 12th. The central pressure fell 29 hPa in the 24 hour period ending at 1800 UTC on the 12th, when the cyclone was at 37N 171E with a 973 hPa central pressure. **Figure 6** shows the cyclone eighteen hours later and beginning to weaken while moving northeast. The cyclone weak-

ened to a sub gale force low near Southeast Alaska late on the 17th.

### North Pacific and Bering Storm, October 29 - November 1:

A wave of low pressure moved out of the western waters and toward the Bering Sea while rapidly intensifying as depicted in **Figure 14**. The central pressure fell 39 hPa during this 24 hour period. The cyclone briefly developed hurricane force winds late on the 30th, with the lowest central pressure of 963 hPa occurring early on the 31st near 56N 172W. An ASCAT (METOP-B) pass from 2130 UTC on the 30th returned 50-55 kts winds on the south side, similar to **Figure 16** for a mid November event.

The **APL CHINA** (WDB3161) near 53N 158W reported west winds of 50 kts and 9.4 m seas (31 ft) at 0000 UTC November 1st. Buoy 46072 (51.7N 172.2W) reported west winds of 40 kts with gusts to 52 kts and 8.2 m seas (27 ft) at 0600 UTC on the 31st, and a report of 10.4 m seas (34 ft) one hour later. The cyclone then turned eastward and weakened to a gale on November 1st, and dissipated in the Gulf of Alaska on November 4th.

### North Pacific Storm, November 18-20:

Mid November was the start of a more active period lasting through December. **Figure 15** shows a frontal wave of low pressure moving out of the western waters and rapidly developing. The central

pressure fell 38 hPa in the 24 hour period ending at 0000 UTC on the 20th. The central pressure reached 949 hPa six hours later. The ASCAT image in **Figure 16** shows strong support for hurricane force winds with winds of 50 to 60 kts appearing south of the center with limited coverage. The ship **VRIZ9** (35N 169W) reported south winds of 40 kts and 8.5 m seas (28 ft) at 0000 UTC on the 20th. Buoy 46066 (52.8N 155.0W) reported southwest winds 37 kts with gusts to 47 kts and a peak gust of 51 kts at 2300 UTC on the 20th, and a report of 9.0 m seas (30 ft) one hour later. The cyclone subsequently moved north and then turned west and stalled and weakened near the Alaska Peninsula late on the 21st and on the 22nd.

### North Pacific Storms, November 23-26:

Three strong lows developed during this period, all briefly developing hurricane force winds and central pressures around 980 hPa either on or late on November 25th. **Figure 17** and **Figure 18** shows the development of an eastern Pacific system; another near 180W and a third moving off Japan. The eastern low, originating near 32N 157W late on the 23rd, developed a lowest central pressure of 979 hPa near 40N 148W at 0000 UTC on the 26th. The Rapidscat imagery in **Figure 19** shows a swath of 45 to 55 kts winds south and west of the center and some higher winds to 75 kts near 40N which are rain flagged. Rapidscat is a QuikSCAT type instrument

aboard the International Space Station offering better coverage than ASCAT except at high latitudes. The cyclone weakened to a gale on the 26th and continued to weaken as it drifted northeast and then southeast toward the end of the month. The **APL THAILAND** (WCX8882) near 38N 134W reported south winds of 45 kts and 7.0 m seas (23 ft) at 0000 UTC on the 26th. The central Pacific system originated near 29N 149E at 0000 UTC on the 23rd and developed a lowest central pressure of 980 hPa and hurricane force winds near 45N 175W at 1200 UTC on the 25th. An ASCAT (METOP-A) image from 0926 UTC on the 25th revealed northwest winds 50 to 60 kts near the edge of a pass. The **LIBERTY PRIDE** (KRAU) near 41N 179E reported northwest winds of 35 kts and 9.4 m seas (31 ft) at 0600 UTC on the 25th. Buoy 46072 (51.7N 172.2W) reported southeast winds of 40 kts and 10.7 m seas (35 ft) at 0400 UTC on the 26th. The cyclone subsequently moved into the Bering Sea as a gale by the 26th and dissipated on the 29th over eastern Russia. The western cyclone developed as two weak lows near Japan merged (**Figure 17** and **Figure 18**) to form a 982 hPa center near 48N 173E with hurricane force winds at 0600 UTC on the 26th. It then weakened as it moved north through the Bering Sea from the 27th to the 29th.

#### **Western North Pacific Storm, November 25-30:**

A wave of low pressure passed

across Japan on November 25th and quickly developed storm force winds east of Japan early on the 26th. It developed an intensity similar to that of the previous three storms as the center passed near 37N 168E with a 978 hPa central pressure at 1800 UTC on the 28th. OPC analyzed this system as having hurricane force winds from 0000 UTC to 1800 UTC on the 28th. Weakening set in as the system tracked east northeast toward the eastern Aleutians.

#### **North Pacific Storm, December 4-7:**

The next significant event was a stronger development originating over southern Japan late on December 3rd and moving northeast. **Figure 20** depicts the final 24 hours of development leading to a lowest central pressure of 956 hPa, the pressure fell 42 hPa in the 24 hour period ending at 1200 UTC on the 5th. **Figure 21** shows a large area of ASCAT winds of 50 to 60 kts with good support for classifying this as a hurricane force low. The **EVER DIAMOND** (3FQS8) near 35N 157E reported southwest winds of 40 kts and 8.5 m seas (28 ft). The cyclone then moved east with some weakening but maintaining storm force winds until becoming absorbed by a new development to the east on the 7th.

#### **North Pacific Storm, December 9-12:**

This developing hurricane force low shown in **Figure 22** tracked south of the previous system and starting from a weak low off Japan, developed hurricane

force winds in only 24 hours, with the central pressure falling 33 hPa in this period, impressive for that low latitude. The Rapidscat image in **Figure 23** is similar to **Figure 19** for the eastern event except for showing more numerous winds in the 60 to 75 kts range.

The **COSCO GLORY** (VRIR7) near 38N 161W encountered south winds of 45 kts and 7.0 m seas (23 ft) at 2200 UTC on the 11th. The cyclone developed a lowest central pressure of 968 hPa near 43N 178W at 1200 UTC on the 11th. The system subsequently moved east and weakened to a gale force low late on the 12th in the eastern North Pacific, before dissipating late on the 13th.

#### **North Pacific Storms, December 15-18:**

Two strong cyclones developed at about the same time in mid December as depicted in **Figure 24**. The western system moved off Japan early on the 16th and is shown at maximum intensity in the second part of **Figure 26**. The central pressure fell 52 hPa in the 24 hour period ending at 0000 UTC on the 17th. This was the most rapid rate of intensification among all cyclones with non tropical origin in the North Pacific during the period. The scatterometer pass near the time of maximum intensity (**Figure 25**) reveals winds 50 to 60 kts both north and south of the storm center near the southern Kurile Islands. The cyclone subsequently drifted southeast and weakened, before dissipating late on the 17th. The hurricane force low on



the eastern edge of the second part of [Figure 24](#) originated 39N 154E early on the 15th and tracked east northeast, developing hurricane force winds over the central waters near 43N 174W at 1800 UTC on the 16th and a deepest central pressure of 958 hPa near 47N 162W at 1200 UTC on the 17th. An ASCAT (METOP-A) pass from 2108 UTC on the 17th was similar to [Figure 21](#) for the December 4th-7th event except winds were higher, up to 65 kts. A weakening trend set in thereafter, as the system moved toward the Gulf of Alaska, where winds became sub-gale force late on the 19th.

#### **Northwest Pacific Storm, December 19-21:**

A low pressure area rapidly intensified as it moved northeast across the Sea of Japan late on the 19th and early on the 20th, developing storm force winds in the northern Sea of Japan early on the 20th and hurricane force winds later that day as it moved east of Sakhalin Island. The central pressure fell 40 hPa in the 24 hour period ending at 0600 UTC on the 21st. The cyclone developed a lowest central pressure of 954 hPa near 53N 145E at 1200 UTC on the 21st.

The **HANOVER EXPRESS** (DFGX2) near 39N 148E reported south winds of 50 kts and 5.5 m seas (18 ft) at 1800 UTC on the 20th. The **APL THAILAND** (WCX8882) near 39N 145E encountered northwest winds of 45 kts and 7.0 m seas (23 ft) six hours later. An ASCAT (METOP-B) pass from 1125

UTC on the 21st revealed east to northeast winds 50 to 60 kts on the north side of the cyclone. The cyclone subsequently stalled and weakened, with [Figure 26](#) showing it as a dissipating gale in the western Sea of Okhotsk.

#### **Northeastern Pacific Storm, December 22-23:**

This relatively short lived event originated as a new low near 41N 147W at 0600 UTC on December 22nd which moved north and developed rapidly. The cyclone developed a lowest central pressure of 976 hPa and briefly hurricane force winds near 53N 138W at 1200 UTC on the 23rd. An ASCAT (METOP-B) pass from 0537 UTC on the 23rd revealed a swath of west winds 50 to 55 kts south of the cyclone center, near the time of maximum intensity.

The **APL PHILLIPINES** (WCX8884) near 47N 140W reported southwest winds of 50 kts and 6.0 m seas (20 ft) at 0600 UTC on the 23rd. The **MIDNIGHT SUN** (WAHG) encountered northwest winds of 45 kts and 9.4 m seas (31 ft) near 52N 137W at 1800 UTC on the 23rd. The cyclone then drifted northeast and weakened near the Queen Charlotte Islands on the 24th.

#### **Northwest Pacific and Bering Sea Storm, December 22-24:**

Originating over Japan late on December 20th, this developing cyclone moved northeast and rapidly intensified after the 21st, with the central pressure dropping 33 hPa in the 24 hour

period ending at 1200 UTC on the 23rd ([Figure 26](#)). It briefly developed hurricane force winds with a lowest central pressure of 954 hPa near 55N 176E at 1800 UTC December 23rd. The second part of [Figure 26](#) shows this Bering Sea system six hours later, when it began to drift northwest and weaken. An ASCAT (METOP-A) pass from 2339 UTC on the 23rd showed east to northeast winds to 50 kts over the northwest Bering Sea. A vessel reporting with the **SHIP** call sign reported south winds of 45 kts and 4.9 m seas (16 ft) near 36N 180W at 0000 UTC on the 24th. The **SAGA SPRAY** (VRWW5) near 54N 171E encountered southwest winds of 40 kts and 6.7 m seas (22 ft) 12 hours later. The cyclone subsequently drifted over the western Bering Sea and dissipated over the Kamchatka Peninsula early on the 25th.

#### **North Pacific Storm, December 23-24:**

Low pressure formed near 43N 160E with a 992 hPa center at 0600 UTC December 24th, rapidly intensified in the following twelve hours and briefly developed hurricane force winds near 48N 171E with a 976 hPa central pressure at 0000 UTC on the 24th ([Figure 26](#)). The ASCAT imagery in [Figure 27](#) shows an area of west winds 50 to 60 kts south of the low center. Winds detected by ASCAT were actually higher with this smaller and more compact cyclone than with the larger Bering Sea system. The cyclone subsequently moved northeast into the Bering


Sea as a gale late on the 24th before dissipating over Alaska the next day.

**Northwest Pacific and Bering Sea Storm, December 29-31:**

A developing low tracked northeast from Japan to the western Bering Sea at the end of December. **Figure 28** shows the main development over a thirty six hour period and includes a drop in central pressure of 44 hPa in the 24 hour period ending at 1200 UTC on the 30th. The 947 hPa central pressure made it the deepest cyclone of the period not including those with tropical origin. **Figure 29** shows a swath of winds 50 to 60 kts south of the center appearing in scatterometer imagery. The **STAR FUJI** (LAVX4) near 50N 155E reported northwest winds of 50 kts and 6.0 m seas (20 ft) at 1200 UTC on the 31st. The **PRAGUE EXPRESS** (DGZR2) near 54N 165E encountered northeast winds 40 kts and 9.0 m seas (30 ft). The cyclone subsequently moved north and weakened, before dissipating over the Kamchatka Peninsula late on the 31st.

**Northwest Pacific and Bering Sea Storms, December 31-January 4:**

Two subsequent events at the beginning of January followed tracks similar to that of December 29-31 event except were not quite as intense. The first of these moved northeast off Japan's main island early on December 31st and rapidly deepened, becoming a hurricane force low as it passed near 45N 160E with a 962 hPa central pressure at 1800 UTC January 1st. Its central pressure had fallen 27 hPa in the preceding 24 hour period. An ASCAT (METOP-A) pass from 0958 UTC January 1st showed a partial view of winds 50 to 60 kts at the pass edge on the southeast side of the cyclone center.



**Figure 13.** ASCAT (METOP-B) image of satellite-sensed winds, 25-km resolution, around the cyclone shown in the second part of Figure 12. The valid time of the pass is 0659 UTC September 23, 2014, or about eleven hours prior to the valid time of the second part of Figure 12. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research

The cyclone developed a lowest central pressure of 958 hPa near 56N 166E at 1800 UTC on the 2nd, but its top winds had weakened to storm force by that time. **Figure 30** shows this system in the western Bering Sea weakening and moving inland over Russia while the second low rapidly intensified east of Japan. The second low became slightly more intense, developing a lowest central pressure of 954 hPa near 47N 166E at 0600 UTC on the 4th. The period covered by **Figure 30** includes a 24 hour period ending at 1800 UTC on the 3rd when the central pressure fell 38 hPa. An ASCAT (METOP-B) pass from 2227 UTC on the 3rd returned winds as high as 65 kts south of the center, but otherwise similar to the pattern seen in **Figure 25** for the mid December event near the Kurile Islands. The cyclone then weakened on the 4th as it moved north, with its top winds lowering to gale force later that day as it passed 50N. Dissipation followed late on the 6th near the Kamchatka Peninsula. (continued Page 78)






Figure 14. OPC North Pacific Surface Analysis charts (Part 2) valid 0000 UTC October 30 and 31, 2014.






Figure 15. OPC North Pacific Surface Analysis charts valid 0000 UTC November 19 (Part 2) and 0000 UTC November 20, 2014 (Part 1).



**Figure 16. ASCAT (METOP-A) image of satellite-sensed winds (25-km resolution) around mainly the western semicircle of the cyclone shown in the second part of Figure 15. The valid time of the pass is 2204 UTC November 19, 2014, or about two hours prior to the valid time of the second part of Figure 15. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research.**



**Figure 17. OPC North Pacific Surface Analysis charts (Parts 1 and 2) valid 1800 UTC November 24, 2014. The two parts overlap between 165W and 175W.**






Figure 18. OPC North Pacific Surface Analysis charts (Parts 1 and 2) valid 1800 UTC November 25, 2014. The two parts overlap between 165W and 175W.




Figure 19. RapidScat image of satellite-sensed winds (25-km resolution) around the hurricane-force low shown in the second part of Figure 18. The valid time of the pass is approximately 1633 UTC November 25, 2014, or about one and one-half hours prior to the valid time of Figure 18. In this version of the imagery adapted for operational use, the numbered white lines (four-digit UTC) are cross-track time lines of the satellite (in this case, the instrument aboard the International Space Station). Wind barbs are colored according to the scale at the top, with white barbs rain-flagged. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research.




Figure 20. OPC North Pacific Surface Analysis charts (Part 2) valid 1800 UTC December 4 and 5, 2014.




Figure 21. ASCAT (METOP-B) image of satellite-sensed winds (25-km resolution) around the cyclone shown in the second part of Figure 20. The valid time of the pass is 2227 UTC December 5, 2014 or about four and one-half hours later than the valid time of the second part of Figure 20. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research.






Figure 22. OPC North Pacific Surface Analysis charts (Part 2) valid 1200 UTC December 9 and 10, 2014.




Figure 23. RapidScat image of satellite-sensed winds (25-km resolution) around the hurricane-force low shown in the second part of Figure 22. The valid time of the pass containing the higher wind retrievals is 1339 UTC December 10, 2014, or about one and one-half hours later than the valid time of the second part of Figure 22. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research.






Figure 24. OPC North Pacific Surface Analysis charts (Part 2) valid 0600 UTC December 16 and 17, 2014.




Figure 25. ASCAT (METOP-B) image of satellite-sensed winds (25-km resolution) around the hurricane-force low shown in the second part of Figure 24. The valid time of the eastern pass containing the higher wind retrievals is 0001 UTC December 17, 2014, or about six hours prior to the valid time of the second part of Figure 26. The adjacent pass to the west is an old pass from 0001 UTC December 16. Image is courtesy of NOAA/NESDIS/Center for Satellite Application and Research.






Figure 26. OPC North Pacific Surface Analysis charts (Part 2) valid 1200 UTC December 22 and 0000 UTC December 24, 2014.




Figure 27. ASCAT (METOP-A) image of satellite-sensed winds (25-km resolution) around the hurricane-force cyclone shown in the second part of Figure 26. The valid time of the pass containing the higher wind retrievals is 2202 UTC December 23, 2014 or about two hours prior to the valid time of the second part of Figure 26. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research.






Figure 28. OPC North Pacific Surface Analysis charts (Part 2) valid 0600 UTC December 29 and 1800 UTC December 30, 2014.




Figure 29. ASCAT (METOP-A) image of satellite-sensed winds (25-km resolution) around the intense cyclone shown in the second part of Figure 28. The valid time of the eastern pass containing the strongest winds is 2350 UTC December 30, 2014 or about six hours later than the valid time of the second part of Figure 28. The other (western) pass is an older pass from 0011 UTC December 30. Portions of the Kurile Islands appear in the upper-left side of the image. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research.






Figure 30. OPC North Pacific Surface Analysis charts (Part 2) valid 1200 UTC January 2 and 0000 UTC January 4, 2015.




Figure 31. OPC North Pacific Surface Analysis charts (Part 2) valid 0600 UTC January 12 and 13, 2015










Figure 34. ASCAT (METOP-A) image of satellite-sensed winds (25-km resolution) around the south side of the hurricane-force low shown in the second part of Figure 33. The valid time of the pass containing the higher wind retrievals is 0959 UTC January 18, 2015, or about ten hours later than the valid time of the second part of Figure 33. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research.




Figure 35. OPC North Pacific Surface Analysis charts (Parts 1 and 2) valid 1200 UTC January 30 , 2015. The two parts have an overlap area between 165W and 175W.

### North Pacific Storm, January 11-13:

**Figure 31** depicts the development of a compact 961 hPa hurricane force low over a 24 hour period from a weak low near 37N 164E. The central pressure fell 32 hPa during this time, impressive for that low latitude development. The ASCAT image in **Figure 32** reveals a compact circulation with the highest wind retrievals of 60 kts. The **APL CHINA** (WDB3161) near 44N 163E at 1500 UTC on the 13th reported northwest winds of 40 kts and 5.2 m seas (17 ft). The lowest central pressure of 957 hPa occurred later; at 0000 UTC on the 14th near 46N 167W after the winds had weakened to storm force. The cyclone then dissipated by early on the 15th as new gale force lows formed to the northeast and southwest.

### Western North Pacific Storm, January 15-16:

As the previous event was ending, a new gale force low passed just south of Japan late on January 14th and developed storm force winds while passing east of Japan early on the 15th, and briefly hurricane force near 39N 154E with a central pressure as low as 981 hPa at 0600 UTC on the 16th. A vessel with the **SHIP** call sign reported west winds of 35 kts and 6.0 m seas (20 ft) near 35N 141E at 1500 UTC on the 15th. The cyclone then tracked east along 39N with its winds weakening to gale force 18 hours later. **Figure 33** shows this system as a weakening gale. It subsequently moved

into the eastern Pacific on the 18th and then turned north into the Gulf of Alaska by the 20th, and dissipated by the 21st.

### Western/ Central North Pacific Storm, January 17-20:

A stronger cyclone developed and moved east of northern Japan late on January 16th and on the 17th immediately following the preceding event (**Figure 33**). It briefly developed hurricane force winds late on the 17th and early on the 18th with the ASCAT image in **Figure 34** showing a swath of west to northwest winds 50 to 60 kts south of the center and extending south to near 34N. The cyclone moved out over the North Pacific and developed a lowest central pressure of 958 hPa near 43N 175E at 1200 UTC on the 19th, but its top winds had weakened to storm force early on the preceding day. The **BREMEN EXPRESS** (DHBN) near 41N 143E reported northwest winds of 55 kts at 1800 UTC on the 17th, and 12 hours later northwest winds of 50 kts and 6.4 m seas (21 ft) near 43N 147E).

The **COSCO GLORY** (VRIR7) encountered north winds of 45 kts and 8.5 m seas (28 ft) near 44N 149E at 0200 UTC on the 18th. The cyclone subsequently stalled near 47N 170W as a gale force low late on the 20th, then drifted southeast on the 22nd and dissipated on the 24th.

### Western North Pacific Storm, January 22-24:

Low pressure originating well


south of Japan near 26N on January 21st passed just east of Tokyo as a gale early on the 22nd. The cyclone tracked northeast and developed storm force winds 12 hours later and briefly hurricane force winds late on the 23rd as the center passed near 44N 153E. The central pressure fell 24 hPa in the 24 hour period ending at 1800 UTC on the 23rd. An ASCAT (METOP-A) pass from 2301 UTC on the 23rd returned winds to 50 kts on the south side but likely missed stronger winds in a data free gap. The cyclone developed a lowest central pressure of 966 hPa at 1800 UTC on the 23rd. The **TOKYO EXPRESS** (DGTX) near 37N 144E reported northwest winds of 50 kts at 1200 UTC on the 23rd.

The **SEA-LAND LIGHTNING** (WDB9986) near 48N 157E reported east winds of 50 kts and 7.0 m seas (23 ft) at 0000 UTC on the 24th, and then 12 hours later reported seas of 8.2 m (27 ft) near 47N 153E. A weakening trend set in late on the 23rd with the cyclone becoming a gale near 46N 170E early on the 25th. The cyclone spawned new centers to the northeast and became absorbed on the 26th.

### Western North Pacific Storm, January 30-February 2:

Low pressure originating near Japan early on January 30th (**Figure 35**) developed hurricane force winds in the next 18 hours, and passed near 42N 149E with a lowest central pressure of 976 hPa at 1200 UTC on the 31st (**Figure 36**).





**Figure 36. OPC North Pacific Surface Analysis charts (Parts 1 and 2) valid 1200 UTC January 31 , 2015. The two parts have an overlap area between 165 W and 175W.**

The scatterometer image from 1032 UTC on the 31st (Figure 37) shows a swath of winds 50 to 60 kts on the south side of the cyclone. The cyclone then drifted northeast with its top winds weakening to storm force on the 31st and to gale force by 1800 UTC February 2nd near 44N 153E. The system then drifted southeast and dissipated late on the 3rd.

**Eastern North Pacific Storm, January 30-February 2:**

Concurrent with the western hurricane force event, a deep low formed in the eastern waters over a 24 hour period as depicted in Figure 35 and Figure 36. The 953 hPa central pressure reached at 1200 UTC January 31st made this cyclone the deepest of the January to February period. The central

pressure fell 36 hPa during 24 hour period. The scatterometer image in Figure 38 returned winds to 50 kts north, south and west of the center but the data free gap might miss higher winds, and for warning purposes OPC considers this system a storm force low. The cyclone then stalled near 46N 157W through February 2nd and weakened to a gale, and then moved west northwest as a sub gale force low, blocked by high pressure to the north. The cyclone dissipated near 180W on the 6th.

**Western North Pacific Storm, February 18-19:**

An area of low pressure passed just south of Japan on February 17th. Figure 39 depicts the subsequent development of this slow moving system into a

storm force low, with the second part of Figure 39 showing the cyclone at maximum intensity. The ASCAT-B image in Figure 40 winds to 50 kts on the south and west sides close to the center. This system, aided by its passage over relatively warm southern waters, appeared to be the one coming closest to hurricane force during February. The cyclone continued slow eastward motion and maintained storm force winds through the 19th, before weakening to a gale early on the 20th. The cyclone then spawned a new storm center to the north near 37N 163E at 0000 UTC on the 21st with the centers merging late on the 21st near 37N 176E while maintaining gale to storm force winds. The cyclone then dissipated near 35N 164W late on the 26th.




Figure 37. ASCAT (METOP-B) image of satellite-sensed winds (25-km resolution) around the south side of the hurricane-force low near Japan shown in Figure 36. The valid time of the eastern pass containing the higher wind retrievals is 1032 UTC January 31, 2015, about one and one-half hours prior to the valid time of Figure 36. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research.




Figure 38. ASCAT (METOP-A) image of satellite-sensed winds (25-km resolution) around the eastern North Pacific storm shown in Figure 36. The valid time of the pass is 0758 YUTC January 31, 2015, or about one and four hours prior to the valid time of Figure 36. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research.






Figure 39. OPC North Pacific Surface Analysis charts (Part 2) valid 0600 UTC February 18 and 1800 UTC February 19, 2015.




Figure 40. ASCAT (METOP-B) image of satellite-sensed winds (25-km resolution) around the storm shown in the second part of Figure 39. The valid time of the eastern pass containing the higher wind retrievals is 1038 UTC February 19, 2015, or about seven and one-half hours prior to the valid time of the second part of Figure 39. Image is courtesy of NOAA/NESDIS/ Center for Satellite Application and Research.

## References

1. Sanders, Frederick and Gyakum, John R., Synoptic-Dynamic Climatology of the "Bomb", *Monthly Weather Review*, October 1980.
2. Ocean Surface Winds, <http://manati.star.nesdis.noaa.gov/products.php>
3. VonAhn, Joan. and Sienkiewicz, Joe, "Hurricane Force Extratropical Cyclones Observed Using QuikSCAT Near Real Time Winds", *Mariners Weather Log*, Vol. 49, No. 1, April 2005.
4. Saffir-Simpson Scale of Hurricane Intensity: <http://www.nhc.noaa.gov/aboutsshws.php>
5. Tropical Cyclone Reports, 2014, National Hurricane Center, <http://www.nhc.noaa.gov/data/tcr/index.php?season=2014&basin=atl>
6. Sienkiewicz, Joe and Chesneau, Lee, "Mariner's Guide to the 500-Millibar Chart", *Mariners Weather Log*, December 2008.
7. <http://www.mashable.com/2014/11/10/typhoon-nuri-bering-bomb-storm/>





# Tropical Atlantic and Tropical East Pacific Areas

## January through April 2015

*Marshall Huffman and Andy Latto  
Tropical Analysis and Forecast Branch  
National Hurricane Center, Miami, Florida  
NOAA National Centers for Environmental Prediction*

### Tropical North Atlantic Ocean including the Caribbean Sea and the Gulf of Mexico

The TAFB Atlantic High Seas area of responsibility (AOR) extends from 7°N to 31°N west of 35°W, including the Caribbean Sea and Gulf of Mexico. Fifty-Three (53) gale warnings were issued for this area from January through April 2015; with only One (1) storm force wind warning and zero hurricane force wind warnings issued during the period. The Fifty-Four (54) warnings issued in the Atlantic basin was the highest number of warnings ever issued by TAFB during a winter season, breaking the previous record number of Forty-Four (44) in 2014. The number of warnings was up from the January through April five-year average of Twenty-Eight (28) warnings. Of the Fifty-Four (54) warnings issued, ten of these were located in the Gulf of Mexico, Fourteen (14) of these were located in the Atlantic Ocean, and Thirty (30) were located in the Caribbean Sea.

**Table A-A. Non-tropical warnings issued for the Atlantic Ocean between 01 January 2015 and 30 April 2015. Storm events are shaded yellow and the duration of the storm warning is in parentheses.**


ONSET	REGION	PEAK WIND (kts)	GALE DURATION (STORM)	FORCING
01 Jan 0600 UTC	Caribbean	40	156 h	Pressure Gradient
04 Jan 1800 UTC	Gulf of Mexico	40	42 h	Cold Front
08 Jan 0600 UTC	Gulf of Mexico	35	24 h	Cold Front
08 Jan 0600 UTC	SW North Atlantic	35	18 h	Cold Front
09 Jan 0000 UTC	Caribbean	35	36 h	Pressure Gradient
11 Jan 0600 UTC	Caribbean	35	12 h	Pressure Gradient
12 Jan 0000 UTC	Caribbean	35	18 h	Pressure Gradient
15 Jan 1800 UTC	Gulf of Mexico	35	30 h	Pressure Gradient
23 Jan 0600 UTC	Gulf of Mexico	35	24 h	Cold Front
24 Jan 0600 UTC	SW North Atlantic	35	30 h	Cold Front
26 Jan 1800 UTC	SW North Atlantic	40	42 h	Cold Front
31 Jan 0000 UTC	SW North Atlantic	35	06 h	Cold Front
01 Feb 0000 UTC	SW North Atlantic	35	24 h	Cold Front
02 Feb 0600 UTC	Caribbean	35	60 h	Pressure Gradient
02 Feb 1800 UTC	SW North Atlantic	35	24 h	Cold Front
02 Feb 1800 UTC	Gulf of Mexico	35	18 h	Cold Front
04 Feb 1200 UTC	Gulf of Mexico	35	12 h	Surface Trough
05 Feb 0000 UTC	Caribbean	35	18 h	Pressure Gradient

ONSET	REGION	PEAK WIND (kts)	GALE DURATION (STORM)	FORCING
05 Feb 1200 UTC	SW North Atlantic	35	36 h	Cold Front
11 Feb 0000 UTC	SW North Atlantic	45	48 h	Cold Front
01 Jan 0600 UTC	Caribbean	40	156 h	Pressure Gradient
04 Jan 1800 UTC	Gulf of Mexico	40	42 h	Cold Front
08 Jan 0600 UTC	Gulf of Mexico	35	24 h	Cold Front
08 Jan 0600 UTC	SW North Atlantic	35	18 h	Cold Front
09 Jan 0000 UTC	Caribbean	35	36 h	Pressure Gradient
11 Jan 0600 UTC	Caribbean	35	12 h	Pressure Gradient
12 Jan 0000 UTC	Caribbean	35	18 h	Pressure Gradient
15 Jan 1800 UTC	Gulf of Mexico	35	30 h	Pressure Gradient
23 Jan 0600 UTC	Gulf of Mexico	35	24 h	Cold Front
24 Jan 0600 UTC	SW North Atlantic	35	30 h	Cold Front
26 Jan 1800 UTC	SW North Atlantic	40	42 h	Cold Front
31 Jan 0000 UTC	SW North Atlantic	35	06 h	Cold Front
01 Feb 0000 UTC	SW North Atlantic	35	24 h	Cold Front
02 Feb 0600 UTC	Caribbean	35	60 h	Pressure Gradient
02 Feb 1800 UTC	SW North Atlantic	35	24 h	Cold Front
02 Feb 1800 UTC	Gulf of Mexico	35	18 h	Cold Front
04 Feb 1200 UTC	Gulf of Mexico	35	12 h	Surface Trough
05 Feb 0000 UTC	Caribbean	35	18 h	Pressure Gradient
05 Feb 1200 UTC	SW North Atlantic	35	36 h	Cold Front
11 Feb 0000 UTC	SW North Atlantic	45	48 h	Cold Front
15 Feb 0600 UTC	SW North Atlantic	35	42 h	Cold Front
15 Feb 0600 UTC	Caribbean	35	12 h	Pressure Gradient
16 Feb 0600 UTC	Caribbean	35	12 h	Pressure Gradient
17 Feb 0600 UTC	SW North Atlantic	35	18 h	Cold Front
17 Feb 0600 UTC	Caribbean	35	12 h	Pressure Gradient
18 Feb 0600 UTC	SW North Atlantic	35	18 h	Cold Front
18 Feb 0600 UTC	Gulf of Mexico	35	12 h	Cold Front
19 Feb 0600 UTC	SW North Atlantic	35	30 h	Cold Front
19 Feb 1800 UTC	Caribbean	35	12 h	Pressure Gradient
21 Feb 0600 UTC	Caribbean	35	12 h	Pressure Gradient




ONSET	REGION	PEAK WIND (kts)	GALE DURATION (STORM)	FORCING
22 Feb 0000 UTC	Caribbean	35	18 h	Pressure Gradient
23 Feb 0000 UTC	Caribbean	35	18 h	Pressure Gradient
24 Feb 0600 UTC	Caribbean	35	12 h	Pressure Gradient
25 Feb 0600 UTC	Caribbean	35	12 h	Pressure Gradient
26 Feb 0600 UTC	Caribbean	35	18 h	Pressure Gradient
27 Feb 0600 UTC	Caribbean	35	12 h	Pressure Gradient
28 Feb 0600 UTC	Caribbean	35	12 h	Pressure Gradient
29 Feb 0000 UTC	Caribbean	40	60 h	Pressure Gradient
02 Mar 1800 UTC	Caribbean	35	18 h	Pressure Gradient
04 Mar 0000 UTC	Caribbean	35	18 h	Pressure Gradient
05 Mar 0000 UTC	Caribbean	40	114 h	Pressure Gradient
05 Mar 0600 UTC	Gulf of Mexico	50	48 h (12 h)	Cold Front
07 Mar 1200 UTC	Gulf of Mexico	35	06 h	Cold Front
10 Mar 0000 UTC	Caribbean	40	18 h	Pressure Gradient
11 Mar 0000 UTC	Caribbean	40	42 h	Pressure Gradient
13 Mar 0000 UTC	Caribbean	35	18 h	Pressure Gradient
14 Mar 0000 UTC	Caribbean	35	18 h	Pressure Gradient
15 Mar 0000 UTC	Caribbean	35	18 h	Pressure Gradient
27 Mar 1200 UTC	Gulf of Mexico	40	12 h	Cold Front
07 Apr 0600 UTC	Caribbean	35	12 h	Pressure Gradient
08 Apr 0600 UTC	Caribbean	35	12 h	Pressure Gradient
10 Apr 0600 UTC	Caribbean	35	12 h	Pressure Gradient
27 Apr 0000 UTC	SW North Atlantic	35	12 h	Cold Front

**Table A-A** details the warnings issued in the TAFB Atlantic High Seas AOR from January through April 2015. The first longer duration gale of 2015 began on 1 January and occurred in the Caribbean Sea as a strong pressure gradient set up between a relatively strong high pressure system anchored across the Southwest North Atlantic Ocean and lower pressure across the Northwestern South American continent. Gale force conditions persisted for six and a half days before a strong frontal trough weakened the Southwest North Atlantic ridging and relaxed the pressure gradient across the Caribbean Sea. **Figure 1** shows a MetOp Advanced SCATerometer (ASCAT-B) pass from 04 January. Note the blue wind barbs indicating 34-40 kts winds in the Southwestern Caribbean Sea that reached the surface. Warnings were discontinued in the Caribbean by 1800 UTC 07 January.



**Figure 1.**  
A scatterometer pass from the MetOp Advanced SCATerometer (ASCAT-B) valid around 0256 UTC 04 January. Note the dark blue wind bars in the Southwestern Caribbean Sea indicating gale force winds between 34 and 40 kts.

**Figure 2** shows another MetOp Advanced SCATerometer (ASCAT-B) pass several hours later on 05 January indicating the gale area was not as widespread, however still occurring in a condensed area within 120 nmi off the coast of Colombia.



**Figure 2.**  
A scatterometer pass from the MetOp Advanced SCATerometer (ASCAT-B) valid around 1508 UTC 05 January. Note the dark blue wind bars in the Southwestern Caribbean Sea indicating gale force winds between 34 and 40 kts.




During this gale force wind event, several ships reported gale force conditions and these are summarized in **Table A-B**.

<b>Table A-B. Ship observations during the gale warning period beginning 01 January 0600 UTC and ending 07 January 1800 UTC.</b>				
<b>SHIP</b>	<b>CALL SIGN</b>	<b>WIND SPEED (kts)</b>	<b>LOCATION</b>	<b>DATE / TIME</b>
Johann Smidt	DEFY	40	13.5N 72.9W	01 Jan 1200 UTC
		38	14.1N 75.0W	02 Jan 0600 UTC
		40	13.4N 78.5W	03 Jan 0400 UTC
Island Princess	ZCDG4	40	10.9N 75.5W	05 Jan 0400 UTC
		40	11.4N 74.5W	05 Jan 1000 UTC
		37	12.1N 72.9W	05 Jan 1700 UTC
Coral Princess	ZCDF4	38	13.9N 71.2W	06 Jan 0500 UTC
Celebrity Eclipse	9HXC9	41	16.1N 72.9W	06 Jan 1900 UTC
Prinsendam	PBGH	39	12.7N 81.1W	07 Jan 0200 UTC
		40	11.4N 80.2W	07 Jan 0800 UTC
Zuiderdam	PBIG	36	11.3N 75.2W	07 Jan 1700 UTC

The strongest Gulf of Mexico warning was the only storm force warning that occurred across the basin in the four month period. This storm force warning began at 0600 UTC 05 March and persisted for 48 hours. Of that 48 hours, only 12 hours of storm force conditions were forecast between 0000 UTC 06 March and 1200 UTC 06 March. A strong surface pressure gradient materialized along the East-Central coast of Mexico and the Southwestern Gulf of Mexico waters after the passage of a cold front. While storm force conditions were limited to a relatively small area across the Southwestern Gulf of Mexico, **Table A-C** summarizes ships that reported winds of gale force or greater west of the cold front.

<b>Table A-C. Ship observations during the storm warning period beginning 05 March 0600 UTC and ending 07 March 0600 UTC.</b>				
<b>SHIP</b>	<b>CALL SIGN</b>	<b>WIND SPEED (kts)</b>	<b>LOCATION</b>	<b>DATE / TIME</b>
Eagle Baltimore	9VHG	36	29.2N 93.1W	05 Mar 1000 UTC
Overseas Texas City	WHED	35	29.3N 93.2W	05 Mar 1900 UTC
Meteor	DBBH	41	20.0N 94.1W	06 Mar 0000 UTC
		35	20.2N 93.6W	06 Mar 0300 UTC
Norwegian Jewel	C6TX6	45	25.3N 88.7W	06 Mar 0800 UTC
		40	26.1N 89.6W	06 Mar 1200 UTC
Carnival Freedom	3EBL5	35	24.1N 88.0W	06 Mar 1200 UTC
BLS Ability	ELXX8	36	29.1N 92.7W	06 Mar 1000 UTC

Although no storm force observations were reported, **Figure 3** shows a portion of the area of gale force and storm force wind barbs offshore of Mexico south of 25N and west of 95W.



**Figure 3.**  
A scatterometer pass from the MetOp Advanced SCATERometer (ASCAT-B) valid around 1628 UTC 05 March. Note the brown and pink wind barbs in the southwestern Gulf of Mexico indicating gale to storm force winds.

## Eastern North Pacific Ocean South of 30°N and East of 140°W

There were Twenty-Seven (27) gale or stronger events in the North Pacific east of 140W between 30N and the Equator from 01 January 2015 to 30 April 2015 summarized in **Table P-A**. Of these events, Twenty (20) occurred over the Gulf of Tehuantepec, Five (5) over the Gulf of Papagayo, and Two (2) over the open waters of the Pacific north of 22N. Three (3) of the events over the Gulf of Tehuantepec reached Storm Force of 50 kts or greater with ten events over this portion of the Pacific persisting 36 hours or longer at gale force. Ship observations of these gale-force or greater events are shown in **Table P-B**. Ship reports received through the Voluntary Observing Ship (VOS) program are a vital source of data in verifying gale and storm events.

**Table P-A. Non-tropical warnings issued for the Eastern North Pacific Ocean between 01 January 2015 and 30 April 2015. Storm events are shaded yellow and the duration of the storm warning is in parentheses.**

ONSET	REGION	PEAK WIND (kts)	GALE DURATION (STORM)	FORCING
01 Jan 0600 UTC	Gulf of Tehuantepec	35	12 h	Gap
04 Jan 1800 UTC	Gulf of Tehuantepec	50	96 h (36 h)	Gap
05 Jan 1800 UTC	Gulf of Papagayo	35	54 h	Gap



ONSET	REGION	PEAK WIND (kts)	GALE DURATION (STORM)	FORCING
10 Jan 0600 UTC	Gulf of Tehuantepec	35	48 h	Gap
13 Jan 0000 UTC	Gulf of Tehuantepec	35	60 h	Gap
16 Jan 0000 UTC	Gulf of Tehuantepec	40	60 h	Gap
18 Jan 1800 UTC	Gulf of Tehuantepec	40	42 h	Gap
24 Jan 0600 UTC	Gulf of Tehuantepec	45	156 h	Gap
28 Jan 1200 UTC	Gulf of Papagayo	35	36 h	Gap
03 Feb 0000 UTC	Gulf of Tehuantepec	35	18 h	Gap
04 Feb 0600 UTC	Gulf of Papagayo	35	18 h	Gap
05 Feb 1200 UTC	Gulf of Tehuantepec	50	60 h (06 h)	Gap
06 Feb 1800 UTC	Eastern Pacific 22N	35	06 h	Front
08 Feb 0000 UTC	Eastern Pacific 22N	35	18 h	Front
10 Feb 1200 UTC	Gulf of Tehuantepec	35	18 h	Gap
13 Feb 0000 UTC	Gulf of Tehuantepec	40	66 h	Gap
14 Feb 0600 UTC	Gulf of Papagayo	35	36 h	Gap
18 Feb 0600 UTC	Gulf of Tehuantepec	40	72 h	Gap
24 Feb 0600 UTC	Gulf of Tehuantepec	35	36 h	Gap
28 Feb 0000 UTC	Gulf of Tehuantepec	35	12 h	Gap
06 Mar 0000 UTC	Gulf of Tehuantepec	50	72 h (18 h)	Gap
07 Mar 0600 UTC	Gulf of Papagayo	35	36 h	Gap
12 Mar 0600 UTC	Gulf of Tehuantepec	35	30 h	Gap
16 Mar 0000 UTC	Gulf of Tehuantepec	35	24 h	Gap
28 Mar 0000 UTC	Gulf of Tehuantepec	40	42 h	Gap
05 Apr 0600 UTC	Gulf of Tehuantepec	35	12 h	Gap
29 Apr 1800 UTC	Gulf of Tehuantepec	35	18 h	Gap

**Table P-B. Ships reporting gale force winds or greater over the Eastern North Pacific Ocean between 01 January 2015 and 30 April 2015.**

SHIP	CALL SIGN	WIND SPEED (kts)	LOCATION		DATE / TIME
Antwerpen Express	DGAF	40	13.7N 95.9W	Gulf of Tehuantepec	05 Jan 0600 UTC
Norwegian Star	C6FR3	40	15.3N 94.7W	Gulf of Tehuantepec	10 Jan 0400 UTC
Norwegian Star	C6FR3	40	15.4N 94.9W	Gulf of Tehuantepec	10 Jan 0300 UTC
Norwegian Star	C6FR3	35	15.1N 94.0W	Gulf of Tehuantepec	10 Jan 0600 UTC
Norwegian Star	C6FR3	36	15.2N 94.2W	Gulf of Tehuantepec	10 Jan 0700 UTC
Liberty Promise	WWMZ	45	13.8N 95.7W	Gulf of Tehuantepec	24 Jan 1200 UTC

SHIP	CALL SIGN	WIND SPEED (kts)	LOCATION		DATE / TIME
Grasmere Maersk	ZQAY4	36	14.3N 96.4W	Gulf of Tehuantepec	27 Jan 0600 UTC
Fidelio	SLKR	40	14.4N 95.4W	Gulf of Tehuantepec	27 Jan 0600 UTC
Stena Companion	ZCDI4	37	15.6N 95.1W	Gulf of Tehuantepec	27 Jan 0100 UTC
Stena Companion	ZCDI4	42	15.7N 94.9W	Gulf of Tehuantepec	27 Jan 1700 UTC
Norwegian Star	C6FR3	43	15.2N 94.3W	Gulf of Tehuantepec	28 Jan 0100 UTC
Norwegian Star	C6FR3	52	15.5N 95.4W	Gulf of Tehuantepec	28 Jan 1000 UTC
Island Princess	ZCDG4	45	11.6N 87.2W	Gulf of Papagayo	29 Jan 0400 UTC
Stena Companion	ZCDI4	37	15.5N 95.5W	Gulf of Tehuantepec	30 Jan 1200 UTC
Island Princess	ZCDG4	45	15.5N 94.5W	Gulf of Tehuantepec	30 Jan 0500 UTC
Horizon Pacific	WSRL	42	29.4N 135.2W	Eastern Pacific 22N	08 Feb 1200 UTC
Veendam	PHEO	40	14.9N 94.7W	Gulf of Tehuantepec	13 Feb 0300 UTC
Veendam	PHEO	45	10.6N 86.3W	Gulf of Papagayo	15 Feb 0700 UTC
Veendam	PHEO	42	10.4N 86.2W	Gulf of Papagayo	15 Feb 0800 UTC
Veendam	PHEO	45	09.9N 85.9W	Gulf of Papagayo	15 Feb 1000 UTC
Santa Catarina	A8YJ9	45	13.6N 94.8W	Gulf of Tehuantepec	06 Mar 1300 UTC

## Gulf of Tehuantepec Gale and Storm Warnings

The Gulf of Tehuantepec wind events are usually driven by mid-latitude cold frontal passages through the narrow Chivela Pass in the Isthmus of Tehuantepec between the Sierra Madre de Oaxaca Mountains on the west and the Sierra Madre de Chiapas Mountains on the east. The Northerly winds from the Southwest Gulf of Mexico funnel through the pass delivering stronger winds into the Gulf of Tehuantepec. The Thirty-Four (34) events for the Gulf of Tehuantepec this season (2014-2015) tied the record that was set just last year (2013-2014 season). However, the 936 hours of duration of gale force or higher warnings in the January through April 2015 period for the Gulf of Tehuantepec were nearly 50% greater than the 627 hours during the same period in 2014.

The longest duration storm event that occurred during the January to April 2015 time period began January 4 with storm force winds lasting from early morning January 5 through the early afternoon of January 6 (a total of 36 hours), and gale-force winds persisting until January 8.

Strong high pressure over Texas ([Figure 4](#)) and northeast Mexico behind a frontal system over the Gulf of Mexico was forcing wind through the Chivela Pass and setting up this storm/gale event. During this event, the ship **ANTWERPEN EXPRESS** (DGAF) reported winds to 40 kts as it passed through the warned area at 0600 UTC 05 January 2015.

A scatterometer pass ([Figure 5](#)) captured the event with winds from 30 to 40 kts occurring north of 13.5N W of 93.5W, with a small area of winds to 45 kts near 15.5N 94.5W.







Figure 4. National Weather Service Unified Surface Analysis (USA) Valid 0000 UTC 06 January 2015.

Figure 5. European Advanced Scatterometer (ASCAT) pass valid at 0356 UTC 06 January 2015.










Figure 8. Multi-grid NOAA Wavewatch III model wave height forecast and Satellite Altimeter data from 02 May, 2015.




Figure 9. Multi-grid NOAA Wavewatch III model wave height forecast and Satellite Altimeter data for 03 May, 2015.

# Northern Waters Gale Warning

A strong cold front aided by a powerful southwesterly upper jet moved across the northern portions of our observing area late February 7 to early February 8. Strong southwesterly flow ahead of the front combined with thunderstorms to produce gale force winds up to 180 nmi east of the front north of 29N which extended from 30N 135W to 25N 140W. Scatterometer data indicated winds greater than 35 kts north of 28.5N and E of 138W over the open waters of the Eastern Pacific. The ship **HORIZON PACIFIC** (WSRL) also reported winds to 42 kts near 29.4N 135.2W at 1200 UTC 08 Feb.





Figure 10.  
National Weather Service Unified Surface Analysis (USA) Valid 0000 UTC 08 February 2015.

Figure 11.  
European Advanced Scatterometer (ASCAT) pass Valid at 0559 UTC 08 February 2015.



Note: 1) Times are GMT 2) Times along bottom correspond to measurement at 25N  
3) Data buffer is 22 hrs from 20150208 4) Black circles indicate possible contamination  
NOAA/NESDIS/Office of Research and Applications





# Tropical Atlantic and Tropical East Pacific Areas

## May through August 2015

*Jorge Aguirre-Echevarria and Dan Mundell  
Tropical Analysis and Forecast Branch  
National Hurricane Center, Miami, Florida  
NOAA National Centers for Environmental Prediction*

### Atlantic Ocean including the Caribbean Sea and the Gulf of Mexico

There were Twenty-Seven (27) non-tropical cyclone gale events that occurred between 1 May and 31 August 2015 in the area of high seas forecast responsibility (7°N to 31°N, west of 35°W including the Caribbean Sea and Gulf of Mexico) of the National Hurricane Center's (NHC) Tropical Analysis and Forecast Branch (TAFB). The Caribbean Sea had Twenty-Three (23) of these events making it the busiest of the basins in recent years for this time period.

**Table 1. Non-tropical cyclone warnings issued for the subtropical and tropical Atlantic Ocean, including the Gulf of Mexico and Caribbean Sea between 1 May and 31 August 2015.**

ONSET	REGION	PEAK WIND (kts)	GALE DURATION (STORM)	FORCING
06 UTC 14 June	Gulf of Mexico	35	06 h	Pressure Gradient
12 UTC 14 June	Gulf of Mexico	35	15 h	Low Pressure
18 UTC 9 May	Caribbean	40	40 h	Pressure Gradient
00 UTC 12 May	Caribbean	35	18 h	Pressure Gradient
00 UTC 13 May	Caribbean	35	36 h	Pressure Gradient
06 UTC 14 June	Caribbean	35	12 h	Pressure Gradient
06 UTC 18 June	Caribbean	35	66 h	Pressure Gradient
06 UTC 22 June	Caribbean	35	06 h	Pressure Gradient
06 UTC 24 June	Caribbean	40	78 h	Pressure Gradient
00 UTC 28 June	Caribbean	35	18 h	Pressure Gradient
06 UTC 29 June	Caribbean	35	12 h	Pressure Gradient
00 UTC 30 June	Caribbean	35	18 h	Pressure Gradient
06 UTC 1 July	Caribbean	35	12 h	Pressure Gradient
06 UTC 3 July	Caribbean	35	36 h	Pressure Gradient
06 UTC 5 July	Caribbean	35	36 h	Pressure Gradient
06 UTC 25 July	Caribbean	35	36 h	Pressure Gradient
06 UTC 26 July	Caribbean	35	12 h	Pressure Gradient
06 UTC 28 July	Caribbean	35	12 h	Pressure Gradient
00 UTC 29 July	Caribbean	40	18 h	Pressure Gradient
00 UTC 30 July	Caribbean	35	18 h	Pressure Gradient
06 UTC 2 Aug	Caribbean	35	30 h	Pressure Gradient

ONSET	REGION	PEAK WIND (kts)	GALE DURATION (STORM)	FORCING
06 UTC 3 Aug	Caribbean	35	12 h	Pressure Gradient
06 UTC 4 Aug	Caribbean	35	12 h	Pressure Gradient
00 UTC 5 Aug	Caribbean	35	18 h	Pressure Gradient
00 UTC 6 Aug	Caribbean	35	12 h	Pressure Gradient
12 UTC 7 May	SW North Atlantic	35	12 h	Low Pressure
06 UTC 29 July	SW North Atlantic	35	12 h	Low Pressure
12 UTC 29 Aug	SW North Atlantic	35	18 h	Tropical Wave

## Pre-Bill Caribbean/Gulf of Mexico Gale Event

A gale event occurred over a portion of the Caribbean Sea in an area where these events are considered rare, especially during the summer months. A surface trough moving westward through the northwest Caribbean Sea on the morning of 14 June began to interact with Atlantic high pressure of 1020-1021 hPa located near the northwest Bahamas. (Figure 1) A tight isobaric spacing between the 1012 hPa and 1016 hPa isobars induced southeast gale force winds of 25 to 35 kts in the northwest Caribbean area from 19N to 22N between 85W and 87W that morning. The trough continued westward across the Yucatan Peninsula, and into the south central Gulf of Mexico during the afternoon of that same day as broad low pressure began to take shape over the northern Yucatan Peninsula. This shifted the gale force winds to along the northern Yucatan Peninsula and adjacent waters. (Figure 2) By 00 UTC 15 June, a surface low had developed along the trough over the eastern portion of the southwest Gulf of Mexico with east to southeast gale winds over portions of the south central Gulf of Mexico, including Yucatan Channel vicinity waters. (Figure 3) This low eventually developed into Tropical Storm Bill over the northwest Gulf of Mexico late on the evening of 14 June.




Figure 1. National Weather Service Unified Surface Analysis (USA) map from 1200 UTC 14 June.






Figure 2. National Weather Service Unified Surface Analysis (USA) from 1800 UTC 14 June.




Figure 3. National Weather Service Unified Surface Analysis (USA) from 0000 UTC 15 June.

## Other Caribbean Gale Events

There were Twenty-Three (23) gale events in the Southwest Caribbean Sea between May 1 and August 31. The longest in duration occurred from 06 UTC 24 June to 12 UTC 27 June in the favorable climatological area of strongest trade winds found over a portion of the SW Caribbean Sea to the coasts of Colombia and northwestern Venezuela. This particular event was confined from 11N to 15N between 72W and 75W. The combination of a very tight pressure gradient between broad Atlantic high pressure ridging with axis roughly along 28N/29N, and low pressure across the Colombian basin along with the added reinforcement to the gradient due to passage of tropical waves initiated NE to E 30 to 40 kts winds with seas of 13 to 14 ft across that part of the SW Caribbean. (Figure 4)




Figure 4. National Weather Service Unified Surface Analysis (USA) from 1200 UTC 24 June.

National Data Buoy Center (NDBC) Buoy 42058 at 15N78W recorded similar wave height values. (Figure 5). Observations from ship **STAR LIVORNO** (LAQM7) reported northeast winds of 35 kts at 00 UTC 25 July at location 19N68W and 36 kts at 12 UTC 25 July at location 17N67W (Figure 6). Further proof of the ongoing gale event was noted in a RapidScat pass from the morning of June 26 that clearly showed the gale force winds (Figure 7). On 27 June ship **MAERSK DAYTON** (DDSC2) reported 40 kts at 12 UTC near location 13N73W (Figure 8).






Figure 5. METOP-A Advanced Scatterometer (ASCAT) wind retrieval at 1452 UTC 24 June with gale force winds in the SW Caribbean Sea.




Figure 6. METOP-A Advanced Scatterometer (ASCAT) wind retrieval at 1432 UTC 25 June with gale force winds in the SW Caribbean Sea.




Figure 7. RapidScat scatterometer pass at 1406 UTC 26 June. This pass includes satellite-derived altimeter sea height measurements (ft) that showed seas up to 15.87 ft in the SW Caribbean Sea.




Figure 8. National Weather Service Unified Surface Analysis from 1200 UTC 27 June.

Note the tight gradient near the coast of Colombia with the approaching tropical wave. The culprit pressure gradient of this gale event weakened just enough to allow for the gale winds to diminish just below gale force soon after 12 UTC on 27 June.



The event that started at 06 UTC 29 June lasted for 18 hours. An observation from ship **ESMERALDA** (CCES) indicated east winds of 35 kts at 06 UTC on 29 June near 12N74W. Interestingly, this ship is registered with the Chilean military, and was sailing east-northeast near the coast of Colombia at that time possibly on a training mission (**Figure 9**). The tight pressure gradient over much of the SW Caribbean Sea was further enhanced by passage of a quick moving tropical wave. Note the observation from ship **ESMERALDA** (CCES) with 35 kts winds located just to the southeast of the GALE text label on the map). The event that started at 00 UTC 30 June was nicely captured by an ASCAT scatterometer pass that morning (**Figure 10**). During the event that began on 29 July at 00 UTC ship **BRITISH MERLIN** (VQOG5) reported northeast winds of 40 kts at 12 UTC on 29 July near 12N75W. The remaining gale events occurred under a similar synoptic scale pattern as described above.




Figure 9. National Weather Service Unified Surface Analysis from 0600 UTC 29 June.




Figure 10. METOP-B Advanced Scatterometer (ASCAT) wind retrieval at 1428 UTC 30 June. Note the area of 25-30 kts winds with an embedded swath of 30 to 35 kts winds (red color) northwest of Colombia).

## Pre-Ana Gale Event




Figure 11. Advanced scatterometer ASCAT wind retrieval at 1528 UTC 7 May. Note the solid area of gale force winds affecting the TAFB forecast area in the southeast and southwest quadrants of the low.




Figure 12. RapidScat scatterometer data at 1934 UTC 7 May.

Low pressure of 1004 mb near 31N77W on the morning of 7 May was accompanied by gale force winds of 25 to 35 kts within 60 nmi of the low in the southwest quadrant with seas in the range of 8 to 11 ft range (Figure 11).

These winds were also captured by Air Force Hunter aircraft that same morning. By 1800 UTC that same day the gale force winds had expanded to within 90 nmi of the low in the southwest quadrant, and within 60 nmi in the southeast quadrant revealed in a RapidScat pass from that afternoon (Figure 12).

The low was classified as subtropical Storm Ana at 03 UTC 8 May near 31.5N77.6W or 170 nmi south-southeast of Myrtle Beach South Carolina.



## Post-Erika Gale Event

On the morning of 29 August, Tropical Storm Erika degenerated to a remnant low near the eastern coast of Cuba, and continued on a west-northwestward motion along the central coast of Cuba during that afternoon. The synoptic pattern that day featured a 1022 hPa high pressure center well to the northeast of the low (Figure 13). The tight pressure gradient between the high center and the remnant low initiated gale force winds of 30 to 35 kts within 90 nmi in the northeast quadrant, and 120 nmi in the east quadrant of the low with seas of 9 to 12 ft. ASCAT scatterometer data from that morning confirmed the gale force winds prompting the issuance of a gale warning (Figure 14).




Figure 13. National Weather Service Unified Surface Analysis (USA) from 1800 UTC 29 Aug. Note the tight pressure gradient north-east and east of the 1012 hPa remnant low.

The gale force winds were also confirmed from reports from an Air Force Reserve Hunter aircraft flying in the area of the low. The low weakened to a trough near the coast of central Cuba by 00 UTC 30 August with an area of gale force winds roughly from 22N to 24N between 76.5W and 78W. By 0600 UTC 30 August, the trough was along 81W from 21N to 25N with associated winds having diminished to just below gale force.




Figure 14. METOP-B Advanced Scatterometer ASCAT wind retrieval at 1524 UTC 29 Aug. Note area of gale winds northeast and east of the low confined between the Bahamas and Cuba.

## Eastern North Pacific Ocean

One significant warning event (not associated with tropical cyclones) was documented by scatterometer data in the May through August 2015 time period. **Table 2** provides details on the gale wind event.

Table 2. Non-tropical cyclone warnings issued for the subtropical and tropical eastern North Pacific between 1 May and 31 August 2015.				
ONSET	REGION	PEAK WIND (kts)	GALE DURATION (STORM)	FORCING
06 UTC 24 June	Gulf of Tehuantepec	35	30 h	Pressure Gradient

Strong high pressure in the northern Gulf of Mexico and low pressure associated with the monsoon trough south of Central America created a tight pressure gradient across southern Mexico in late June. GFS global model forecasts indicated local effects would allow peak 10 meter winds in the Gulf of Tehuantepec to reach 35 kts around sunrise on the mornings of June 24th and 25th, for which a gale warning was issued 18 hours prior to the expected onset of the high wind event. ASCAT scatterometer passes at 0308 UTC and 1538 UTC on 24 June

revealed 30-32 kts winds extending downwind from the Isthmus of Tehuantepec. (**Figure 15**) Winds in excess of 34 kts were likely between the overpass times from 0600 to 1200 UTC. No scatterometer data was available in the Gulf of Tehuantepec the morning of June 25th, and no ships were reported passing through the region of gale force winds. In addition, gale or storm warnings were issued on four tropical low pressure systems which eventually became tropical cyclones, a summary of which is included in the next paragraph.




Figure 15. METOP-A Advanced Scatterometer (ASCAT) pass at 1538 UTC 24 May 2015 depicts near-gale force winds near the coast in the Gulf of Tehuantepec. Highest northerly winds of 30-32 kts (in red) are shown within 45 nmi of the Isthmus of Tehuantepec.



This represented a minor change in policy at the Tropical Analysis and Forecast Branch (TAFB). In previous tropical cyclone seasons, forecasters refrained from issuing gale and/or storm warnings for closed lows which the global forecast models developed into tropical cyclones within 48 hours, reflecting a general lack of confidence in the various global forecast models to accurately predict the onset of winds in excess of 33 kts for developing tropical lows, thus preferring to wait for the Hurricane Specialist Unit (HSU) to initiate advisories before issuing marine warnings. But recent advances in the ability of forecast models to predict cyclogenesis with greater accuracy has allowed TAFB to take a less restrained approach to marine warnings prior to the first tropical cyclone advisory, as long as there is a very high likelihood of cyclogenesis. Summary of warnings associated with tropical cyclones: A storm warning was issued at 2100 UTC 19 July on a low pressure system with very

high potential of becoming a tropical cyclone and forecast models showing winds in excess of 50 kts within 48 hours. The low failed to intensify beyond 30 kts for several days, and the warning was downgraded to a gale 24 hours later, then discontinued altogether at 1200 UTC 22 July. The low eventually consolidated into a tropical cyclone and was named Tropical Storm Felicia at 1500 UTC 23 July. A storm warning was issued at 2100 UTC 29 July for the circulation which was subsequently upgraded to Tropical Storm Guillermo 12 hours later. A gale warning was issued at 1500 UTC 14 Aug for the circulation which became Tropical Depression Eleven-E 36 hours later, and a gale warning was issued at 1500 UTC 26 Aug for the low that became Jimena 12 hours later. A full description of the evolution of these lows from their initial stages up to the point where advisories were initiated is in the tropical cyclone section of this publication. 🇺🇸

# National Weather Service VOS Program New Recruits: July through October 2015

---

SHIP NAME	CALL SIGN
AENEAS	VROV2
ALASKAN LEADER	WDB7198
ALGOLAKE	VCPX
ALGOMA TRANSPORT	VCLX
BALTIC LEOPARD	V7PX7
BENEDICT SCHULTE	5BYE3
BERING LEADER	WDC7227
BRISTOL LEADER	WDE7168
CORBIN FOSS	WDB5265
CSL ST-LAURENT	CFK5152
CWB MARQUIS	XJBO
EVER SMART	MLBD9
GREEN BAY	WDI3177
HH EMILIA	D5IM6
INLAND SEAS	WCJ6214
IVS MERLION	S6LP5
MAERSK KINGSTON	9HA3344
MT. MITCHELL	WDA9674
NAKOLO	WDD9308
NYK ARCADIA	3EXI5
PACIFIC SANTA ANA	A8WI3
REUBEN LASKER (AWS)	WTEG
RT. HON. PAUL J. MARTIN	VGfJ
SAGA CREST	VRWR7
SAGA TUCANO	VRVP2
SEA-LAND WASHINGTON	9HA3421
SEASPAN CHIWAN	VRBH3
SUSAN MAERSK	OYIK2





# VOS Program

## Cooperative Ship Report:

### January 1 through October 31, 2015

SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
ADRIAN MAERSK	OXLD2	A	New York City	0	5	9	0	0	5	0	13	9	0			41
ADVENTURE OF THE SEAS	C6SA3	A	Miami	0	0	0	0	0	0	0	0	0	0			0
ADVENTURER	WBN3015	A	Jacksonville	0	0	0	0	0	0	0	0	0	0			0
AENEAS	VROV2		New York City	0	0	0	0	0	0	0	0	0	0			0
AL HUWAILA	C6VG2	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
ALASKA MARINER	WSM5364	A	Anchorage	0	0	0	0	0	8	19	62	22	11			122
ALASKA TITAN	WDE4789	A	Anchorage	16	30	40	11	21	17	16	16	13	21			192
ALASKAN EXPLORER	WDB9918	A	Anchorage	85	53	70	92	99	100	76	54	42	21			692
ALASKAN FRONTIER	WDB7815	A	Anchorage	82	61	65	47	46	77	51	47	46	66			588
ALASKAN LEADER	WDB7198	A	Anchorage	0	0	0	8	0	11	7	2	2	0			30
ALASKAN LEGEND	WDD207	A	Anchorage	31	24	32	71	100	32	36	67	160	61			614
ALASKAN NAVIGATOR	WDC664	A	Anchorage	185	135	120	140	158	142	0	0	125	128			1133
ALBEMARLE ISLAND	C6LU3	A	Miami	47	24	17	26	28	18	24	34	24	23			265
ALERT	WCZ7335	A	Anchorage	0	5	0	8	4	2	17	5	0	0			41
ALGOLAKE	VCPX	A	Duluth	0	0	0	0	0	0	0	0	0	31			31
ALGOMA EQUINOX	XJBH		Duluth	0	0	0	0	0	0	0	0	5	0			5
ALGOMA GUARDIAN	CFK9698	A	Duluth	0	0	0	3	41	40	50	10	1	48			193
ALGOMA MARINER	CFN5517	A	Duluth	0	0	2	5	1	9	7	4	4	6			38
ALGOMA NAVIGATOR	VGMV	A	Duluth	0	0	0	3	20	43	48	16	0	0			130
ALLIANCE FAIRFAX	WLMQ	A	Jacksonville	15	22	67	59	28	0	0	0	21	29			241
ALLIANCE NORFOLK	WGAH	A	Jacksonville	9	0	16	0	0	0	0	0	13	0			38
ALLIANCE ST LOUIS	WGAE	A	Charleston	8	3	0	12	24	0	0	26	19	15			107
ALLURE OF THE SEAS	C6XS8	A	Miami	35	28	15	42	5	8	4	43	33	28			241
ALPENA	WAV4647	A	Duluth	13	0	0	27	22	31	34	45	49	101			322
AM HAMBURG	V7ZZ5	A	Anchorage	18	1	0	0	16	0	0	0	0	0			35
AMERICAN CENTURY	WDD2876	A	Duluth	168	1	0	153	173	140	131	89	194	298			1347
AMERICAN COURAGE	WDD2879	A	Duluth	0	0	0	0	26	31	2	6	3	31			99
AMERICAN INTEGRITY	WDD2875	A	Duluth	0	0	0	0	0	0	8	23	11	18			60
AMERICAN MARINER	WQZ7791	A	Duluth	37	0	0	11	55	21	22	6	37	122			311
AMERICAN SPIRIT	WCX2417	A	Duluth	9	0	0	17	44	35	21	77	43	13			259
AMSTERDAM	PBAD	A	Anchorage	102	71	55	181	176	134	93	81	116	167			1176
ANDROMEDA VOYAGER	C6FZ6	A	Anchorage	214	4	49	47	58	27	82	86	116	167			682
ANTONIS I. ANGELICOUSSIS	C6FP5	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
ANTWERPEN	VRBK6	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
APL AGATE	WDE8265	A	Charleston	60	55	34	37	60	75	70	74	30	17			512
APL ANTWERP	3FRT9	A	Charleston	0	0	0	0	0	0	0	0	0	0			0
APL BELGIUM	WDG8555	A	New York City	42	27	69	68	75	37	58	55	59	37			527
APL CHINA	WDB3161	A	Los Angeles	43	44	46	61	78	0	31	41	68	37			449
APL CORAL	WDF6832	A	Charleston	38	48	48	34	56	42	19	39	42	32			398

SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
APL CYPRINE	WDE8293	A	Charleston	39	37	37	45	45	45	39	11	7	0			305
APL ENGLAND	9VDD2	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
APL HOLLAND	9VKQ2	A	Los Angeles	0	0	0	0	0	0	0	0	0	0			0
APL JAPAN	9V2165	A	Charleston	12	15	8	0	2	3	4	10	1	0			55
APL KOREA	WCX8883	A	Los Angeles	56	78	42	2	42	116	110	196	234	60			936
APL PHILIPPINES	WCX8884	A	Los Angeles	19	3	46	63	56	63	44	43	20	23			380
APL SAVANNAH	9V9919	A	New Orleans	0	0	0	0	0	0	0	0	0	0			0
APL SCOTLAND	9VDD3	A	New York City	71	46	69	19	20	15	15	14	3	0			272
APL SINGAPORE	WCX8812	A	Los Angeles	50	46	54	27	45	17	17	22	84	36			398
APL THAILAND	WCX8882	A	Los Angeles	36	22	0	30	41	28	30	26	47	54			314
APL TOURMALINE	9VVP	A	Charleston	0	0	4	8	0	0	0	0	0	0			12
APL WASHINGTON	VRFD6	A	Los Angeles	38	2	3	3	0	0	0	0	4	0			50
AQUARIUS VOYAGER	C6UC3	A	Jacksonville	6	0	16	9	46	3	4	2	1	27			114
ARCTIC BEAR	WBP3396	A	Anchorage	0	0	0	5	39	14	8	3	9	10			88
ARCTIC TITAN	WDG2803	A	Anchorage	38	23	33	11	9	28	31	5	3	44			225
ARCTURUS VOYAGER	C6YA7	A	Anchorage	13	10	23	34	41	61	5	0	0	18			205
ARI CRUZ	WDG9588	A	Anchorage	1	0	0	1	0	0	4	2	3	0			11
ARIES VOYAGER	C6UK7	A	Anchorage	26	16	27	14	11	24	27	21	40	3			209
ARNOLD MAERSK	OXES2	A	Seattle	38	0	33	0	0	31	0	27	43	0			172
ASIAN KING	3FYS8	A	Charleston	78	49	6	0	0	0	0	0	0	0			133
ATLANTIC BREEZE	VRDC6	A	Anchorage	0	0	42	73	42	72	3	0	0	0			232
ATLANTIC CARTIER	SCKB	A	Norfolk	32	25	46	28	45	44	43	34	16	29			342
ATLANTIC EXPLORER (AWS)	WDC9417	A	Anchorage	196	185	322	281	195	150	10	258	309	230			2136
ATLANTIC GEMINI	VRDO9	A	Anchorage	23	28	29	14	0	0	0	0	0	0			94
ATLANTIC GRACE	VRDT7	A	Anchorage	9	0	0	0	0	0	74	57	64	38			242
ATLANTIC HOPE	VRDT5	A	Baltimore	0	0	0	0	2	0	0	0	4	69			75
ATLANTIC ROSE	VREF7	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
ATLANTIS (AWS)	KAQP	A	Anchorage	727	444	740	694	318	560	728	740	713	699			6363
ATTENTIVE	WCZ7337	A	Kodiak	0	0	0	2	3	1	0	15	0	4			25
AURORA	WYM9567	A	Anchorage	30	0	0	0	48	387	228	80	74	242			1089
AURORA LEO	V7G17	A	Anchorage	10	0	0	0	0	0	0	0	0	0			10
AURORA TAURUS	V7EX3	A	Anchorage	0	7	0	0	12	5	1	0	0	0			25
AVIK	WDB7888	A	Anchorage	0	0	0	0	5	4	3	2	1	1			16
AWARE	WCZ7336	A	Kodiak	4	0	0	0	3	1	0	36	35	30			109
AZAMARA QUEST	9HOM8	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
BADGER	WBD4889	A	Duluth	0	0	0	0	16	78	61	60	17	7			239
BALTIC COVE	A8VG9	A	Anchorage	7	17	3	0	0	0	0	0	0	0			27
BALTIC LEOPARD	V8VG9	A	Anchorage	0	0	0	0	0	0	0	21	0	0			21
BALTIC WOLF	V7QX8	A	Anchorage	6	7	0	0	13	0	0	0	0	0			26
BANSUI	3FM15	A	Los Angeles	0	0	0	0	0	0	0	0	0	0			0
BARBARA FOSS	WYL4318	A	Anchorage	84	14	0	0	0	1	0	0	0	4			103
BARRINGTON ISLAND	C6QK	A	Miami	45	32	37	31	41	41	24	0	27	35			313
BBC TASMANIA	V2CZ2	A	Charleston	0	0	0	0	0	0	0	0	0	0			0
BELL M. SHIMADA (AWS)	WTED	A	Seattle	18	227	233	377	173	304	495	566	500	173			3066
BERGE NANTONG	VRBU6	A	Anchorage	1	0	1	0	0	0	0	0	0	0			2



SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
BERGE NINGBO	VRBQ2	A	Anchorage	12	5	32	13	44	38	41	6	3	0			194
BEARING LEADER	WDC7227	A	Anchorage	0	0	0	1	0	0	0	0	3	3			7
BERLIAN EKUATOR	HPYK	A	Anchorage	1	0	0	0	0	3	0	0	1	0			5
BERNARDO QUINTANA A.	C6KJ5	A	New Orleans	63	62	45	60	80	76	83	69	33	63			634
BILLIE H.	WCY4992	A	Anchorage	0	0	0	3	6	4	8	5	4	0			30
BISMARCK SEA	WDE5016	A	Anchorage	0	0	0	2	4	2	1	6	3	2			20
BLS ABILITY	ELXX8	A	Anchorage	13	10	98	0	0	0	0	0	0	0			121
BLS LIWA	VREF5	A	Anchorage	20	24	14	20	20	16	0	0	9	1			124
BLUEFIN	WDC7379	A	Seattle	0	0	52	62	82	82	78	96	90	81			623
BOMAR QUEST	V7JX5	A	Anchorage	3	0	1	0	0	0	0	0	0	0			4
BREMEN BRIDGE	3EIZ7	A	New York City	0	0	0	0	0	23	17	7	0	0			47
BRILLIANCE OF THE SEAS	C6SJ5	A	Miami	0	0	0	0	0	0	0	0	0	0			0
BRISTOL LEADER	WDE7168	A	Anchorage	0	1	3	4	0	1	13	2	0	2			26
BUCCANEER	WYW5588	A	Kodiak	0	0	3	0	0	0	1	0	1	1			6
BUFFALO	WXS6134	A	Duluth	10	0	0	0	56	56	46	45	41	50			304
BULK SPAIN	A8VL9	A	Anchorage	82	4	0	2	0	0	0	0	0	0			88
BULWARK	WBN4113	A	Anchorage	98	85	49	4	64	22	60	38	36	30			486
BUNGA KELANA 3	9MCY6	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
BURNS HARBOR	WDC6027	A	Duluth	1	0	0	19	71	45	56	59	70	22			343
CAFER DEDE	V7PR8	A	New York City	24	20	30	5	39	18	6	11	6	0			159
CALIFORNIA VOYAGER	WDE5381	A	New Orleans	22	7	25	22	29	17	33	19	15	11			200
CALUMET	WDE3568	A	Duluth	0	0	0	8	25	27	61	29	90	45			285
CAPRICORN VOYAGER	C6UZ5	A	Anchorage	23	0	0	5	13	5	0	0	0	13			59
CAPT. STEVEN L. BENNETT	KAXO	A	Houston	10	17	25	0	76	1	24	0	0	0			153
CARNIVAL BREEZE	3FZO8	A	Miami	28	17	30	11	0	1	0	1	0	24			112
CARNIVAL CONQUEST	3FPQ9	A	Miami	8	11	14	13	13	4	8	8	6	12			97
CARNIVAL DREAM	3ETA7	A	Jacksonville	8	3	0	15	19	18	8	3	8	6			88
CARNIVAL ECSTASY	H3GR	A	Miami	17	0	0	31	56	64	66	37	49	285			605
CARNIVAL ELATION	3FOC5	A	New Orleans	13	19	25	16	12	11	6	0	0	16			118
CARNIVAL FANTASY	H3GS	A	Charleston	5	1	0	0	42	77	67	32	30	18			272
CARNIVAL FASCINATION	C6FM9	A	Jacksonville	52	55	26	6	12	20	0	53	23	24			272
CARNIVAL FREEDOM	3EBL5	A	Miami	0	34	11	53	55	63	83	47	23	22			391
CARNIVAL GLORY	3FPS9	A	Miami	48	35	40	39	40	33	17	35	13	2			302
CARNIVAL IMAGINATION	C6FN2	A	Miami	13	5	3	1	0	8	5	7	6	6			54
CARNIVAL INSPIRATION	C6FM5	A	Los Angeles	12	16	5	4	2	1	1	4	1	0			46
CARNIVAL LEGEND	H3VT	A	Miami	0	0	0	0	0	0	38	255	266	216			775
CARNIVAL LIBERTY	HPYE	A	Jacksonville	36	27	15	2	2	3	1	2	0	0			88
CARNIVAL MAGIC	3ETA8	A	Houston	30	3	18	26	30	86	173	123	13	33			535
CARNIVAL MIRACLE	H3VS	A	Seattle	12	10	17	75	47	2	0	52	115	175			505
CARNIVAL PARADISE	3FOB5	A	Miami	13	9	1	1	103	18	33	31	15	18			242
CARNIVAL PRIDE	H3VU	A	Jacksonville	93	46	32	14	14	15	25	18	19	28			304
CARNIVAL SENSATION	C6FM8	A	Jacksonville	25	2	19	24	0	10	10	20	18	4			132
CARNIVAL SPLENDOR	3EUS	A	Anchorage	44	29	20	28	6	0	4	3	9	0			143
CARNIVAL SUNSHINE	C6FN4	A	Jacksonville	0	65	9	10	12	12	92	92	59	47			398
CARNIVAL TRIUMPH	C6FN5	A	Houston	0	0	0	0	0	10	2	0	0	0			12

SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
CARNIVAL VALOR	H3VR	A	Jacksonville	0	6	12	14	0	23	43	24	25	55			202
CARNIVAL VICTORY	3FFL8	A	Miami	17	25	4	19	14	1	42	60	25	33			240
CAROLINE MAERSK	OZWA2	A	Seattle	0	0	0	0	0	91	82	71	29	50			323
CASON J. CALLAWAY	WDH7556	A	Duluth	16	1	0	56	65	87	128	104	54	52			563
CASTOR VOYAGER	C6UZ6	A	Anchorage	47	17	9	10	6	0	32	0	0	2			123
CELEBRITY CONSTELLATION	9HJI9	A	Miami	187	184	99	142	99	200	187	210	117	220			1645
CELEBRITY ECLIPSE	9HXC9	A	Miami	123	137	172	159	230	96	176	215	312	249			1869
CELEBRITY EQUINOX	9HXD9	A	Miami	0	17	73	61	17	0	0	0	0	0			168
CELEBRITY INFINITY	9HJD9	A	Miami	105	116	105	71	69	52	26	22	0	0			566
CELEBRITY MILLENNIUM	9HJF9	A	Anchorage	178	99	118	119	95	67	98	64	125	106			1069
CELEBRITY REFLECTION	9HA3047	A	Miami	95	67	99	86	53	108	94	77	57	68			804
CELEBRITY SILHOUETTE	9HA2583	A	Miami	116	125	90	55	12	38	30	19	55	119			659
CELEBRITY SOLSTICE	9HRJ9	A	Seattle	336	372	170	8	240	207	178	66	86	210			1873
CELEBRITY SUMMIT	9HJC9	A	Miami	138	52	49	122	173	156	215	194	98	77			1274
CENTURION	WBN3022	A	Jacksonville	0	0	0	0	0	0	0	0	0	0			0
CHARLES ISLAND	C6JT	A	Miami	24	19	32	18	33	23	0	0	0	25			174
CHARLESTON EXPRESS	WDD6126	A	Houston	189	87	57	57	34	59	82	34	70	43			712
CHENEGA	WDC3997	A	Anchorage	0	0	0	0	1	0	0	3	10	0			14
CHUKCHI SEA	WDE2281	A	Anchorage	0	0	0	3	2	1	0	4	1	2			13
CLIPPER TRITON	3FSC3	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
CMB BIWA	ONED	A	Anchorage	23	8	3	0	0	0	0	0	0	0			34
CMB MAXIME	VRHM4	A	Anchorage	0	0	0	1	0	0	0	0	0	0			1
COASTAL NOMAD	WDC6439	A	Anchorage	5	3	6	2	4	3	7	8	8	1			47
COASTAL PROGRESS	WDC6363	A	Anchorage	3	2	6	7	8	7	2	6	8	0			49
COASTAL TRADER	WSL8560	A	Anchorage	7	9	1	8	0	7	8	13	20	3			76
COASTAL VENTURE	WDF3547	A	Charleston	0	0	0	0	0	0	0	0	0	0			0
COLUMBIA	WYR2092	A	Anchorage	0	0	0	0	1	2	1	0	1	0			5
COLUMBINE MAERSK	OUHC2	A	Norfolk	0	0	0	4	0	10	0	0	41	41			96
CORBIN FOSS	WDB5265	A	Anchorage	0	0	0	0	0	0	5	8	0	10			23
CORNELIA MAERSK	OWWS2	A	New York City	0	0	9	23	24	3	14	29	31	7			140
CORWITH CRAMER	WTF3319	A	Anchorage	0	0	0	0	0	50	0	0	0	0			50
COSCO DEVELOPMENT	VRIZ9	A	Anchorage	60	68	60	53	72	53	40	26	5	7			444
COSTA ATLANTICA	IBLQ	A	Miami	0	0	0	0	0	0	0	0	0	0			0
COSTA FASCINOSA	ICPO	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
COSTA FORTUNA	IBNY	A	Miami	7	5	43	50	20	8	7	0	44	70			254
COSTA LUMINOSA	ICGU	A	Miami	14	0	0	0	0	0	0	0	0	0			14
COSTA MAGICA	IBQQ	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
COSTA MEDITERRANEA	IBCF	A	Anchorage	0	0	0	0	0	0	67	157	112	67			403
COURAGE	WDC6907	A	Baltimore	15	20	1	0	0	0	0	0	0	0			36
CROSS POINT	WDA3423	A	Anchorage	0	0	0	0	2	6	1	1	2	5			17
CROWNED EAGLE	V7QP4	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
CRYSTAL MARINE	9VIC4	A	Anchorage	54	78	23	16	55	33	104	79	68	11			521
CRYSTAL SUNRISE	9V2024	A	Anchorage	0	0	0	0	0	0	0	6	19	23			48
CS GLOBAL SENTINEL	V7KR4	A	Seattle	0	0	0	0	0	0	65	77	0	0			142
CSAV LONCOMILLA	VRFB3	A	Charleston	10	0	0	8	2	0	39	30	0	48			137



SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
CSAV LUMACO	VRFB5	A	Charleston	3	0	23	45	58	10	9	0	0	0			148
CSCL MANZANILLO	VRFO2	A	Anchorage	102	0	0	0	0	0	0	0	0	0			102
CSCL MELBOURNE	VRBI8	A	Anchorage	15	0	1	0	0	0	0	0	0	0			16
CSCL SYDNEY	VRBH9	A	Norfolk	20	20	0	0	0	22	32	62	25	12			193
CSL ASSINIBOINE	VCKQ	A	Duluth	0	0	0	0	16	5	1	43	20	7			92
CSL LAURENTIEN	VCJW	A	Duluth	0	0	0	0	16	31	12	37	20	7			141
CSL NIAGARA	VCGJ	A	Duluth	0	0	0	2	15	0	3	0	0	0			20
CSL ST-LAURENT	CFK5152	A	Duluth	0	0	0	0	0	0	50	13	10	15			88
CWB MARQUIS	XJBO	A	Duluth	0	0	0	0	0	0	1	0	1	15			19
CYGNUS VOYAGER	CO6B	A	San Francisco	45	8	0	0	15	7	0	0	0	0			75
DANIEL FOSS	WTS3171	A	Anchorage	0	0	0	0	6	3	1	0	0	0			10
DARYA MA	VRJH5	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
DARYA SHREE	VRZZ2	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
DARYA TARA	VRWS5	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
DEEPWATER CHAMPION	YJVM9	A	Houston	69	75	49	63	41	13	47	51	65	54			527
DEFENDER	WBN3016	A	Jacksonville	6	1	4	0	0	0	0	0	3	10			24
DELIVERANCE	WDE2632	A	Kodiak	0	0	1	0	1	1	0	0	0	0			3
DEPENDABLE	V7DI6	A	Baltimore	0	0	0	14	0	0	0	0	0	0			14
DIANE H	WUR7250	A	Anchorage	0	0	0	0	3	10	1	6	8	7			35
DISCOVERER CLEAR LEADER	V7MO2	A	Houston	119	101	114	118	108	103	113	121	119	119			1135
DISCOVERER DEEP SEAS	V7HC6	A	Houston	134	182	182	146	173	110	50	56	72	177			1282
DISCOVERER INSPIRATION	V7MO3	A	Houston	121	110	120	111	120	94	44	95	119	119			1053
DISCOVERER SPIRIT	V7HC8	A	Houston	19	2	7	15	29	73	25	18	15	0			203
DISNEY DREAM	C6YR6	A	Jacksonville	30	54	34	0	0	22	92	47	32	8			319
DISNEY FANTASY	C6ZL6	A	Jacksonville	0	0	30	20	0	0	17	358	306	23			754
DISNEY MAGIC	C6PT7	A	Jacksonville	33	28	29	48	17	0	43	14	0	8			220
DISNEY WONDER	C6QM8	A	Miami	48	6	6	74	25	5	4	52	51	80			351
DOMINATOR	WBZ4106	A	Anchorage	22	47	38	12	0	0	16	18	21	0			174
DUNCAN ISLAND	C6JS	A	Miami	8	36	34	25	0	29	68	44	29	42			315
DUSK	WDE6955	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
EAGLE ATLANTA	S6TE	A	Houston	0	0	0	0	0	0	0	0	39	45			84
EAGLE AUSTIN	S6TB	A	Houston	0	0	0	7	8	0	0	0	2	0			17
EAGLE BALTIMORE	9VHG	A	New York City	124	84	86	63	41	52	87	35	26	31			629
EAGLE BOSTON	9VHI	A	New York City	0	13	15	23	24	14	18	17	2	0			126
EAGLE FORD	KQXZ	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
EAGLE KANGAR	9V8472	A	Houston	0	0	0	0	0	0	0	0	0	0			0
EAGLE KLANG	9V8640	A	Houston	0	0	0	4	10	11	10	5	8	0			48
EAGLE KUANTAN	9V8376	A	Houston	0	36	56	77	14	15	25	0	0	0			223
EAGLE KUCHING	9V8132	A	Houston	0	0	12	26	47	23	24	5	6	22			165
EAGLE MILAN	3FBJ6	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
EAGLE OTOME	S6FM	A	New Orleans	0	0	0	0	0	0	0	0	0	0			0
EAGLE SIBU	9VIJ3	A	New York City	0	0	0	45	42	47	111	104	65	48			462
EAGLE STAVANGER	3FNZ5	A	Houston	54	5	0	0	0	0	20	17	0	12			108
EAGLE SYDNEY	3FUU	A	New York City	0	0	0	0	22	64	39	52	45	28			250
EAGLE TAMPA	S6NK6	A	Houston	1	36	37	32	6	10	0	0	0	0			122

SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
EAGLE TOLEDO	S6NK3	A	Houston	0	59	75	57	0	0	16	14	0	0			221
EAGLE TORRANCE	9VMG5	A	Houston	150	180	0	0	0	0	0	124	126	134			714
EAGLE TUCSON	S6NK5	A	Houston	0	0	0	0	12	0	0	0	0	37			49
EAGLE TURIN	9VMG6	A	Houston	10	5	15	16	22	19	27	23	12	14			163
EDGAR B. SPEER	WDH7562	A	Duluth	2	0	0	48	111	15	142	113	132	171			734
EDWIN H. GOTT	WDH7558	A	Duluth	136	0	5	75	165	109	14	108	28	65			705
EL YUNQUE	WGJT	A	Jacksonville	20	40	51	38	54	43	75	78	46	21			466
EMPIRE STATE	KKFW	A	New York City	0	0	0	0	97	45	67	47	0	0			256
ENCHANTMENT OF THE SEAS	C6FZ7	A	Jacksonville	0	0	0	0	0	1	20	12	3	1			37
ENDEAVOR (AWS)	WCE5063	A	New York City	743	597	697	720	701	716	737	734	678	691			7014
ENDURANCE	WDE9586	A	Houston	13	10	24	34	35	37	30	60	43	83			369
ENDURANCE	WDF7523	A	Kodiak	17	3	7	6	45	30	39	54	36	12			249
ENSIGN	WBN3012	A	Jacksonville	4	0	0	0	10	2	1	0	0	0			17
EOT SPAR	WDE9193	A	Miami	10	5	0	0	0	0	0	0	0	0			15
ERNEST N	A8PQ6	A	Anchorage	8	5	0	0	13	13	23	40	36	45			183
EURODAM	PHOS	A	Miami	24	68	142	112	28	28	34	22	63	60			581
EURUS LIMA	A8MH9	A	New Orleans	0	0	0	0	0	0	0	0	0	0			0
EURUS LISBON	A8MI2	A	New Orleans	0	0	0	0	0	0	0	0	0	0			0
EURUS LONDON	A8MH7	A	New Orleans	0	0	0	0	0	0	0	0	0	0			0
EVER DAINTY	9V7951	A	Baltimore	0	0	0	0	0	0	0	0	12	8			20
EVER DECENT	9V7952	A	New York City	0	2	59	53	65	97	68	64	71	101			580
EVER DELIGHT	3FCB8	A	New York City	8	1	0	9	5	14	5	5	0	6			53
EVER DELUXE	9V7953	A	New York City	0	0	4	2	5	0	0	5	7	0			23
EVER DEVELOP	3FLF8	A	New York City	0	0	4	9	17	17	9	32	26	0			114
EVER DEVOTE	9V7954	A	New York City	4	1	1	3	0	0	19	7	6	0			41
EVER DIADEM	9V7955	A	New York City	0	0	6	5	10	28	71	64	75	69			328
EVER DYNAMIC	3FUB8	A	New York City	0	10	16	14	9	11	32	61	83	96			332
EVER EAGLE	ZNZH6	A	Seattle	22	20	23	11	14	21	23	15	18	21			188
EVER ETHIC	VQFS4	A	Seattle	22	12	0	0	15	18	5	9	1	0			82
EVER EXCEL	VSXV3	A	Los Angeles	0	0	0	0	0	42	15	14	1	29			101
EVER LEADING	2FRK8	A	Norfolk	65	7	31	10	38	17	8	23	0	21			220
EVER LEGACY	9V9290	A	New York City	0	0	50	20	52	62	15	32	12	26			269
EVER LISSOME	2HDG3	A	New York City	0	32	25	29	36	5	29	8	16	70			250
EVER LIVEN	BKIE	A	New York City	0	3	5	12	51	13	35	13	16	91			239
EVER LIVING	9V9791	A	New York City	33	20	0	16	6	22	3	0	1	0			101
EVER SAFETY	3EMQ4	A	Anchorage	18	12	7	2	4	0	0	0	1	0			44
EVER SALUTE	3ENU5	A	Anchorage	0	0	7	1	0	1	14	5	17	14			59
EVER SHINE	MJKZ4	A	Anchorage	0	0	29	5	35	17	6	8	19	52			171
EVER SMART	MLBD9	A	Anchorage	0	0	0	0	0	0	0	0	5	4			9
EVER STEADY	3EHT6	A	Anchorage	7	34	6	1	0	0	0	0	0	0			48
EVER SUMMIT	3EKU3	A	Anchorage	1	0	11	0	4	0	0	0	0	0			16
EVER SUPERB	3EGL5	A	Anchorage	9	3	10	8	10	5	0	0	0	0			45
EVER UBERTY	9V7960	A	Seattle	0	0	0	0	0	2	1	3	12	17			35
EVER ULYSSES	9V7962	A	Anchorage	3	1	1	0	0	0	17	17	3	3			45
EVER UNIFIC	9V7961	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0



SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
EVER UNITY	3FCD9	A	Seattle	0	0	0	0	0	0	50	61	50	53			214
EVER USEFUL	3FCC9	A	Anchorage	5	0	0	6	8	19	22	3	16	7			86
EVER UTILE	3FZA9	A	Seattle	13	30	15	0	8	21	20	20	14	9			150
EVEREST SPIRIT	C6FY8	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
EVERGREEN STATE	WDE4430	A	San Francisco	0	0	0	12	1	0	0	0	0	0			13
EXCALIBUR	ONCE	A	Houston	35	20	24	51	39	2	58	55	47	44			375
EXCEL	ONAI	A	Houston	20	21	30	48	49	55	51	57	42	17			390
EXCELERATE	ONDY	A	Houston	0	7	61	83	76	95	78	107	107	114			728
EXCELLENCE	ONBG	A	Houston	99	69	45	21	11	5	0	0	0	0			241
EXCELSIOR	ONCD	A	Houston	22	22	44	43	80	85	116	71	67	26			576
EXPEDIENT	ONFY	A	Houston	0	0	0	0	0	0	0	0	64	14			78
EXPLORER	WBN7618	A	Jacksonville	0	0	0	13	0	0	0	21	0	0			34
EXPLORER OF THE SEAS	C6SE4	A	Jacksonville	21	15	0	0	0	0	0	0	0	0			36
EXQUISITE	ONFX	A	Houston	25	0	0	0	0	0	0	0	0	0			25
FAIRCHEM FILLY	3EJM9	A	Anchorage	21	24	2	0	0	0	0	0	0	0			47
FAIRCHEM FRIESIAN	V7PU7	A	Anchorage	1	9	21	21	49	2	9	7	0	1			120
FAIRCHEM MAVERICK	V7EP2	A	Anchorage	1	0	5	12	0	0	0	0	0	0			18
FAIRCHEM MUSTANG	HPOW	A	Anchorage	4	0	4	1	21	22	13	0	0	0			65
FAIRCHEM STEED	3EBR5	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
FAIRWEATHER	WDB5604	A	Anchorage	3	2	4	3	2	0	3	0	0	0			17
FAIRWEATHER (AWS)	WTEB	A	Anchorage	0	0	0	0	0	357	534	628	411	468			2398
FEDERAL KIVALINA	VRWK5	A	Anchorage	3	0	0	0	0	31	21	19	0	0			74
FEDERAL SCHELDE	8POF	A	Anchorage	122	43	0	0	0	0	11	3	5	1			185
FEDERAL SETO	VRZT5	A	Anchorage	30	8	2	0	0	0	0	0	0	0			40
FEDERAL SEVERN	V7WS8	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
FEDERAL TAMBO	V7YW3	A	Anchorage	0	0	0	0	0	0	0	0	1	1			2
FEDERAL TIBER	V7YW2	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
FEDERAL YUKINA	VRHN7	A	Anchorage	8	18	10	35	26	24	24	0	0	0			121
FENNICA	OJAD	A	Seattle	0	0	0	0	0	0	1	106	113	25			245
FERDINAND R. HASSLER	WTEK	A	Norfolk	0	0	0	27	0	0	112	244	297	100			780
FISH HAWK	WRB5085	A	Anchorage	0	0	0	11	10	19	11	15	7	0			73
FLORIDA VOYAGER	WDF4764	A	Baltimore	56	21	5	0	1	37	17	14	2	65			218
FREEDOM	WDB5483	A	Jacksonville	7	14	32	19	24	19	37	12	12	10			186
FREEDOM OF THE SEAS	C6UZ7	A	Jacksonville	0	0	12	24	22	24	29	27	7	3			148
FRITZI N	A8PQ4	A	Anchorage	1	0	11	2	14	5	0	0	0	0			33
G. L. OSTRANDER	WCV7620	A	Duluth	103	0	0	114	115	126	118	109	78	113			876
GENCO AUGUSTUS	VRDD2	A	Anchorage	51	13	0	0	0	0	0	0	0	0			64
GENCO CLAUDIUS	V7SY6	A	Anchorage	9	0	0	0	0	0	0	0	0	0			9
GENCO CONSTANTINE	VRDR8	A	Anchorage	2	0	43	89	32	0	0	0	0	0			166
GENCO HADRIAN	V7QN8	A	Anchorage	1	1	34	0	0	78	121	132	99	85			551
GENCO RAPTOR	V7NB8	A	Anchorage	0	0	0	13	2	29	9	15	20	0			88
GENCO THUNDER	V7LZ4	A	Anchorage	1	0	0	0	0	0	0	0	0	0			1
GENCO TIBERIUS	VRDD3	A	Anchorage	8	3	3	17	50	1	0	0	0	0			82
GENCO TITUS	VRDI7	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
GENE DUNLAP	WAS2433	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0

SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
GENERAL RUDDER	WTAU	A	Houston	0	0	0	0	0	41	40	40	0	0			91
GEORGE N	A8PQ5	A	Anchorage	36	20	51	9	15	5	44	16	4	1			201
GLEN CANYON BRIDGE	3EFD9	A	Norfolk	33	44	64	28	54	52	56	62	66	55			514
GOLDEN BEAR	NMRY	A	San Francisco	0	0	0	7	8	4	22	57	0	0			98
GORDON GUNTER (AWS)	WTEO	A	New Orleans	0	0	547	341	392	409	448	565	249	84			3035
GORDON JENSEN	WDG3440	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
GRANDEUR OF THE SEAS	C6SE3	A	Jacksonville	31	59	48	67	65	51	32	26	16	26			421
GREAT REPUBLIC	WDH7561	A	Duluth	90	0	0	9	46	35	40	45	64	39			368
GREEN BAY	WDI3177	A	Jacksonville	0	0	0	0	0	0	0	0	0	9			9
GREEN COVE	WDG5660	A	Baltimore	156	132	114	43	10	0	0	0	0	0			455
GREEN LAKE	WDDI	A	Jacksonville	0	53	19	0	1	0	0	0	0	12			85
GREEN RIDGE	WZZF	A	Jacksonville	26	21	5	18	4	9	60	33	31	7			214
GRETCHEN H	WDC9138	A	Anchorage	12	14	7	7	2	0	6	0	21	3			72
GSF GRAND BANKS	YJUF7	A	Houston	0	0	143	144	143	111	143	115	73	0			872
GUARD	WCY2823	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
GUARDIAN	WBO2511	A	Kodiak	10	2	4	24	6	17	1	23	22	5			114
GUARDSMAN	WBN5978	A	Anchorage	0	0	1	0	0	0	0	0	2	0			3
GULF TITAN	WDA5598	A	Anchorage	4	5	16	8	13	26	8	16	12	48			156
GUTHORM MAERSK	OUJN2	A	Los Angeles	0	0	0	0	0	0	0	0	0	0			0
H A SKLENAR	C6CL6	A	Houston	138	128	102	131	133	160	129	136	147	153			1357
H. LEE WHITE	WZD2465	A	Duluth	70	0	0	2	26	7	8	30	31	3			177
HALLE FOSS	WCF3930	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
HANJIN AMI	VRNF8	A	Los Angeles	125	67	46	53	62	52	10	0	0	4			419
HANJIN MILANO	V7SG8	A	New York City	36	47	38	16	31	31	29	61	46	17			352
HELENKA B	WAH5520	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
HENRY B. BIGELOW (AWS)	WTDF	A	New York City	0	0	335	498	422	393	56	247	537	371			2859
HENRY BRUSCO	WDC9691	A	Anchorage	0	0	0	2	0	0	0	0	0	0			2
HENRY GOODRICH	YJQN7	A	Houston	141	112	0	0	0	0	0	0	0	0			253
HERBERT C. JACKSON	WL3972	A	Duluth	284	0	5	694	670	699	717	741	700	740			5250
HH EMILIA	D5IM6	A	Charleston	0	0	0	0	0	0	0	0	0	0			0
HI'IALAKAI (AWS)	WTEY	A	Honolulu	303	607	703	681	220	319	290	637	630	160			4550
HOEGH CHIBA	LAVD7	A	Jacksonville	0	0	0	0	0	0	0	0	0	0			0
HOEGH MASAN	S6HK	A	Charleston	0	0	19	21	14	22	24	22	10	9			141
HON. JAMES L. OBERSTAR	WL3108	A	Duluth	263	0	0	693	722	713	728	730	717	739			5305
HONOR	WDC6923	A	Baltimore	24	33	10	11	50	23	17	17	17	14			216
HOOD ISLAND	C6LU4	A	Miami	13	47	4	18	23	14	0	7	30	7			163
HORIZON ANCHORAGE	KGTX	A	Anchorage	54	62	52	65	53	45	48	45	59	86			569
HORIZON CONSUMER	WCHF	A	Seattle	0	5	46	45	35	20	58	48	29	63			349
HORIZON ENTERPRISE	KRGB	A	Seattle	78	63	73	71	80	61	81	58	0	37			602
HORIZON KODIAK	KGTZ	A	Anchorage	30	40	32	6	41	50	50	61	24	0			334
HORIZON PACIFIC	WSRL	A	Seattle	50	51	28	16	0	56	58	32	25	70			386
HORIZON RELIANCE	WFLH	A	Los Angeles	39	62	18	19	67	49	58	60	48	39			459
HORIZON SPIRIT	WFLG	A	Los Angeles	75	30	64	64	26	34	69	75	72	0			509
HORIZON TACOMA	KGTY	A	Anchorage	55	125	58	51	38	25	38	55	57	33			535
HOS ACHIEVER	YJVG4	A	Houston	49	18	52	26	46	5	7	0	0	0			203



SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
HOUSTON	KCDK	A	Miami	18	17	63	59	28	4	0	0	0	0			189
HUNTER	WBN3744	A	Anchorage	5	27	7	14	25	23	10	0	0	3			114
HYDRA VOYAGER	C6AB8	A	Anchorage	70	40	63	21	30	13	41	39	22	31			370
IBRAHIM DEDE	V7QW6	A	New York City	0	0	0	7	0	5	0	27	17	9			65
INCENTIVE	WCW9879	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
INDEPENDENCE II	WGAX	A	Baltimore	0	0	0	24	53	40	50	33	28	45			273
INDEPENDENCE OF THE SEAS	C6WW4	A	Miami	20	7	0	0	1	0	0	0	0	7			35
INDIANA HARBOR	WXN3191	A	Duluth	0	0	0	0	1	15	8	6	0	10			40
INLAND SEAS	WCJ6214	A	Duluth	0	0	0	0	0	0	0	0	4	12			16
INTEGRITY	WDC6925	A	Baltimore	55	40	34	33	49	39	38	50	67	44			449
INTEGRITY	WDD7905	A	Anchorage	0	0	0	81	52	21	65	60	32	28			339
ISLAND SCOUT	WDC6588	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
IVER FOSS	WYE6442	A	Anchorage	0	0	0	0	0	3	5	30	8	6			52
IVS MERLION	S6LP5	A	Baltimore	0	0	0	0	0	0	0	20	12	6			38
JAMES L. KUBER	WDF7020	A	Duluth	80	0	0	30	83	75	254	160	128	123			933
JAMES R. BARKER	WYP8657	A	Duluth	644	0	75	598	654	682	554	183	485	667			4542
JEAN ANNE	WDC3786	A	Los Angeles	33	13	13	16	6	21	17	10	8	0			137
JENNY N	A8PQ7	A	Anchorage	45	1	4	19	3	5	5	9	13	9			113
JEWEL OF THE SEAS	C6FW9	A	Miami	25	18	15	11	6	8	2	1	1	0			87
JOHN B. AIRD	VCYP	A	Duluth	0	0	0	12	22	38	12	23	30	42			179
JOHN BRIX	WDD9277	A	Anchorage	7	2	9	11	1	3	2	2	0	0			37
JOHN D. LEITCH	VGWM	A	Duluth	0	0	0	12	22	7	33	4	0	9			87
JOHN G. MUNSON	WDH7557	A	Duluth	5	0	9	19	28	20	49	44	34	41			249
JONATHAN SWIFT	A8SN5	A	New York City	44	49	60	44	20	0	12	18	92	207			546
JOSEPH L. BLOCK	WXY6216	A	Duluth	501	0	258	445	711	631	612	617	681	696			5152
JUSTINE FOSS	WYL4978	A	Anchorage	0	37	41	42	18	20	10	12	13	2			195
KAAN KALKAVAN	TCTX2	A	New York City	2	18	18	13	13	0	10	14	14	52			154
KAROLINE N	A8PQ8	A	Anchorage	13	5	23	33	65	33	32	9	3	4			220
KATRINA EM	WTK2245	A	Anchorage	1	3	5	0	0	0	0	0	0	0			9
KAYE E. BARKER	WCF3012	A	Duluth	282	0	11	662	701	705	708	678	435	660			4842
KEA	D5DG4	A	Charleston	0	0	0	0	0	0	0	0	0	0			0
KENNICOTT	WCY2920	A	Anchorage	0	0	4	8	24	10	7	5	17	0			75
KESWICK	C6XE5	A	Anchorage	0	0	0	0	0	0	0	0	8	13			21
KILO MOANA	WDA7827	A	Honolulu	16	0	17	17	34	8	35	28	38	80			273
KOTA HARUM	9VFF8	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
KOTA JATI	VRWJ7	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
LAHORE EXPRESS	VRBY8	A	Anchorage	34	25	22	18	27	8	0	1	23	16			174
LAURENCE M. GOULD (AWS)	WCX7445	A	Seattle	27	151	26	426	671	719	744	743	720	723			4950
LAVENDER PASSAGE	3FJY6	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
LECONTE	WZE4270	A	Anchorage	0	0	0	0	0	2	1	1	0	0			4
LEE A. TREGURTHA	WUR8857	A	Duluth	284	0	2	685	691	683	711	704	691	726			5177
LIBERTY DESIRE	V7AB6	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
LIBERTY EAGLE	WHIA	A	Houston	35	0	0	0	0	0	0	0	0	0			35
LIBERTY GLORY	WADP	A	Houston	0	0	3	59	40	47	50	64	53	18			334
LIBERTY GRACE	WADN	A	Houston	15	5	0	1	29	8	0	0	0	35			93

SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
LIBERTY OF THE SEAS	C6VQ8	A	Miami	0	0	0	16	4	0	0	0	7	0			27
LIBERTY PRIDE	KRAU	A	Charleston	46	16	34	29	36	45	43	50	55	74			428
LIBERTY PROMISE	WWMZ	A	Jacksonville	28	1	2	0	6	0	0	47	92	40			216
LION CITY RIVER	9VJC5	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
LOIS H	WTD4576	A	Anchorage	0	0	1	4	7	0	1	0	0	0			13
LOWLANDS OPAL	ONGH	A	Baltimore	1	0	0	0	0	0	1	4	0	0			6
LOWLANDS ORCHID	ONFP	A	Anchorage	70	74	17	7	38	23	53	43	46	11			382
LOWLANDS PHOENIX	9HIY9	A	Anchorage	6	1	0	24	8	5	15	6	2	0			67
LYLA	V7QK3	A	Anchorage	15	0	0	0	0	0	0	0	0	0			15
MAASDAM	PFRO	A	Miami	385	366	410	408	335	293	248	263	197	237			3142
MADRID SPIRIT	ECFM	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
MAERSK ATLANTA	WNLT	A	Charleston	8	21	84	84	49	21	45	73	69	67			521
MAERSK CAROLINA	WBDS	A	Charleston	35	9	4	20	34	37	28	19	38	62			286
MAERSK CHICAGO	WMCS	A	Norfolk	21	20	27	5	25	42	23	10	0	1			174
MAERSK COLUMBUS	WMCU	A	Norfolk	0	0	0	0	0	0	0	0	0	0			0
MAERSK DANANG	A8PS5	A	New York City	0	0	0	0	0	0	0	0	0	10			10
MAERSK DENVER	WMDQ	A	New York City	35	58	44	8	3	28	14	2	22	5			219
MAERSK DETROIT	WMDK	A	Norfolk	55	42	27	67	69	69	74	62	27	22			514
MAERSK HARTFORD	WMHA	A	New York City	36	17	32	24	32	15	5	13	0	2			176
MAERSK HEIWA	9V9746	A	Anchorage	3	1	4	0	7	7	0	0	0	1			23
MAERSK IDAHO	WKPM	A	New York City	28	47	54	63	71	63	46	23	31	12			438
MAERSK IOWA	KABL	A	Norfolk	66	33	18	21	70	51	53	39	62	55			468
MAERSK JAUN	HBDD	A	Charleston	0	0	0	0	0	0	0	0	0	0			0
MAERSK KENSINGTON	WMKN	A	Charleston	0	0	14	16	17	14	0	17	0	5			83
MAERSK KENTUCKY	WKPY	A	New York City	22	5	0	8	16	35	12	2	5	12			117
MAERSK KINGSTON	9HA3344	A	New York City	0	0	0	0	0	0	0	0	10	20			30
MAERSK KINLOSS	WMKA	A	New York City	0	0	0	0	14	1	21	0	0	24			60
MAERSK MEMPHIS	WMMK	A	Charleston	44	76	82	64	65	48	45	68	65	55			612
MAERSK MISSOURI	WAHV	A	Norfolk	55	52	54	37	56	38	17	40	35	35			419
MAERSK MONTANA	WCDP	A	New York City	8	38	53	56	71	37	61	58	69	20			471
MAERSK NIAGARA	VREO9	A	Anchorage	17	18	0	0	0	0	8	27	26	14			110
MAERSK OHIO	KABP	A	New York City	61	21	74	108	112	47	58	26	52	73			632
MAERSK PEARY	WHKM	A	Houston	113	81	64	34	20	34	65	19	35	54			519
MAERSK PITTSBURGH	WMPP	A	New York City	86	54	20	32	63	73	52	46	34	78			538
MAERSK UTAH	WKAB	A	Norfolk	94	80	89	68	71	77	72	83	62	0			696
MAERSK WISCONSIN	WKPN	A	Norfolk	71	49	13	47	47	16	7	14	11	13			288
MAHIMAHI	WHRN	A	Los Angeles	0	0	6	15	2	11	17	18	33	8			110
MAIA H	WYX2079	A	Anchorage	0	0	0	0	0	0	0	0	1	0			1
MAJESTY OF THE SEAS	C6FZ8	A	Miami	24	28	50	46	41	30	29	39	32	32			351
MALASPINA	WI6803	A	Anchorage	1	1	0	0	0	0	1	0	0	0			3
MALOLO	WYH6327	A	Anchorage	3	2	1	7	27	30	6	16	7	2			101
MANITOWOC	WDE3569	A	Duluth	15	0	0	22	65	76	105	114	130	126			653
MANOA	KDBG	A	San Francisco	29	7	21	29	12	10	3	2	5	0			118
MANUKAI	WRGD	A	Los Angeles	20	36	27	25	34	29	19	42	44	33			309
MANULANI	WECH	A	Los Angeles	3	28	43	0	7	2	29	19	39	36			206



SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
MARCHEN MAERSK	OUIY2	A	Seattle	0	7	33	0	3	11	5	5	12	4			80
MARCUS G. LANGSETH (AWS)	WDC6698	A	Anchorage	0	0	389	599	699	701	621	737	547	598			4891
MARINE EXPRESS	3FHX2	A	Anchorage	0	0	0	0	28	35	2	0	0	0			65
MARVELLOUS	VRJ12	A	Baltimore	34	4	0	0	16	0	0	0	0	0			56
MATANUSKA	WN4201	A	Anchorage	0	0	0	0	1	0	0	0	0	0			1
MATHILDE MAERSK SKAGEN	OUJS2	A	Los Angeles	0	0	1	19	4	0	11	6	0	0			41
MATSONIA	KHRC	A	Los Angeles	0	5	9	15	29	9	2	14	0	0			83
MAUNALEI	KFMV	A	Baltimore	50	28	34	28	28	6	1	21	15	32			243
MAUNAWILI	WGEB	A	Los Angeles	27	6	22	30	33	45	44	28	20	22			277
MEIN SCHIFF 2	9HJG9	A	Miami	0	0	0	0	0	0	0	0	0	0			0
MELVILLE (AWS)	WECB	A	Los Angeles	743	501	697	719	744	720	744	744	720	736			7068
MESABI MINER	WYQ4356	A	Duluth	497	0	209	684	712	708	723	728	698	704			5663
METTE MAERSK	OUIK2	A	Los Angeles	0	0	1	2	2	4	19	9	4	0			41
MIDNIGHT SUN	WAHG	A	Seattle	22	22	15	14	18	20	14	25	6	3			159
MIKE O'LEARY	WDC3665	A	Anchorage	0	0	0	0	24	14	1	3	36	33			111
MINERAL BEIJING	ONAR	A	Anchorage	47	0	0	0	0	0	0	81	84	22			234
MINERAL BELGIUM	VRKF5	A	Anchorage	23	28	25	27	31	24	24	10	10	4			206
MINERAL DALIAN	ONFW	A	Anchorage	11	2	10	6	18	26	47	85	52	42			299
MINERAL DRAGON	ONFN	A	Anchorage	0	0	0	0	0	0	1	52	39	108			200
MINERAL FAITH	VRKS4	A	Anchorage	48	3	44	46	0	0	0	0	0	8			149
MINERAL KYOTO	ONFI	A	Anchorage	8	28	55	40	31	1	5	8	21	23			220
MINERAL NEW YORK	ONGI	A	Anchorage	25	17	18	15	1	18	13	1	0	0			108
MINERAL NINGBO	ONGA	A	Anchorage	205	189	209	179	75	56	0	0	0	0			913
MINERAL NOBLE	ONAN	A	Anchorage	47	32	27	27	25	20	61	41	45	44			369
MINERAL TIANJIN	ONBF	A	Anchorage	9	20	20	36	16	21	17	16	8	48			211
MISS ROXANNE	WCX4992	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
MISSISSIPPI VOYAGER	WDD7294	A	San Francisco	51	21	20	1	16	14	3	4	9	22			161
MOKIHANA	WNRD	A	San Francisco	63	59	62	52	13	18	40	24	14	1			346
MOKU PAHU	WBWK	A	San Francisco	5	1	0	0	0	0	0	0	0	0			6
MOL PARADISE	9V3118	A	Anchorage	0	12	5	17	10	17	20	1	0	0			82
MONITOR	WCX9104	A	Jacksonville	0	0	1	0	0	0	2	11	2	0			16
MORNING HARUKA	A8GK7	A	Anchorage	8	21	10	0	0	0	8	3	0	23			73
MSC POESIA	3EPL4	A	Miami	0	0	0	0	0	0	0	0	0	0			0
MUKADDES KALKAVAN	V7AP5	A	New York City	0	0	0	0	0	0	0	0	2	46			48
NACHIK	WDE7904	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
NAKOLO	WDD9308	A	Anchorage	0	0	0	0	0	0	0	5	3	0			8
NANCY FOSTER (AWS)	WTER	A	Charleston	0	0	110	543	473	477	210	319	154	304			2590
NANUQ	WDF2026	A	Anchorage	0	0	0	0	0	0	0	0	0	1			1
NATHANIEL B. PALMER (AWS)	WBP3210	A	Seattle	146	32	299	301	347	316	278	288	453	570			3010
NATIONAL GLORY	WDD4207	A	Houston	36	34	21	21	39	49	30	14	22	24			290
NAVIGATOR	WBO3345	A	Jacksonville	0	0	0	0	0	0	0	0	0	0			0
NAVIGATOR OF THE SEAS	C6FU4	A	Houston	5	10	53	27	14	19	18	44	36	47			273
NEPTUNE VOYAGER	C6FU7	A	New Orleans	29	12	38	17	10	20	11	30	3	4			174
NEVZAT KALKAVAN	TCMO2	A	New York City	46	36	36	29	27	45	22	25	50	27			343
NEW HORIZON (AWS)	WKWB	A	Los Angeles	743	669	690	619	0	0	0	0	0	0			2721

SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
NIEUW AMSTERDAM	PBWQ	A	Miami	265	178	135	112	234	113	140	94	112	217			1600
NOBLE DISCOVERER	A8XM6	A	Seattle	0	0	0	0	0	0	0	65	63	0			128
NOKEA	WDD6946	A	Anchorage	0	0	0	4	17	10	4	3	1	0			39
NOORDAM	PHET	A	Miami	100	182	135	32	28	14	278	172	56	250			1247
NORDICA	OJAE	A	Seattle	0	0	0	0	0	0	22	104	111	24			261
NORTH STAR	KIYI	A	Seattle	12	28	16	21	32	11	14	38	8	29			209
NORTHERN VICTOR	WCZ6534	A	Anchorage	10	0	0	4	0	0	0	0	0	0			14
NORTHWEST SWAN	ZCDJ9	A	Anchorage	33	40	50	8	10	14	43	25	19	14			256
NORWEGIAN BREAKAWAY	C6ZJ3	A	New York City	74	42	42	24	16	1	9	33	54	56			351
NORWEGIAN DAWN	C6FT7	A	Miami	195	58	98	141	167	59	21	21	5	552			1317
NORWEGIAN EPIC	C6XP7	A	Miami	61	70	115	65	3	0	0	0	22	16			352
NORWEGIAN GEM	C6VG8	A	Jacksonville	15	47	67	71	246	235	133	44	30	173			1061
NORWEGIAN GETAWAY	C6ZJ4	A	Miami	50	68	53	101	62	15	11	24	6	13			403
NORWEGIAN JADE	C6WK7	A	Anchorage	320	263	311	243	193	171	115	11	64	2			1693
NORWEGIAN JEWEL	C6TX6	A	Jacksonville	181	203	207	160	101	201	97	68	52	34			1304
NORWEGIAN PEARL	C6VG7	A	Anchorage	495	505	629	676	694	611	562	668	631	593			6064
NORWEGIAN SKY	C6PZ8	A	Miami	34	55	37	35	43	34	39	161	40	51			529
NORWEGIAN SPIRIT	C6TQ6	A	New Orleans	332	303	189	156	100	32	132	221	174	181			1820
NORWEGIAN STAR	C6FR3	A	Anchorage	425	257	11	3	30	13	96	141	163	174			1313
NORWEGIAN SUN	C6RN3	A	Miami	546	407	173	147	327	279	144	141	106	199			2469
NOVA STAR	C6AZ4	A	New York City	0	0	0	0	1	14	0	14	23	4			56
NUNANIQ	WRC2049	A	Anchorage	0	0	0	1	2	2	1	2	0	2			10
NYK ARCADIA	3EXI5	A	Charleston	11	2	0	12	5	7	5	2	15	0			59
NYK FUSHIMI	9V8741	A	Anchorage	0	0	0	0	23	13	0	0	0	0			36
NYK LIBRA	HOJY	A	Los Angeles	0	0	0	0	0	0	0	0	0	0			0
NYK ROSA	3FJM9	A	Los Angeles	0	0	0	0	0	0	0	0	0	0			0
NYK RUMINA	9V7645	A	New York City	20	19	26	16	3	33	30	23	21	28			219
NYK TRITON	3FUL2	A	New York City	62	3	42	28	53	39	38	64	39	38			406
NYK VERONICA	3EYJ5	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
OASIS OF THE SEAS	C6XS7	A	Miami	0	0	12	22	11	16	24	30	12	4			131
OCEAN CRESCENT	WDF4929	A	Houston	43	0	6	21	12	45	36	7	44	47			261
OCEAN EAGLE	WDG8082	A	Anchorage	0	5	1	0	10	7	1	0	0	0			24
OCEAN GIANT	WDG4379	A	Jacksonville	32	0	0	0	0	0	20	26	37	55			170
OCEAN GLOBE	KOGE	A	Houston	0	0	20	21	7	17	5	26	0	0			96
OCEAN HOPE 3	WDF2354	A	Anchorage	1	3	9	8	0	0	0	0	0	0			21
OCEAN MARINER	WCF3990	A	Anchorage	0	0	0	0	6	11	7	1	3	1			29
OCEAN NAVIGATOR	WSC2552	A	Anchorage	0	1	2	0	1	0	0	0	1	1			6
OCEAN RANGER	WAM7635	A	Anchorage	13	7	0	0	0	5	15	21	6	0			67
OCEAN TITAN	WDB9647	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
OCEAN WAVE	WDG3180	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
OCEANUS	WXAQ	A	Seattle	0	0	0	52	77	29	56	62	47	10			333
OKEANOS EXPLORER (AWS)	WTDH	A	New York City	7	198	608	378	316	358	312	629	484	209			3499
OLEANDER	V7SX3	A	New York City	29	34	40	34	31	31	28	32	33	34			326
OLIVE L. MOORE	WDF7019	A	Duluth	108	0	0	152	264	292	239	203	286	274			1818
OOCL HALIFAX	VQUQ4	A	New York City	0	12	42	20	14	22	35	20	37	42			244



SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
OOCL VANCOUVER	3EBG2	A	New York City	5	15	10	18	41	69	49	50	6	1			264
OOSTERDAM	PBKH	A	Anchorage	415	268	382	294	282	331	264	229	220	254			2929
ORANGE BLOSSOM 2	D5DS3	A	New York City	10	3	16	11	3	0	4	5	38	8			98
ORANGE OCEAN	D5DS2	A	New York City	31	17	20	19	34	39	84	61	84	48			437
ORANGE SKY	ELZU2	A	New York City	0	0	0	8	11	2	2	4	4	2			33
ORANGE STAR	A8WP6	A	New York City	0	0	0	0	0	14	9	12	1	9			45
ORANGE SUN	A8HY8	A	New York City	10	13	11	30	15	6	24	25	16	18			168
ORE DONGJIAKOU	9V9116	A	Anchorage	104	63	78	79	15	0	0	0	0	0			339
ORE ITALIA	9V9129	A	Anchorage	28	33	43	7	16	9	97	371	342	95			1041
OREGON II (AWS)	WTD0	A	New Orleans	88	0	292	198	514	0	348	482	265	205			2392
OREGON VOYAGER	WDF2960	A	San Francisco	1	1	1	7	6	3	1	5	0	0			25
ORIENTAL QUEEN	VRAC9	A	Anchorage	12	11	0	0	0	0	0	6	14	4			47
OSCAR DYSON (AWS)	WTEP	A	Anchorage	190	372	462	147	644	555	516	646	519	296			4347
OSCAR ELTON SETTE (AWS)	WTEE	A	Honolulu	0	0	1	494	695	551	328	50	482	216			2817
OSHIMANA	9VAH9	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
OURO DO BRASIL	ELPP9	A	Baltimore	0	0	0	0	9	7	55	2	9	31			113
OVERSEAS ANACORTES	KCHV	A	Miami	12	13	20	16	18	7	3	18	10	36			153
OVERSEAS ANDROMAR	V7HP4	A	Los Angeles	0	0	0	0	0	0	0	0	0	0			0
OVERSEAS BOSTON	WJBU	A	Anchorage	83	48	43	24	32	52	65	57	41	20			465
OVERSEAS CASCADE	WOAG	A	0Miami	0	21	21	25	23	1	23	9	0	0			123
OVERSEAS CHINOOK	WNFQ	A	Houston	11	77	78	80	43	14	72	85	77	74			611
OVERSEAS HOUSTON	WWAA	A	Miami	0	2	6	6	4	5	2	0	0	2			27
OVERSEAS LONG BEACH	WAAT	A	Houston	38	36	12	2	0	7	12	31	7	3			148
OVERSEAS LOS ANGELES	WABS	A	Seattle	144	58	60	45	75	95	115	91	43	53			779
OVERSEAS LUXMAR	WDC7070	A	Miami	0	0	0	0	0	0	0	0	0	0			0
OVERSEAS MARTINEZ	WPAJ	A	Anchorage	14	41	18	8	16	12	12	13	8	8			150
OVERSEAS NIKISKI	WDBH	A	Anchorage	18	23	24	20	21	31	30	29	29	18			243
OVERSEAS SANTORINI	WOSI	A	Houston	16	31	50	14	0	36	24	32	15	29			247
OVERSEAS TAMPA	WOTA	A	Baltimore	1	1	1	0	2	2	1	0	8	24			40
OVERSEAS TEXAS CITY	WHED	A	New York City	9	37	15	14	17	12	8	35	7	8			162
PACIFIC CHALLENGER	WDD9281	A	Anchorage	3	2	3	3	0	0	0	0	0	0			11
PACIFIC FREEDOM	WDD3686	A	Anchorage	0	0	0	4	2	1	2	3	0	0			12
PACIFIC RAVEN	WDD9283	A	Anchorage	1	0	0	0	6	6	3	5	3	2			26
PACIFIC SANTA ANA	A8W13	A	Houston	0	0	0	0	0	14	23	22	15	1			75
PACIFIC SHARAV	D5DY4	A	Houston	0	0	0	0	0	0	0	2	28	24			54
PACIFIC STAR	WDD3686	A	Anchorage	1	0	1	1	0	0	0	0	0	0			3
PACIFIC TITAN	WCZ6844	A	Anchorage	0	0	0	0	0	0	0	0	0	2			2
PACIFIC WOLF	WDD9286	A	Anchorage	2	1	4	4	4	2	2	4	2	2			27
PANDALUS	WAV7611	A	Anchorage	0	3	5	7	12	48	19	23	0	0			117
PARADISE ACE	H9CL	A	Jacksonville	0	0	0	0	0	0	0	0	0	0			0
PARAGON	WDD9285	A	Anchorage	0	0	0	0	0	0	5	11	12	4			32
PATRIARCH	WBN3014	A	Jacksonville	3	9	0	0	0	3	10	7	14	5			51
PAUL GAUGUIN	C6TH9	A	Anchorage	7	73	67	40	45	64	48	18	2	46			410
PAUL R. TREGURTHA	WYR4481	A	Duluth	420	0	309	689	700	675	714	502	550	620			5179
PELICAN STATE	WDE4433	A	New Orleans	0	0	0	0	0	0	0	0	0	0			0

SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
PERSEVERANCE	WDE5328	A	Anchorage	54	86	49	56	0	0	65	26	136	15			487
PHILADELPHIA EXPRESS	WDC6736	A	Houston	73	168	104	101	128	151	188	211	137	112			1373
PHILIP R CLARKE	WDH7554	A	Duluth	0	0	2	18	17	20	72	77	54	44			304
PILOT	WBN3011	A	Jacksonville	0	0	0	0	0	0	0	0	0	0			0
PISCES (AWS)	WTDL	A	New Orleans	36	0	0	0	5	345	362	284	138	333			1503
POINT SUR	WSC2276	A	Anchorage	0	0	2	0	0	0	0	0	0	0			2
POLAR ADVENTURE	WAZV	A	Seattle	28	29	6	6	37	8	17	55	71	42			299
POLAR CLOUD	WDF5296	A	Anchorage	0	0	1	7	15	19	3	4	3	0			52
POLAR DISCOVERY	WACW	A	Seattle	15	34	104	16	0	6	23	10	34	20			262
POLAR ENDEAVOUR	WCAJ	A	Seattle	46	12	28	20	4	0	0	22	9	31			172
POLAR ENDURANCE	WDG2085	A	Anchorage	0	21	0	1	8	6	4	3	6	12			61
POLAR ENTERPRISE	WRTF	A	Seattle	24	28	26	3	23	20	21	8	59	46			258
POLAR KING	WDC7562	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
POLAR PIONEER	V7Si4	A	Seattle	0	0	0	0	0	0	21	76	58	1			156
POLAR RANGER	WDC8652	A	Anchorage	0	0	0	0	3	1	0	0	4	7			15
POLAR RESOLUTION	WDJK	A	Seattle	314	157	111	41	93	84	51	2	0	72			925
POLAR STORM	WDE8347	A	Anchorage	1	1	13	6	6	3	2	5	0	0			37
POLAR VIKING	WDD6494	A	Anchorage	0	9	13	21	0	0	0	0	0	0			43
PREMIUM DO BRASIL	A8BL4	A	Baltimore	0	0	0	0	0	16	8	13	24	30			91
PRESQUE ISLE	WDH7560	A	Duluth	42	0	0	34	35	47	25	2	15	58			258
PRESTIGE NEW YORK	KDUE	A	Jacksonville	0	0	0	0	0	0	0	0	0	0			0
PRIDE OF AMERICA	WNBE	A	Anchorage	17	0	0	0	0	0	0	0	0	0			17
PRINSENDAM	PBGH	A	Miami	111	72	105	67	88	73	81	71	28	56			752
PROSPEROUS	VRIA3	A	Anchorage	26	36	31	24	0	0	0	0	0	0			117
PSU EIGHTH	9V6346	A	Anchorage	474	321	208	290	166	301	425	564	559	300			3608
PT. THOMPSON	WBM5092	A	Kodiak	0	0	0	0	0	0	0	13	7	0			20
R. J. PFEIFFER	WRJP	A	Los Angeles	47	47	48	45	34	25	43	42	18	39			388
R/V KIYI	KA0107	A	Duluth	0	0	0	0	0	1	21	0	9	7			38
RADIANCE OF THE SEAS	C6SE7	A	Anchorage	77	10	17	33	20	0	0	0	4	4			165
RAINIER (AWS)	NWS0011	A	Seattle	0	0	0	0	0	0	0	0	0	0			0
RAINIER (AWS)	WTEF	A	Seattle	0	0	0	82	684	323	500	432	229	563			2813
RANGER	WBN5979	A	Jacksonville	0	6	0	14	6	0	0	0	0	0			26
REBECCA LYNN	WCW7977	A	Duluth	0	0	0	0	14	7	4	6	5	7			43
REDOUBT	WDD2451	A	Anchorage	0	0	18	0	11	40	0	0	0	0			69
REGATTA	V7DM3	A	Seattle	0	30	8	15	4	11	24	117	67	17			293
RESOLVE	WCZ5535	A	Baltimore	15	14	21	18	31	37	50	30	23	12			251
REUBEN LASKER (AWS)	WTEG	A	Seattle	0	0	0	0	0	0	421	510	544	561			2036
RHAPSODY OF THE SEAS	C6UA2	A	Anchorage	58	44	58	17	26	36	14	1	22	34			310
ROBERT C. SEAMANS	WDA4486	A	Anchorage	2	0	0	33	8	14	53	33	0	0			143
ROBERT GORDON SPROUL (AWS)	WSQ2674	A	Los Angeles	0	0	0	0	0	0	560	743	688	692			2683
ROBERT BLOUGH	WDH7559	A	Duluth	200	0	93	338	325	295	347	348	359	358			2663
ROGER REVELLE (AWS)	KAOU	A	Los Angeles	743	495	744	719	744	675	741	743	720	730			7054
RONALD H. BROWN (AWS)	WTEC	A	Charleston	310	279	693	440	407	592	286	538	99	8			3652
RONALD N	A8PQ3	A	Anchorage	6	1	1	6	13	30	33	64	47	11			212



SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
RT. HON. PAUL J. MARTIN	VGfJ	A	Duluth	0	0	0	0	0	0	0	19	0	0			19
RTM DHAMBUL	9V2783	A	Anchorage	10	1	3	22	6	18	7	13	4	2			86
RYNDAM	PHfV	A	Miami	32	60	64	55	48	49	27	63	40	42			480
S/R AMERICAN PROGRESS	KAWM	A	Miami	5	2	0	0	5	21	0	0	0	1			34
SAGA ADVENTURE	VRBL4	A	Anchorage	0	0	0	0	0	2	0	0	1	0			3
SAGA ANDORINHA	VRMV6	A	Anchorage	0	0	0	0	0	0	0	1	15	51			67
SAGA CREST	VRWR7	A	Anchorage	25	1	2	0	33	28	21	19	30	18			177
SAGA FRONTIER	VRCP2	A	Anchorage	23	0	17	11	14	4	9	2	0	1			81
SAGA FUTURE	VRKX8	A	Anchorage	109	59	85	30	37	2	0	0	14	10			346
SAGA MONAL	VRZQ9	A	Anchorage	38	36	11	10	10	5	13	8	6	0			137
SAGA NAVIGATOR	VRDA4	A	Anchorage	15	16	5	0	0	0	0	0	0	0			36
SAGA PIONEER	VRED4	A	Anchorage	512	452	261	348	371	58	50	4	0	0			2056
SAGA SPRAY	VRWW5	A	Anchorage	4	14	0	0	0	0	301	523	472	227			1541
SAGA TUCANO	VRVP2	A	Anchorage	0	0	0	0	33	63	89	78	69	126			458
SAGA VIKING	VRXO6	A	Anchorage	10	17	19	12	1	8	15	16	10	18			126
SAIGON EXPRESS	VRBT7	A	New York City	0	0	9	68	14	62	26	7	2	19			207
SAIPEM 7000	C6NO5	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
SAM B	WDD5741	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
SAM LAUD	WZC7602	A	Duluth	84	0	0	3	66	72	81	58	33	133			530
SAMSON MARINER	WCN3586	A	Anchorage	4	3	0	6	2	4	0	3	0	1			23
SAMUEL DE CHAMPLAIN	WDC8307	A	Duluth	3	7	3	22	24	13	26	11	19	21			149
SAN SABA	V7UT8	A	Anchorage	16	13	7	1	4	2	30	32	48	20			173
SANDRA FOSS	WYL4908	A	Anchorage	0	0	0	0	0	6	0	0	0	0			6
SEA HAWK	WDD9287	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
SEA PRINCE	WYT8569	A	Anchorage	0	0	15	4	8	6	15	15	7	4			74
SEA VOYAGER	WCX9106	A	Kodiak	41	42	36	36	41	47	32	15	54	29			373
SEA-LAND CHARGER	WDB9948	A	Los Angeles	26	34	0	0	0	0	0	0	0	0			60
SEA-LAND COMET	WDB9950	A	Los Angeles	35	29	11	7	0	0	0	0	0	0			82
SEA-LAND INTREPID	WDB9949	A	Los Angeles	18	16	16	0	0	0	0	0	0	0			50
SEABOURN ODYSSEY	C6XC6	A	Anchorage	37	33	4	0	0	0	0	0	0	0			74
SEABOURN QUEST	C6YZ5	A	Miami	64	74	65	25	2	0	0	0	44	64			338
SEABULK ARCTIC	WCY7054	A	Miami	36	42	77	74	18	5	67	78	42	23			462
SEABULK TRADER	KNJK	A	Miami	0	0	10	33	49	36	43	33	34	21			259
SEASPAN CHIWAN	VRBH3	A	Anchorage	27	20	0	19	15	17	8	0	10	0			116
SENTINEL	WBN6510	A	Jacksonville	0	5	11	0	5	4	9	0	0	0			34
SENTRY	WBN3013	A	Jacksonville	0	0	0	0	0	0	0	0	0	0			0
SERENADE OF THE SEAS	C6FV8	A	Miami	0	0	0	0	0	0	0	0	0	0			0
SESOK	WDE7899	A	Anchorage	0	0	0	4	22	34	24	18	26	12			140
SEVEN SEAS MARINER	C6VV8	A	Anchorage	219	163	117	145	141	112	231	175	267	503			2073
SEVEN SEAS NAVIGATOR	C6ZI9	A	Anchorage	0	43	118	183	114	306	275	376	216	443			2074
SEVEN SEAS VOYAGER	C6SW3	A	Anchorage	25	21	20	13	0	2	20	6	29	2			138
SHANDONG DA CHENG	9V9131	A	Anchorage	88	10	4	23	58	32	103	47	18	123			506
SHANDONG DA DE	9V9128	A	Anchorage	191	255	57	40	51	38	54	61	28	30			795
SHEILA MCDEVITT	WDE2542	A	New Orleans	0	0	0	0	0	0	0	0	0	0			0
SIANGTAN	9V9832	A	Seattle	0	0	0	0	0	0	0	0	36	28			64

SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
SIDNEY FOSS	WYL5445	A	Anchorage	2	46	0	0	0	2	0	0	0	1			51
SIGAS SILVIA	S6ES6	A	Anchorage	521	584	490	450	114	302	425	158	70	414			3528
SIKU	WCQ6174	A	Anchorage	0	0	0	77	225	215	123	154	217	184			1195
SIKULIAQ (AWS)	WDG7520	A	Anchorage	715	632	743	383	0	0	290	738	593	628			4722
SILVER SHADOW	C6FN6	A	Anchorage	0	0	0	0	15	13	6	9	1	0			44
SIRIUS	WDD9272	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
SIRIUS VOYAGER	C6FG9	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
SNOHOMISH	WDB9022	A	Anchorage	0	0	0	17	7	0	0	0	0	0			24
SOL DO BRASIL	ELQQ4	A	Baltimore	28	13	26	80	62	58	7	22	9	3			308
SPAR	NJAR	A	Kodiak	0	0	0	0	5	4	0	0	0	0			9
SPLENDOUR OF THE SEAS	C6TZ9	A	Anchorage	157	168	114	132	91	48	114	306	191	126			1447
SS MAUI	WSLH	A	Seattle	24	29	21	20	0	0	0	39	45	61			239
ST LOUIS EXPRESS	WDD3825	A	Houston	168	174	65	160	174	117	125	193	259	211			1646
ST. CLAIR	WZA4027	A	Duluth	12	0	0	3	25	39	22	23	35	44			203
STACEY FOSS	WYL4909	A	Anchorage	0	0	0	0	0	14	0	2	1	2			19
STAR ATLANTIC	LAYG5	A	Anchorage	31	0	0	1	17	11	10	0	0	0			70
STAR BREEZE	C6FR4	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
STAR DIEPPE	LEQZ3	A	Anchorage	19	58	38	23	0	0	0	0	0	0			138
STAR EAGLE	LAWO2	A	New Orleans	1	4	0	1	29	3	4	2	0	0			44
STAR EVVIVA	LAHE2	A	Seattle	26	33	41	2	14	0	10	17	7	3			153
STAR FLORIDA	LAVW4	A	Jacksonville	0	0	0	0	0	0	0	0	0	0			0
STAR GRAN	LADR4	A	Jacksonville	0	0	0	0	0	20	1	0	6	2			29
STAR GRIP	LADQ4	A	Charleston	2	0	0	0	0	5	8	5	27	11			58
STAR HANSA	LAXP4	A	Jacksonville	0	0	0	0	0	0	0	0	0	0			0
STAR HARMONIA	LAGB5	A	Baltimore	0	0	0	0	0	0	0	0	6	0			6
STAR HERDLA	LAVD4	A	New Orleans	28	0	8	38	23	31	0	39	35	16			218
STAR HIDRA	LAVN4	A	Baltimore	6	7	0	0	7	13	0	0	19	3			55
STAR ISFJORD	LAOX5	A	New Orleans	0	0	0	2	1	0	10	28	0	4			45
STAR ISMENE	LANT5	A	Baltimore	8	19	11	0	45	0	34	11	4	46			178
STAR ISTIND	LAMP5	A	Seattle	17	28	0	5	0	48	3	4	1	0			106
STAR JAPAN	LAZV5	A	Seattle	18	18	2	25	36	50	25	15	15	12			216
STAR JAVA	LAJS6	A	Baltimore	0	0	0	0	0	0	8	0	3	0			11
STAR JUVENTAS	LAZU5	A	Baltimore	0	0	0	0	0	11	22	5	12	8			58
STAR KILIMANJARO	LAIG7	A	Anchorage	0	0	0	0	0	1	0	0	0	0			1
STAR KINN	LAJF7	A	Anchorage	0	0	0	0	0	0	0	2	0	1			3
STAR KIRKENES	LAHR7	A	New Orleans	0	2	0	0	0	0	13	28	0	15			58
STAR KVARVEN	LAJK7	A	Seattle	28	0	3	31	0	29	64	0	63	19			237
STAR LIMA	LAPE7	A	Jacksonville	0	15	26	21	3	11	31	6	6	21			140
STAR LINDESNES	LAQJ7	A	Jacksonville	48	50	30	29	20	12	19	12	0	16			236
STAR LIVORNO	LAQM7	A	Houston	0	0	0	0	0	39	63	41	43	23			209
STATE OF MAINE	WCAH	A	New York City	45	0	0	0	64	20	33	0	0	0			162
STEWART J. CORT	WDC6055	A	Duluth	445	0	44	692	700	710	724	435	719	732			5202
STIKINE	WDC8583	A	Anchorage	3	0	0	9	9	9	13	11	13	14			81
SUNSHINE STATE	WDE4432	A	Miami	7	10	0	1	1	8	1	0	0	14			42
SUPERSTAR LIBRA	C6DM2	A	Anchorage	122	110	118	117	123	114	119	174	120	121			1238



SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
SUSAN MAERSK	OYIK2	A	Seattle	0	0	0	0	0	0	0	22	0	0			22
SYLVIE	VRCQ2	A	Anchorage	9	11	0	0	0	0	0	13	11	7			51
TAKU	WI9491	A	Anchorage	1	1	1	2	1	0	0	0	0	0			6
TALISMAN	LAOW5	A	Jacksonville	54	14	28	44	84	89	26	24	26	5			292
TAN'ERLIQ	WDF2025	A	Kodiak	0	0	0	0	0	0	0	0	0	0			0
TANGGUH HIRI	C6XC2	A	Anchorage	43	43	29	44	84	89	90	81	94	57			654
TAURUS	WDF4091	A	Anchorage	0	0	0	0	0	0	1	0	0	0			1
TECUMSEH	CFN5905	A	Duluth	0	0	0	15	11	14	1	7	0	0			48
THOMAS JEFFERSON (AWS)	WTEA	A	Norfolk	25	0	38	164	443	531	120	64	317	327			2029
TIGLAX	WZ3423	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
TIM S. DOOL	VGPY	A	Duluth	0	0	0	22	36	18	10	11	12	14			123
TRIUMPH	WDC9555	A	Anchorage	0	0	0	0	0	1	0	0	1	0			2
TROPIC CARIB	J8PE3	A	Miami	60	64	65	0	1	0	105	101	41	37			474
TROPIC EXPRESS	J8QB8	A	Miami	57	66	70	58	94	102	83	109	123	123			885
TROPIC JADE	J8NY	A	Miami	16	11	27	31	12	0	1	0	10	14			122
TROPIC LURE	J8PD	A	Miami	11	3	31	65	63	58	80	80	34	43			468
TROPIC MIST	J8NZ	A	Miami	21	20	6	13	24	10	0	24	1	29			148
TROPIC NIGHT	J8NX	A	Miami	40	33	44	31	30	41	29	25	35	44			352
TROPIC OPAL	J8NW	A	Miami	6	23	47	44	31	16	17	16	55	90			345
TROPIC PALM	J8PB	A	Miami	34	12	16	22	24	23	2	24	26	40			223
TROPIC SUN	J8AZ2	A	Miami	92	87	117	11	41	89	81	83	57	103			761
TROPIC TIDE	J8AZ3	A	Miami	37	31	35	42	18	40	65	74	64	62			468
TROPIC UNITY	J8PE4	A	Miami	0	5	24	41	72	34	22	26	5	10			239
TS KENNEDY	KVMU	A	New York City	90	95	0	0	0	0	0	0	0	0			185
TUG DEFIANCE	WDG2047	A	Duluth	20	0	0	4	51	27	41	25	57	63			288
TUG DOROTHY ANN	WDE8761	A	Duluth	0	53	742	633	718	716	699	680	719	599			5559
TUG MICHIGAN	WDF5344	A	Duluth	107	29	0	11	21	18	10	10	4	44			254
TUG SPARTAN	WDF5483	A	Duluth	0	0	1	9	29	24	12	6	4	1			86
TUSTUMENA	WNGW	A	Anchorage	66	35	20	0	29	65	111	107	52	48			533
TYCO DECISIVE	V7DI7	A	Baltimore	0	0	0	0	0	0	0	0	0	0			0
TYCO DURABLE	V7DI8	A	Baltimore	0	0	0	0	0	0	0	0	0	0			0
TYCO RESPONDER	V7CY9	A	Baltimore	0	0	0	20	21	57	69	53	3	31			254
TYCOM RELIANCE	V7CZ2	A	Baltimore	0	0	0	0	0	0	0	0	0	0			0
UACC RAS LAFFAN	A8VG7	A	Anchorage	0	0	0	0	0	0	23	35	29	49			136
UBC SAIKI	P3GY9	A	Seattle	8	4	16	13	14	23	39	20	49	8			194
UBC SANTA MARTA	5BDK2	A	New Orleans	5	15	14	6	14	1	0	0	9	1			65
UMANG	A8PF6	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
UNIQUE BRILLIANCE	VRXK4	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
UNIQUE EXPLORER	VRGT8	A	Anchorage	117	44	56	87	23	0	30	13	10	11			391
UNIQUE GUARDIAN	VRJM6	A	New Orleans	0	0	0	0	0	0	0	19	0	0			19
USCGC ALDER	NGML	A	Duluth	6	0	8	3	31	0	5	7	7	0			67
USCGC BRISTOL BAY	NRLY	A	Duluth	3	0	28	32	17	1	0	0	0	0			81
USCGC HEALY	NEPP	A	Seattle	0	0	0	0	1	33	128	144	153	67			526
USCGC MACKINAW	NBGB	A	Duluth	0	0	0	7	16	0	5	0	2	1			31
USCGC POLAR STAR	NBTM	A	Seattle	0	0	0	0	0	0	0	0	0	0			0

SHIP NAME	CALL	Status	PMO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
VALDEZ RESEARCH (AWS)	WXJ63	A	Anchorage	743	669	721	690	713	690	712	711	687	433			6769
VEENDAM	PHEO	A	Miami	289	433	361	357	25	140	161	118	186	199			2469
VEGA VOYAGER	C6FV3	A	Anchorage	0	0	0	0	0	0	0	0	0	0			0
VISION OF THE SEAS	C6SE8	A	Miami	21	28	19	1	1	0	0	0	0	0			70
VOLENDAM	PCHM	A	Anchorage	56	129	212	158	125	72	276	233	225	271			1757
VOYAGER OF THE SEAS	C6SE5	A	Miami	0	0	0	0	0	0	0	0	0	0			0
W. H. BLOUNT	C6JT8	A	New Orleans	60	55	40	47	44	55	55	47	41	39			483
WALTER J. MCCARTHY JR.	WXU3434	A	Duluth	18	0	0	60	88	29	0	0	26	164			385
WASHINGTON EXPRESS	WDD3826	A	Houston	63	30	53	102	120	100	24	47	87	92			718
WEST VELA	3FNX5	A	Houston	0	0	0	0	0	0	0	0	0	0			0
WESTERDAM	PINX	A	Miami	183	112	113	108	50	92	169	29	113	120			1089
WESTERN NAVIGATOR	WDE6616	A	Anchorage	0	0	1	0	0	0	0	0	0	0			1
WESTERN RANGER	WBN3008	A	Anchorage	3	5	0	0	1	19	5	3	0	0			36
WESTWOOD CASCADE	ELWZ5	A	Seattle	38	39	66	41	8	5	4	1	4	2			208
WESTWOOD COLUMBIA	C6SI4	A	Seattle	16	14	27	29	31	37	29	35	15	25			258
WESTWOOD OLYMPIA	C6UB2	A	Seattle	0	3	26	9	8	0	0	0	0	0			46
WESTWOOD RAINIER	C6SI3	A	Seattle	1	10	10	12	16	11	11	16	12	11			110
WHITTIER RESEARCH (AWS)	KXI29	A	Anchorage	743	669	744	720	744	720	743	742	717	733			7275
WILFRED SYKES	WC5932	A	Duluth	0	0	0	501	744	719	743	533	714	740			4694
XPEDITION	HC2083	A	Anchorage	8	0	0	16	0	1	12	0	0	0			37
YACHT EXPRESS	PJVV	A	Miami	0	0	0	0	0	0	0	0	0	0			0
YM ANTWERP	VRET5	A	Anchorage	24	28	30	8	4	0	2	0	0	10			106
YORKTOWN EXPRESS	WDD6127	A	Houston	35	41	18	21	2	35	51	21	21	36			281
YUHSAN	H9TE	A	Anchorage	0	0	0	7	32	25	9	0	0	0			73
YUYO SPIRITS	3FNF4	A	Anchorage	33	0	0	0	0	20	5	3	0	0			61
ZAANDAM	PDAN	A	Anchorage	498	524	499	105	80	162	99	388	353	262			2970
ZIM DJIBOUTI	A8SI4	A	Seattle	0	12	29	40	6	30	28	11	11	5			172
ZIM SHANGHAI	VRGA6	A	New York City	18	12	16	19	26	18	12	17	20	19			177
ZIM SHEKOU	A8KX2	A	Baltimore	0	0	35	26	0	0	0	17	13	1			92
ZIM YOKOHAMA	A8MY4	A	Charleston	13	17	21	4	6	0	0	0	0	0			61
ZUIDERDAM	PBIG	A	Anchorage	141	81	175	163	197	135	101	42	99	125			1259





## Points of Contact

### U.S. Port Meteorological Officers

#### HEADQUARTERS

##### Steven Pritchett

Voluntary Observing Ship Program Manager  
1325 East West Highway  
Building SSMC2  
Silver Spring, MD 20910  
Tel: 301-427-9121  
Fax: 301-713-0173

##### Paula Rychtar

Voluntary Observing Ship Deputy Program Manager/Operations  
*Mailing adress:*  
National Data Buoy Center  
Building 3203, Room 324  
Stennis Space Center, MS 39529-6000  
Tel: 228-688-1457  
Fax: 228-688-3923  
Cell: 228-327-3210

#### ATLANTIC PORTS

##### David Dellinger, PMO Miami, Florida

National Weather Service, NOAA  
2550 Eisenhower Blvd  
Suite 312  
Port Everglades, FL 33316  
Tel: 954-463-4271  
Cell: 954-295-2084  
Fax: 305-229-4553

##### Robert Niemeyer, PMO Jacksonville, Florida

National Weather Service, NOAA  
13701 Fang Road  
Jacksonville, FL 32218-7933  
Tel: (904) 741-5186, ext.117  
Fax: 904-741-0078

##### Tim Kenefick, PMO Charleston, South Carolina

NOAA Coastal Services Center  
2234 South Hobson Avenue  
Charleston, SC 29405-2413  
Tel: 843-709-0102  
Fax: 843-740-1224

##### Peter Gibino, PMO Norfolk, Virginia

National Weather Service, NOAA  
104 Hemlock Court  
Yorktown, VA 23693-4544  
Tel: 757-617-0897  
[Peter.Gibino@noaa.gov](mailto:Peter.Gibino@noaa.gov)

##### Lori Evans, PMO Baltimore, Maryland

National Weather Service, NOAA  
P. O. Box 3667  
Frederick, MD 21705-3667  
For UPS / FEDEX delivery:  
5838 Shookstown, Road  
Frederick, MD 21702  
Tel: 443-642-0760  
Fax: 410-633-4713

##### Jim Luciani, PMO New York, New York

New York / New Jersey  
National Weather Service, NOAA  
110 Main St., Suite 201  
South Amboy NJ 08879  
Tel: 908-217-3477  
Fax: 732-316-7643

#### GREAT LAKES PORTS

##### Ron Williams, PMO Duluth, Minnesota

National Weather Service, NOAA  
5027 Miller Trunk Highway  
Duluth, MN 55811-1442  
Tel 218-729-0651  
Fax 218-729-0690

#### GULF OF MEXICO PORTS

##### Rusty Albaral

##### PMO New Orleans, Louisiana

62300 Airport Rd.  
Slidell, LA 70460-5243  
Tel: 985-645-0565  
Cell: 504-289-2294  
Fax: 985-649-2907  
[rusty.albaral@noaa.gov](mailto:rusty.albaral@noaa.gov)

##### Chris Fakes, PMO

National Weather Service, NOAA  
1353 FM646, Suite 202  
Dickinson, TX 77539  
Tel: 281-534-2640 Ext. 277  
Fax: 281-534-4308

#### PACIFIC PORTS

##### Derek LeeLoy, PMO Honolulu, Hawaii

Ocean Services Program Coordinator  
National Weather Service Pacific Region HQ  
1845 Wasp Blvd., Bldg. 176  
Honolulu, HI 96818  
Tel: 808-725-6016  
Fax: 808-725-6005

**VACANT****PMO Oakland/San Francisco, California**

National Weather Service, NOAA  
1301 Clay Street, Suite 1190N  
Oakland, CA 94612-5217  
Tel: 510-637-2960  
Fax: 510-637-2961

**Matt Thompson, PMO Seattle, Washington**

National Weather Service, NOAA  
7600 Sand Point Way, N.E.,  
BIN C15700  
Seattle, WA 98115-6349  
Tel: 206-526-6100  
Fax: 206-526-6904

**ALASKA AREA PORTS, FOCAL POINTS****Larry Hubble, Anchorage, Alaska**

National Weather Service Alaska Region  
222 West 7th Avenue #23  
Anchorage, AK 99513-7575  
Tel: 907-271-5135  
Fax: 907-271-3711

**U.S. Coast Guard AMVER Center****Ben Strong**

AMVER Maritime Relations Officer,  
United States Coast Guard  
Battery Park Building  
New York, NY 10004  
Tel: 212-668-7762  
Fax: 212-668-7684

**AOML SEAS PROGRAM MANAGER****Dr. Gustavo Goni**

AOML  
4301 Rickenbacker Causeway  
Miami, FL 33149-1026  
Tel: 305-361-4339  
Fax: 305-361-4412

**DRIFTER PROGRAM MANAGER****Dr. Rick Lumpkin**

AOML/PHOD  
4301 Rickenbacker Causeway  
Miami, FL 33149-1026  
Tel: 305-361-4513  
Fax: 305-361-4412

**ARGO PROGRAM MANAGER****Dr. Claudia Schmid**

AOML/PHOD  
4301 Rickenbacker Causeway  
Miami, FL 33149-1026  
Tel: 305-361-4313  
Fax: 305-361-4412

**GLOBAL DRIFTER PROGRAM****Shaun Dolk**

AOML/PHOD  
4301 Rickenbacker Causeway  
Miami, FL 33149-1026  
Tel: 305-361-4546  
Fax: 305-361-4366

**NORTHEAST ATLANTIC SEAS REP.****Jim Farrington**

SEAS Logistics/AMC  
439 West York Street  
Norfolk, VA 23510  
Tel: 757-441-3062  
Fax: 757-441-6495

**SOUTHEAST ATLANTIC SEAS REP.****Francis Bringas**

AOML/GOOS Center  
4301 Rickenbacker Causeway  
Miami, FL 33149-1026  
Tel: 305-361-4316  
Fax: 305-361-4412



---

## Other Port Meteorological Officers

### ARGENTINA

**Ricardo Pedraza**  
 Jefe del Dto. Redes  
 Servicio Meteorológico Nacional  
 25 de Mayo 658  
 C1002 ABN Buenos Aires  
 Argentina  
 Tel: +54-11 4514 1525  
 Fax: +54-11 4514 1525

### AUSTRALIA

#### *Head Office*

**Joel Cabrie, Technical Officer**  
 Marine Operations Group  
 Bureau of Meteorology  
 GPO Box 1289  
 Melbourne, VIC 3001, Australia  
 Tel: +61-3 9669 4203  
 Fax: +61 3 9669 4168  
 PMO Group email: [portmetagents@bom.gov.au](mailto:portmetagents@bom.gov.au)

#### *Fremantle*

**Craig Foster, PMO**  
 Bureau of Meteorology  
 Port Meteorological Officer Fremantle  
 PO Box 1370  
 Perth, WA 6872, Australia  
 Tel: +61-8 9263 2292  
 Fax: +61 8 9263 2297  
 PMO Group email: [portmetagents@bom.gov.au](mailto:portmetagents@bom.gov.au)

#### *Sydney*

**Michael Funnell, PMO**  
 Bureau of Meteorology  
 Port Meteorological Officer, Sydney  
 Bureau of Meteorology  
 GPO Box 413  
 Darlinghurst, NSW  
 1300, Australia  
 Tel: +61 2 9296 1553  
 Fax: +61 2 9296 1648  
 PMO Group email: [portmetagents@bom.gov.au](mailto:portmetagents@bom.gov.au)

### BRAZIL

Walid Maia PINTO SILVA E SEBA  
 Head of Meteo-oceanographic  
 Predictions Division  
 Brazilian Navy Hydrographic Center,  
 Directorate of Hydrography and  
 Navigation  
 PMO: Niterói - Rio de Janeiro

### CANADA

#### *Canadian Headquarters*

**Gerie Lynn Lavigne, Life Cycle Manager**  
 Marine Networks, Environment Canada  
 Surface Weather, Climate and Marine Networks  
 4905 Dufferin Street  
 Toronto, Ontario  
 Canada M3H 5T4  
 Tel: +1-416 739 4561  
 Fax: +1-416 739 4261

#### *British Columbia*

**Bruce Lohnes, Monitoring Manager**  
 Environment Canada  
 Meteorological Service of Canada  
 140-13160 Vanier Place  
 Richmond, British Columbia V6V 2J2  
 Canada  
 Tel: +1-604-664-9188  
 Fax: +1604-664-4094

#### *Edmonton*

Ben Lemon, PMO  
 Environment Canada  
 Office 9345-49 Street  
 Edmonton, Alberta  
 T6B 2L8  
 Canada  
 Tel: +1-780-495-6442

#### *Newfoundland*

Andre Dwyer, PMO  
 Environment Canada  
 6 Bruce Street  
 Mount Pearl, Newfoundland A1N 4T3  
 Canada  
 Tel: +1-709-772-4798 Cell: 709-689-5787  
 Fax: +1 709-772-5097

**Manitoba****Ted Gresiuik, Supervisor, A.E. Programs**

Environment Canada  
 Meteorological Service of Canada  
 123 Main Street, Suite 150  
 Dartmouth, Nova Scotia  
 Winnipeg R3C 4W2, Manitoba  
 Canada  
 Tel: (204) 984-3477  
 Fax: (204) 984-2072

**Nova Scotia****Martin MacLellan**

A/Superintendent Port Meteorology & Data  
 Buoy Program  
 Meteorological Service of Canada 16th Floor  
 45 Aldernay Drive  
 Dartmouth, Nova Scotia  
 B2Y 2N6  
 Canada  
 Tel: (902) 426-6616  
 Fax: (902) 426-6404

**Ontario****Tony Hilton, Supervisor PMO;****Shawn Ricker, PMO**

Environment Canada  
 Meteorological Service of Canada  
 100 East Port Blvd.  
 Hamilton, Ontario L8H 7S4  
 Canada  
 Tel: +1-905 312 0900 / 0933  
 Fax: +1-905 312 0730

**Quebec****Erich Gola, PMO**

Meteorological Service of Canada  
 Quebec Region  
 Service météorologique du Canada  
 Environnement Canada  
 800 rue de la Gauchetière Ouest, bureau 7810  
 Montréal (Québec)  
 H5A 1L9  
 Canada  
 Tel: +1-514 283-1644

**CHILE****Iquique****Lt Carlos Gaete**

Iquique Maritime Governature  
 Meteorological Center  
 Tel: 56-57-2401971 / 2401946  
 Iquique  
 Chile

**Magallanes****Lt Jose Melgarejo**

Punta Arenas Maritime Governature  
 Meteorological Center  
 Avda. Bernardo O'Higgins N°1169  
 Punta Arenas  
 Chile  
 Tel:56-61-203148 / 203149

**Puerto Montt****Merle Donoso**

Magister in Sciences of Environmental  
 Centro Meteorologico (P.) Gobernacion  
 Maritima de Puerto Montt Avenida Angelmo  
 N°2201  
 Puerto Montt  
 Chile  
 Tel: 56-65-561-174  
 Fax: 56-65-561-196

**Talcahuano****Sebastian Morales**

Magister in Sciences of Environmental  
 Centro Meteorologico (T.) Gobernacion  
 Maritima de Talcahuano Avenida Almirante  
 Villaruel N°107  
 Talcahuano  
 Chile  
 Tel: 56-41-226-7136  
 Fax: 56-41-226-7196

**Valparaiso****Sebastian Morales**

Head of Iquique Meteorological Center  
 Head of Valparaiso Meteorological Center  
 Centro Meteorologico (V.) Gobernacion  
 Maritima de Valparaiso Leopoldo Carvallo 150,  
 Playa Ancha  
 Valparaiso  
 Chile  
 Tel: 56-32-2208-947 / Fax: 56-32-2208-914



**CHINA****YU Zhaoguo**

Shanghai Meteorological Bureau  
166 Puxi Road  
Shanghai, China

**CROATIA*****Port of Split*****Captain Zeljko Sore, Captain  
Ružica Popovic, B.C.E.**

Marine Meteorological Office-Split  
Glagoljaska 11  
HR-21000 Split  
Croatia  
Tel: +385 21 401 371  
Fax: +385 21 401 370 (24 hours)

**Capt Zeljko Sore**

Glagoljaša 11  
21 000 Split  
Croatia  
sore@cirus.dhz.hr  
Tel: +385 21 401 371

**DENMARK****Cmdr Roi Jespersen, PMO****Cmdr Harald R. Joensen, PMO**

Danish Meteorological Inst., Observation Dept  
Surface and Upper Air Observations Division  
Lyngbyvej 100,DK-2100  
Copenhagen,Denmark  
Tel: +45 3915 7337  
Fax: +45 3915 7390

**ECUADOR****Carlos VITERI****Jefe de Estación**

Instituto Oceanográfico de la Armada del  
Ecuador  
Tel: 593 042 2481300 ext 1202

**FALKLANDS****Captain R. Gorbutt, Marine Officer**

Fishery Protection Office  
Port Stanley  
Falklands  
Tel: +500 27260  
Fax: +500 27265

**FINLAND****Marja Aarnio-Frisk**

Finnish Meteorological Institute  
P.O. Box 503, FI00101, Helsinki  
Street: Erik Palménin aukio, FI-00560 Helsinki  
Helsinki, Finland  
Tel: +358 295391000  
Fax: +358 295393303

**FRANCE*****Headquarters*****Jean-Baptiste Cohuet**

VOS focal point and E-SURFMAR  
VOS Coordinator,  
Météo France  
42, avenue Gaspard Coriolis  
F-31057 Toulouse Cedex, France  
Tel: +33-5 61 07 98 54  
Fax: +33-5 61 07 98 69

***E-Surfmar*****Pierre Blouch**

E-Surfmar Svc Manager Météo  
France  
Centre de Météorologie Marine  
13 rue du Chatellier – CS 12804 29228 BREST  
CEDEX 2  
France  
Tel: +33 (0)256 31 2665

***Boulogne-sur-mer*****Gérard Doligez, Station Météorologique**

Météo-France DDM62  
17, boulevard Sainte-Beuve  
62200 Boulogne-Sur-Mer  
France  
Tel: +33-3 21 10 85 10  
Fax: +33-2 21 33 33 12

**Britanny- Brest, Lorient, St Malo, Roscoff****Bruno Maze, Station Météorologique**

Aéroport - B.P. 54  
29490 GUIPAVAS  
France  
Tel: +33-2 98 44 60 21  
Fax: +33-2 98 44 60 21

**La Réunion****Jean-Luc Dekussche, Station Météorologique**

Météo-France DIRRE  
50, Sainte Clotilde CEDEX  
97491, Reunion  
Tel: 00 33 2 62 92 11 30  
Fax: 00 33 2 62 92 11 47

**Le Havre – Rouen****Fabien Debray, Station Météorologique**

Nouveau Sémaphore  
Quai des Abeilles  
76600 Le Havre  
France  
Tel: +33-2 32 74 03 65  
Fax: +33 2 32 74 03 61

**Marseille, Fos sur Mer, Toulon, La Seyne sur Mer****Michel Perini, PMO**

Météo-France / DIR Sud-Est  
OBS/RESEAU – Bureau de port  
2 Bd Château-Double  
Aix en Provence Cédex 02 DIR  
Sud-Est  
France  
Tel: +00 33 4 42 95 90 15  
Fax: +00 33 4 42 95 90 19

**Bordeaux - Royan****Philippe Gautier**

Météo-France  
Direction Inter Régionale Sud-Ouest  
7, avenue Roland-Garros  
33692 MERIGNAC CEDEX  
France  
Tel: 00 33 5 57 29 12 06

**French Polynesia****Ms Victoire Laurent, Météo France**

Météo-France DIR Polynésie  
Française  
BP 6005  
98702 FAA AEROPORT  
French Polynesia  
Tel: 00 689 80 33 61

**Gambia****Banjul Harbour****Omar Gaye Cham, PMO**

Tel: +220-7729664  
**Alagie Nyang, PMO**  
Tel: +220-9951832

7 Marina Parade  
Banjul  
Gambia

**GERMANY****Headquarters**

Vacant: **PMO Advisor**  
E-mail: [pmo@dwd.de](mailto:pmo@dwd.de)

**Bremerhaven-Bremerhaven and North Sea****Steffi Mäckler-Szodry, PMO****Cord Grimmert, PMO**

Deutscher Wetterdienst  
An der Neuen Schleuse 10b  
D-27570 Bremerhaven  
Germany  
Tel: +49-471 70040-18  
Fax: +49-471 70040-17  
E-mail: [pmo@dwd.de](mailto:pmo@dwd.de)



**Hamburg and the Baltic Sea**

**Horst von Bargaen, PMO**  
**Susanne Ripke**  
**Harald Budweg (E-ASAP and German ASAP)**  
 Deutscher Wetterdienst  
 Met. Hafendienst  
 Bernhard-Nocht-Str. 76  
 D - 20359 Hamburg  
 Germany  
 Tel: +49-69 8062 6312/6313/6314  
 Fax: +49 69 8062 6319  
 E-mail: pmo@dwd.de

**GREECE**

*All Ports within radius 60km around Piraeus*

**Michael Myrsilidis, PMO Supervisor**  
**Dionysia Kotta, PMO**  
 Marine Meteorology Section  
 Hellenic National Meteorological Service (HNMS)  
 El, Venizelou 14  
 167 77 Hellinikon  
 Athens  
 Greece  
 Tel: +30-210 9699013  
 Fax: +30-210 9628952

**GRENADA**

**Hubert Enoch Whyte, Manager**  
 Grenada Airports Authority (Meteorology) (GGA)  
 St. George  
 Grenada  
 Tel: +1 473 444 4142  
 Fax: +1 473 444 1574

**GUADELOUPE**

**Antoine Mounayar**  
 Service Régional Météorologique de la  
 Guadeloupe  
 Aéroport du Raizet - BP 451 - 97183 Les Abymes  
 Cedex  
 97183 Les Abymes Cedex  
 Guadeloupe

**HONG KONG, CHINA**

**Dickson Dick-Shum Lau**  
 Hong Kong Observatory  
 134A Nathan Road  
 Kowloon  
 Hong Kong, China  
 Tel: +852 2926 3113  
 Fax: +852 2311 9448

**ICELAND**

**Odinn Taorarinsson, Icelandic Met. Office**  
 Bústadavegur 9  
 IS-150 Reykjavik  
 Iceland  
 Tel: +354 522 6000  
 Fax: +354 522 6004

**INDIA****Chennai**

**A.P. Prakashan, Director**  
 Section/PMO Unit, New No.6, (Old No. 50),  
 College Road  
 Chennai 600 006  
 India  
 Tel: +044 28230092/94/91  
 Ext.No. Inspectorate Section, 230,231,234,332  
 Fax: 044 28271581

**Goa**

**N. Haridasan, Director**  
 Port Meteorological Liaison Office,  
 Goa Observatory,  
 Altinho, Panjim  
 403 001  
 GOA  
 India  
 Tel: 0832 2425547  
 Cell: 09833305617 Hours: 0930-1800 5 day  
 week Fax: +022 22154098 / 022 22160824

**Mumbai****G Muralidharan, Director**

Regional Meteorological Centre,  
Near RC Church, Colaba  
Mumbai 400 005  
India

Tel: +022 22174720 / 022 22151654  
Cell: 09833305617 Hours: 0930-1800 5 day week  
Fax: +022 22154098 / 022 22160824

**Kochi****M. Sethumadhavan, Director**

Port Meteorological Office  
Cochin Port Trust, Ex-Mahavir Plantation Bldg  
Opp. IOC Ltd., Indira Gandhi Road  
Willingdon Island, (South)  
Kochi, Kerala State 682 003  
India

Tel: +0484 2667042  
Cell: +09446478262  
Hours: 0930-1800 5 day week

**Kolkata****Ganesh Kumar Das, Director**

Regional Meteorological Centre,  
4 Duel Avenue, Alipore  
Kolkata (West Bengal) PIN 700027  
India

Tel: +033 24492559  
Cell: 09836213781  
Hours: 0930-1800 5 day week  
Fax: +033 24793167

**Visakhapatnam****E. N. S. Sagar, Director**

Port Meteorological Office,  
Cyclone Warning Center, Kirlumpudi,  
Opposite Andhra University out gate  
Visakhapatnam, 530 017  
India

Tel: +0891-2543031/32/34/35/36  
Cell: +09885256279 0930-1800 5 day week  
Fax: +0891-2543033 / 0891-2543036

**INDONESIA****Semarang-Tanjung Emas, Semarang  
Central Java****Retno Widyaningsih**

Jl. Deli No.3  
Pelabuhan Tanjung Emas Semarang  
Indonesia  
Tel: +62-24-3559194  
Fax: +62-24-3549050

**Jakarta****Yudi Suryadarma**

Meteorological and Geophysical Agency  
Jl. Padang Marang 4 Pelabuhan Tanjung Priok  
Jakarta Utara - 14310  
Indonesia  
Tel: +62-21-43901650  
Fax: +62-21-4351366

**Makassar-Paotere Makassar,  
South Sulawesi****Purwanto**

Jl. Sabutung I No. 30 Paotere - Makassar  
Bitung - 95524  
Makassar  
Tel: +62-411-319242  
Fax: +62-411-328235

**Kendari, SE Sulawesi - Kendari Port****Aris Yunatas**

Jl. Jendral Sudirman No. 158 Kendari  
93127  
Southeast Sulawesi  
Indonesia

**Bitung, Southeast Sulawesi /  
Bitung Port****Ivonne Aria Antji Tampi**

Jln. Candi No. 53, Kel. Kadoodan, Kec.  
Maesa,  
Bitung 95513  
North Sulawesi  
Indonesia  
Tel: 62-438-21710



**ISRAEL**

Ms Lilach LEV  
 Israel Meteorological Service  
 P.O.Box 25  
 50250 Bet Dagan  
 Israel  
 Tel: +972-3-9403117  
 Email: [levl@ims.gov.il](mailto:levl@ims.gov.il)

**IRELAND*****Cork and south coast of Ireland*****Brian Doyle, PMO**

Met Eireann  
 Old Control Tower  
 Cork Airport  
 Cork  
 Ireland  
 Tel: +353-21 4917753  
 Fax: +353-21 4317405

***Dublin and All coasts of Ireland*****Columba Creamer, Marine Unit**

Met Eireann  
 Glasnevin Hill  
 Dublin 9  
 Ireland  
 Tel: +353 1 8064228  
 Fax: +353 1 8064247

**JAPAN*****Headquarters and Port of Tokyo*****Hiroshi Ohno, Senior Scientific Officer****Sohei Yoneda, PMO**

Global Environment and Marine Department  
 Japan Meteorological Agency  
 1-3-4 Otemachi, Chiyoda-ku  
 Tokyo, 100-8122  
 Japan  
 Tel: +81-3 3212 8341  
 Fax: +81-3 3211 6908  
 Email: [vos-office@climar.kishou.go.jp](mailto:vos-office@climar.kishou.go.jp)

**Maizuru****Tadayoshi Utsunomiya, PMO**

Okinawa Meteorological Observatory  
 1-15-15, Higawa  
 900-8517  
 Naha  
 Japan  
 Tel: +81 98 833 4065  
 Fax: +81 98 833 4292

**KENYA****Lydiah Kathuure Inoti, PMO**

PO Box 98512  
 Mombasa  
 Kenya  
 Tel: +254 41 433 789  
 Fax: +254 41 433 689

**KOREA REP****Doo Soo Choi, Deputy Director**

Climate Division  
 Chunglyeoldae-ro 237, Dongrae-gu  
 Busan, 607-804  
 Korea Rep  
 Tel: +051-718-0421  
 Fax: +051-558-9506

**MALAYSIA*****Port Bintulu*****Mohd Azlan Mo'min, PMO**

Bintulu Meteorological Station  
 P.O. Box 285  
 97007 Bintulu  
 Sarawak  
 Malaysia  
 Tel: +6 086 314 386  
 Fax: +6 086 334 148

**Port Kota Kinabalu**

**Mr. Ibrahim M.D. Ariff, PMO**  
 Malaysian Meteorological Service  
 7th Floor, Wisma Dang Bandang  
 P.O. Box 54  
 88995 Kota Kinabalu  
 Sabah  
 Malaysia  
 Tell: +6 088 265 719  
 Fax: +6 088 211 019

**Port Klang**

**Mohd Shawal Darsono, PMO**  
 Malaysian Meteorological Service  
 Jalan Sultan  
 Petaling Jaya  
 46667 Selangor  
 Malaysia  
 Tel: +6 03 7967 8084  
 Fax: +6 03 7957 8046

**MOROCCO**

**Hassan Bouksim, Chief,**  
 Marine Meteorology Service Direction de La  
 Météorologie Nationale  
 PORT DE MOHAMMEDIA B.P 11  
 Casablanca Face Préfecture Hay  
 Hassani Ain Chock B.P. 8106 Oasis  
 Casablanca  
 Morocco  
 Tel: +212 522 65 49 20  
 Fax: +212 522 9136 98

**Hassan Amane, Meteorological Officer**  
 Station Météorologique  
 JETEE MY.YOUSSEF PORT DE  
 CASABLANCA Casablanca  
 20000  
 Morocco  
 Tel: +212 5 22 450277 Fax: +212 5  
 22 450301

**Jamal Bahri**  
 Station Météorologique  
 PORT DE MOHAMMEDIA B.P 11  
 Morocco  
 Tel: +212 5 23 304128  
 Fax: +212 5 23 304521

**NETHERLANDS**

**Bert de Vries, PMO**  
**René Rozeboom, PMO**  
 KNMI, PMO-Office  
 Utrechtseweg 297  
 Postbus 201  
 3730 Ae de Bilt  
 Netherlands  
 Tel: +31 30 2206851 (de Vries)  
 Tel: +31 30 206678 (Rozeboom)  
 E-mail: [pmo-office@knmi.nl](mailto:pmo-office@knmi.nl)

**NEW CALEDONIA**

**Nouméa**  
 Mr. Franck Lavaud  
 Station météorologique  
 BP 151  
 98845 NOUMEA PORT  
 New Caledonia  
 Tel: 00 687 27 93 12

**NEW ZEALAND**

**Ross Bannister, Network Operations / PMO**  
 Meteorological Service New Zealand Ltd.  
 30 Salamanca Road, Kelburn,  
 P.O. Box 722  
 Wellington  
 New Zealand  
 Tel: +64 4 4700 789  
 Fax: +64 4 4735 231

**NORWAY**

Norwegian Meteorological Institute  
 Allégaten 70  
 N-5007 Bergen, Norway  
 Tel: +47-55 236600  
 Fax: +47-55 236703  
 Telex: 40427/42239



**PAKISTAN**

**Hazrat Mir, Senior Meteorologist**  
 Pakistan Meteorological Department  
 Meteorological Office  
 Jinnah International Airport  
 Karachi, Pakistan  
 Tel: + 92-21 45791300, 45791322  
 Fax: +92-21 9248282

**PHILIPPINES*****Cagayan de Oro City***

**Leo Rodriguez**  
 Pagasa Complex Station  
 Cagayan de Oro City 9000, Misamis  
 Occidental  
 Philippines  
 Tel: +63-8822 722 760

***Davao City***

**Edwin Flores**  
 Pagasa Complex Station, Bangoy Airport  
 Davao City 8000  
 Philippines  
 Tel: +63-82 234 08 90

***Dumaguete City***

**Edsin Culi**  
 Pagasa Complex Station  
 Dumaguete City Airport  
 Dumaguete City, Negros Oriental 6200  
 Philippines  
 Tel: +63-35 225 28 04

***Legaspi City***

**Orthello Estareja**  
 Pagasa Complex Station  
 Legaspi City, 4500  
 Philippines  
 Tel: +63-5221 245 5241

***Iloilo City***

**Constancio Arpon, Jr.**  
 Pagasa Complex Station  
 Iloilo City 5000  
 Philippines  
 Tel: +63-33 321 07 78

***Mactan City***

**Roberto Entrada**  
 Pagasa Complex Station, Mactan Airport  
 Mactan City, CEBU 6016  
 Philippines  
 Tel: +63-32 495 48 44

***Manila***

**Dr. Juan D. Cordeta & Benjamin Tado, Jr**  
 Pagasa Port Meteorological Office  
 PPATC Building, Gate 4  
 South Harbor  
 Manila 1018  
 Philippines 1100  
 Tel: +63-22 527 03 16

**POLAND**

**Józef Kowalewski, PMO**  
 Gdynia and Gdansk Institute of Meteorology  
 and Water Management  
 Waszyngton 42  
 PL-81-342 Gdynia  
 Poland  
 Tel: +48 58 6288151  
 Fax: +48 58 6288163

**REPUBLIC OF KOREA*****Inchon***

**Inchon Meteorological Station**  
 25 Chon-dong, Chung-gu  
 Inchon  
 Republic of Korea  
 Tel: +82-32 7610365  
 Fax: +82-32 7630365

***Pusan***

**Pusan Meteorological Station**  
 1-9 Taechong-dong, Chung-gu  
 Pusan  
 Republic of Korea  
 Tel: +82-51 4697008  
 Fax: +82-51 4697012

---

## ROMANIA

**Mariana Fratila**

Head of Forecast Division Dobrogea  
Dobrogea Regional Meteorological Centre  
National Meteorological Administration of  
Romania Blvd. Mamaia, nr. 300  
Constanta  
900851  
Romania  
Tel:+40 727 328 125

## RUSSIAN FEDERATION

**Murmansk****Irina Pakhomova, PMO Group Chief**

Murmansk  
Russian Federation  
inspector@kolgimet.ru

**Saint-Petersburg****Elena Parikova, PMO**

Saint-Petersburg  
Russian Federation

## SAUDI ARABIA

**Badee Ali Khayyat**

Meteorology and Environmental  
Protection Administration (MEPA)  
P.O. Box 1358  
Jeddah 21431  
Saudi Arabia  
Tel: +966 2653 6276  
Fax: +966 2657 2931

## SINGAPORE

**Ong Chin Hong, PMO**

36 Kim Chuan Road  
Singapore  
537054  
Singapore  
Tel: 65 6488 1843  
Fax: +65 6289 9381

## SOUTH AFRICA

**Headquarters****Johan Stander**

Regional Manager: Western Cape  
Antarctica and Islands  
South African Weather Service  
P O Box 21 Cape Town International Airport 7525  
South Africa  
Tel: +27 (0) 21 934 0450  
Fax: +27 (0) 21 934 4590  
Cell: +27 (0) 82 281 0993  
Weatherline: 082 162

**Cape Town****Ms Mardene de VILLIERS, PMO**

South African Weather Service  
Cape Town Regional Weather Office  
Cape Town International Airport  
Weather Office, P O Box 21,  
International Airport  
Cape Town 7525  
South Africa  
Tel: +27-21 934 5700  
Fax: +27-21 934 3296  
E-mail: [Mardene.devilliers@weathersa.co.za](mailto:Mardene.devilliers@weathersa.co.za)

**Durban****Gus McKay, PMO**

Durban Regional Weather Office  
Durban International Airport  
Durban 4029  
South Africa  
Tel: +27-31 408 1446  
Fax: +27-31 408 1445

## SRI LANKA

**Ajith Weerawardena**

Meteorologist in Charge  
Department of Meteorology Sri Lanka 83,  
Bauddhaloka  
Mawatha  
Colombo 07  
Sri Lanka  
Tel: 94-1 1268 2661

**SWEDEN****Johan Svalmark, PMO**

Folkborgsvägen 1  
Norrköping  
SE-601 76  
Sweden  
Tel: + 46 11 4958488  
Fax: + 46 11 4958001

**TANZANIA, UNITED REPUBLIC OF****Allen B. Mpeta, Senior Met. Officer**

P.O. Box 3056  
Dar es Salaam  
United Republic of Tanzania  
Tel: +255 22 2134471

**THAILAND****Wittaya Rakkit, Marine Meteorological Officer**

Marine and Upper Air Observation Section  
Meteorological Observation Division  
Thai Meteorological Department  
4353 Sukhumvit Road, Bangna  
Bangkok 10260  
Thailand  
Tel: +66 2 3994561  
Fax: +66 2 3669375

**UGANDA****Kituusa Mohammed, Meteorologist**

Department of Meteorology,  
Ministry of Water and Environment  
P.O.BOX 7025  
Kampala  
Uganda

**UNITED KINGDOM****Headquarters****Sarah C. North, Ship Observations Manager, Met Office**

Observations Supply - Marine Networks  
FitzRoy Road, Exeter  
Devon EX1 3PB  
United Kingdom  
Tel: +44 (0)1392 88 5617  
E-mail: [sarah.north@metoffice.gov.uk](mailto:sarah.north@metoffice.gov.uk)  
Group E-mail: [Obsmar@metoffice.gov.uk](mailto:Obsmar@metoffice.gov.uk)

**David Knott, Marine Meteorological Officer, Met Office**

Observations - Marine Networks  
FitzRoy Road, Exeter  
Devon EX1 3PB  
United Kingdom  
Tel: +44 1392 88 5714  
Group E-mail: [Obsmar@metoffice.gov.uk](mailto:Obsmar@metoffice.gov.uk)

**Scotland****Emma Steventon**

Port Meteorological Officer, Met Office  
Saughton House  
Broomhouse Drive  
EDINBURGH EH11 3XQ  
United Kingdom  
Tel: +44 (0)131 528 7318  
Mobile : +44 (0) 7753880209  
E-mail: [pmoscotland@metoffice.gov.uk](mailto:pmoscotland@metoffice.gov.uk)

**South West England & South Wales****Steve Bond**

Port Meteorological Officer, Met Office  
c/o Room 342/11  
National Oceanography Centre, Southampton  
University of Southampton, Waterfront Campus  
European Way  
SOUTHAMPTON SO14 3ZH  
United Kingdom  
Tel: +44 238 063 8339  
E-mail: [pmosouthampton@metoffice.gov.uk](mailto:pmosouthampton@metoffice.gov.uk)

**South East England****VACANT**

Port Meteorological Officer, Met Office  
[Address to be confirmed]  
United Kingdom  
Tel: [to be confirmed]  
E-mail: [pmolondon@metoffice.gov.uk](mailto:pmolondon@metoffice.gov.uk)

**North England & North Wales****Tony Eastham**

Port Meteorological Officer, Met Office  
Unit 3, Holland Business Park,  
Spa Lane,  
Lathom, L40 6LN  
United Kingdom  
Tel: +44 (0)1695 72 6467  
Mobile : +44 (0) 7753 880 484  
E-mail: [pmo.liverpool@metoffice.gov.uk](mailto:pmo.liverpool@metoffice.gov.uk)



---

## NOAA Weather Radio Network

- (1) 162.550 mHz
- (2) 162.400 mHz
- (3) 162.475 mHz
- (4) 162.425 mHz
- (5) 162.450 mHz
- (6) 162.500 mHz
- (7) 162.525 mHz

Channel numbers, e.g. (WX1, WX2) etc. have no special significance but are often designated this way in consumer equipment. Other channel numbering schemes are also prevalent.

The NOAA Weather Radio network provides voice broadcasts of local and coastal marine forecasts on a continuous cycle. The forecasts are produced by local National Weather Service Forecast Offices.

Coastal stations also broadcast predicted tides and real time observations from buoys and coastal meteorological stations operated by NOAA's National Data Buoy Center. Based on user demand, and where feasible, Offshore and Open Lake forecasts are broadcast as well.

The NOAA Weather Radio network provides near continuous coverage of the coastal U.S, Great Lakes, Hawaii, and populated Alaska coastline. Typical coverage is 25 nautical miles offshore, but may extend much further in certain areas.

**U.S. DEPARTMENT OF COMMERCE**  
**National Oceanic and Atmospheric Administration**  
National Data Buoy Center  
Building 3203  
Stennis Space Center, MS 39529-6000  
Attn: Mariners Weather Log