

On the Axiomatizability of Priority III: The Return of Sequential Composition*

Luca Aceto^{1,2}, Elli Anastasiadi², Valentina Castiglioni^{2**}, Anna Ingólfssdóttir², and
Mathias Ruggaard Pedersen²

¹ Gran Sasso Science Institute, L'Aquila, Italy

² ICE-TCS, School of Computer Science, Reykjavik University, Iceland

Abstract. Aceto et al., proved that, over the process algebra BCCSP with the *priority operator* of Baeten, Bergstra and Klop, the equational theory of *order-insensitive bisimilarity* is not finitely based. However, it has been noticed that by substituting the action prefixing operator of BCCSP with BPA's *sequential composition*, the infinite family of equations used to show that non-finite axiomatizability result could be proved by a finite collection of sound equations. That observation left as an *open question* the existence of a finite axiomatization for order-insensitive bisimilarity over BPA with the priority operator. In this paper we provide a negative answer to this question. We prove that, in the presence of at least two actions, order-insensitive bisimilarity is *not finitely based* over BPA with priority.

1 Introduction

Process algebras are a classic tool for reasoning about the behaviour of concurrent and distributed systems. One important aspect of systems is that of a priority between actions. For example, an interrupt or shutdown action may be needed when a system deadlocks or starts exhibiting erroneous behaviour, and likewise a scheduler needs to assign priority to actions based on its scheduling policy. There have been various attempts in the literature on process algebras at taking priority into consideration, see e.g., [10] for an overview. Here we consider the approach taken in [5], where a priority operator is introduced. This operator is based on an order between the actions that are available to a system, and only allows an action to be performed if no other action with a higher priority is possible at the given moment. For example, this allows interrupts to be given priority over all other actions.

It was shown in [5, 7] that the priority operator admits a finite, ground-complete equational axiomatization modulo bisimilarity, where ground-complete means that the given set of axioms can prove all sound equations where the process terms do not have variables. This result holds when the set of possible actions is finite. For an infinite set of actions, it was proved in [2] that the priority operator admits no finite equational axiomatization in the setting of the process algebra BCCSP, which consists of basic

* Copyright © 2019 for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

** Corresponding author: email addresses valentinac@ru.is, vale.castiglioni@gmail.com

operators from CCS [15, 16] and CSP [12, 13]. Furthermore, a specific priority order was exhibited for which no finite equational ground-complete axiomatization exists.

The results mentioned so far consider only a single, given priority order. One may expect that if we consider order-insensitive bisimilarity, i.e. processes are bisimilar if they are bisimilar for every priority order, then there are no sound equations of interest that involve the priority operator. However, as shown in [3], this is not the case, and there is no finite, ground-complete equational axiomatization modulo order-insensitive bisimilarity. In contrast to the previous result for fixed priority orders, this result holds as long as there are at least two actions. We note that if this assumption is not satisfied, then the priority operator becomes redundant. However, it was remarked in [3] that the infinite family of equations that was used to show the above mentioned negative result could be replaced by a single equation if one allows general sequential composition rather than just action prefixing, thus invalidating the argument in this extended setting.

In this paper, we therefore consider the process algebra BPA [8], which is essentially an extension of BCCSP with general sequential composition. We show that, also in this setting, the priority order admits no finite, ground-complete equational axiomatization modulo order-insensitive bisimilarity whenever there are at least two possible actions. In order to show this result, we make use of the notion of a configuration from [4], which allows us to reason about the behaviour of an instantiation of a variable along its execution. The key part of the argument is to consider an infinite family of sound equations relating variable-free terms where, at each step, the process has the possibility of terminating, thus ensuring that the equations cannot be written as a sequential composition, and then to show that this specific family of equations cannot be proved from a finite number of axioms.

Outline of the paper: We start by reviewing background notions in Section 2. Section 3 comes with technical results necessary to reason on the semantics of open process terms. In Section 4 we provide the properties necessary to ensure that order-insensitive bisimilarity behaves coinductively. Our main result is in Section 5 where we prove that the order-insensitive bisimilarity is not finitely based over BPA with the priority operator. Finally, we draw some conclusions and discuss future work in Section 6.

Acknowledgements We thank the reviewers for their valuable comments and constructive feedback. Our work has been supported by the Icelandic Research Fund’s project ‘Open Problems in the Equational Logic of Processes’ (OPEL) (grant nr. 196050-051).

2 Background

In this section we review some preliminary notions on operational semantics and equational logic. Since our work naturally builds on [3, 4] we will use the notation from those papers as much as possible.

BPA_θ: syntax and semantics The syntax of *process terms* in BPA_θ, namely BPA [8] enriched with the priority operator [5], is generated by the following grammar

$$t ::= a \mid x \mid t \cdot t \mid t + t \mid \Theta(t),$$

$$\begin{array}{c}
(r_1) \frac{}{a \xrightarrow{a} \checkmark} \quad (r_2) \frac{p \xrightarrow{a} \checkmark}{p \cdot q \xrightarrow{a} q} \quad (r_3) \frac{p \xrightarrow{a} p'}{p \cdot q \xrightarrow{a} p' \cdot q} \\
(r_4) \frac{p \xrightarrow{a} \checkmark}{p + q \xrightarrow{a} \checkmark} \quad (r_5) \frac{q \xrightarrow{a} \checkmark}{p + q \xrightarrow{a} \checkmark} \quad (r_6) \frac{p \xrightarrow{a} p'}{p + q \xrightarrow{a} p'} \quad (r_7) \frac{q \xrightarrow{a} q'}{p + q \xrightarrow{a} q'} \\
(r_8) \frac{p \xrightarrow{a} \checkmark \quad \forall b > a. p \not\xrightarrow{b}}{\Theta(p) \xrightarrow{a} \checkmark} \quad (r_9) \frac{p \xrightarrow{a} p' \quad \forall b > a. p \not\xrightarrow{b}}{\Theta(p) \xrightarrow{a} \Theta(p')}
\end{array}$$

Table 1: Operational semantics of processes in BPA_Θ .

with a ranging over a set of actions \mathcal{A} , x ranging over a countably infinite set of variables \mathcal{V} and t ranging over process terms. A process term is *closed* if no variable occurs in it. We shall refer to closed process terms simply as *processes*. We let \mathbf{P} denote the set of BPA_Θ processes and let p, q, \dots range over it.

We use the *structural operational semantics* framework [18] to equip processes with a semantics. A *literal*, or *open transition*, is an expression of the form $t \xrightarrow{a} t'$ for some process terms t, t' and action $a \in \mathcal{A}$. It is *closed* if both t, t' are processes. The inference rules for *sequential composition* \cdot , alternative *nondeterministic choice* $+$ and *priority* Θ are reported in Table 1. We remark that the semantics of Θ is based on a strict partial order $>$ on \mathcal{A} , called the *priority order*, which justifies the parametrization of the derived transition relation with respect to $>$. For simplicity, given $a, b \in \mathcal{A}$, we write $a > b$ for $(a, b) \in >$. To deal with sequential composition in the absence of deadlock and empty process (see, e.g., [8, 19]), we introduce the *termination predicate* $\xrightarrow{a} \checkmark \subseteq \mathbf{P} \times \mathcal{A}$. Intuitively, $t \xrightarrow{a} \checkmark$ means that t can terminate successfully in one step by performing action a . A *substitution* σ is a mapping from variables to process terms. It extends to process terms, literals and rules in the usual way and it is *closed* if it maps every variable to a process. We denote by $\sigma[x \mapsto u]$ the substitution that maps each occurrence of the variable x into the process term u and behaves like σ over all other variables. The inference rules in Table 1 induce a unique supported model [11] corresponding to the \mathcal{A} -labelled transition system $(\mathbf{P}, \mathcal{A}, \xrightarrow{a}, \xrightarrow{a} \checkmark)$ whose transition relation \xrightarrow{a} (respectively, predicate $\xrightarrow{a} \checkmark$) contains exactly the closed literals (respectively, predicates) that can be derived by structural induction over processes using the rules in Table 1.

As usual, we write $p \xrightarrow{a} p'$ for $(p, a, p') \in \xrightarrow{a}$, $p \xrightarrow{a} p'$ if $p \xrightarrow{a} p'$ for some $a \in \mathcal{A}$, and $p \not\xrightarrow{a}$ if there is no p' s.t. $p \xrightarrow{a} p'$. For $k \in \mathbb{N}$, we write $p \xrightarrow{k} p'$ if there are p_0, \dots, p_k s.t. $p = p_0 \xrightarrow{a_1} \dots \xrightarrow{a_k} p_k = p'$. Furthermore, for a sequence of actions $s = a_1 \dots a_n$, we write $p \xrightarrow{s} p'$ to mean that $p \xrightarrow{a_1} p_1 \xrightarrow{a_2} \dots p_{n-1} \xrightarrow{a_n} p'$ for some processes p_1, \dots, p_{n-1} .

We associate two classic measures with each process: its *depth* and its *norm*. As usual, they express, respectively, the length of a *longest* and a *shortest* sequence of transitions that are enabled for the process.

For $p \in \mathbf{P}$, the set of *initial actions* of p with respect to $>$ is defined as

$$\mathcal{A}_>(p) = \{a \mid p \xrightarrow{a} p', p' \in \mathbf{P}\} \cup \{a \mid p \xrightarrow{a} \checkmark\}.$$

We extend this notion to sequences of transitions by letting $\mathcal{A}_{>}^k(p) = \bigcup_{p \rightarrow_{>}^k p'} \mathcal{A}_{>}(p')$ and $\mathcal{A}_{>}^*(p) = \bigcup_{k \in \mathbb{N}} \mathcal{A}_{>}^k(p)$ be, respectively, the set of actions that are enabled with respect to $>$ at depth k and at some depth. We say that action a is *maximal* with respect to $>$ if there is no $b \in \mathcal{A}$ s.t. $b > a$. We can restrict this notion to the set of actions that are enabled for a process. Given a process p , we say that an action $a \in \mathcal{A}_{>}^*(p)$ is *maximal in p* , or *locally maximal*, with respect to $>$ if there is no $b \in \mathcal{A}_{>}^*(p)$ s.t. $b > a$. If $\mathcal{A}_{>}^*(p) = \{a\}$ then a is locally maximal with respect to $>$.

Order-insensitive bisimulation With the priority operator, the set of transitions that are enabled for each process depends on the considered priority order on \mathcal{A} . Therefore, any bisimulation relation over BPA_{Θ} processes will also depend on the priority order. In [3], along all such bisimulations, the authors introduced the notion of *order-insensitive bisimilarity*, \leftrightarrow_* , formally defined as the intersection over all priority orders of the related bisimulation relations. Since \leftrightarrow_* disregards the particular order that is considered, it can be used to study general properties of processes and thus developing a general equational theory for BPA_{Θ} .

Definition 1 (Order-insensitive bisimulation, [3]). *Let $>$ be any priority order. A binary symmetric relation $\mathcal{R} \subseteq \mathbf{P} \times \mathbf{P}$ is a bisimulation with respect to $>$ if whenever $p \mathcal{R} q$ then (i) $\forall p \xrightarrow{a}_{>} p'$ there is $q \xrightarrow{a}_{>} q'$ s.t. $p' \mathcal{R} q'$, and (ii) $\forall p \xrightarrow{a}_{>} \not\Downarrow$ also $q \xrightarrow{a}_{>} \not\Downarrow$ holds. We say that p, q are bisimilar with respect to $>$, denoted by $p \leftrightarrow_{>} q$, if $p \mathcal{R} q$ holds for some bisimulation \mathcal{R} with respect to $>$. We say that p, q are order-insensitive bisimilar, denoted by $p \leftrightarrow_* q$, if $p \leftrightarrow_{>} q$ holds for all priority orders.*

It is not hard to prove that, since the inference rules in Table 1 respect the GSOS format [9], $\leftrightarrow_{>}$ and \leftrightarrow_* are congruences over BPA_{Θ} processes. However, as discussed in [3], \leftrightarrow_* does not inherit the coinductive nature of bisimilarity. Consider, for instance, the processes $p = a \cdot b + a \cdot c + a \cdot (b + c)$ and $q = p + a \cdot \Theta(b + c)$. Notice that if $b > c$ then $a \cdot \Theta(b + c) \leftrightarrow_{>} a \cdot b$, if $c > b$ then $a \cdot \Theta(b + c) \leftrightarrow_{>} a \cdot c$, and if b, c are incomparable with respect to $>$ then $a \cdot \Theta(b + c) \leftrightarrow_{>} a \cdot (b + c)$. Therefore, we have that $p \leftrightarrow_* q$. However, $q \xrightarrow{a}_{>} \Theta(b + c)$ for each order $>$, but there is no p' s.t. $p \xrightarrow{a}_{>} p'$ and $p' \leftrightarrow_* \Theta(b + c)$.

Equational logic An axiom system E is a collection of *process equations* $t \approx u$ over the language BPA_{Θ} , such as those presented in Table 2. An equation $t \approx u$ is *derivable* from an axiom system E , notation $E \vdash t \approx u$, if there is an *equational proof* for it from E , namely if it can be inferred from the axioms in E using the *rules of equational logic*, which are reflexivity, symmetry, transitivity, substitution and closure under BPA_{Θ} contexts.

The process equation $t \approx u$ is said to be *sound* with respect to \leftrightarrow_* if $\sigma(t) \leftrightarrow_* \sigma(u)$ for all closed substitutions σ . For simplicity, if $t \approx u$ is sound, then we write $t \leftrightarrow_* u$. An axiom system is *sound modulo \leftrightarrow_** if and only if all of its equations are sound modulo \leftrightarrow_* . Conversely, we say that E is *ground-complete modulo \leftrightarrow_** if $p \leftrightarrow_* q$ implies $E \vdash p \approx q$ for all processes p, q . We say that \leftrightarrow_* is *finitely based*, if there is a *finite* axiom system E s.t. $E \vdash t \approx u$ iff $t \leftrightarrow_* u$. Finally, notice that the notion of depth can be extended to equations by letting $\text{depth}(t \approx u) = \max\{\text{depth}(t), \text{depth}(u)\}$.

C1 $x + y \approx y + x$ C2 $(x + y) + z \approx x + (y + z)$ C3 $x + x \approx x$	S1 $(x \cdot y) \cdot z \approx x \cdot (y \cdot z)$ S2 $(x + y) \cdot z \approx (x \cdot z) + (y \cdot z)$
P1 $\Theta(\Theta(x) + y) \approx \Theta(x + y)$ P2 $\Theta(x) + \Theta(y) \approx \Theta(x) + \Theta(y) + \Theta(x + y)$ P3 $\Theta(x \cdot y) \approx \Theta(x) \cdot \Theta(y)$ P4 $\Theta(x \cdot y + x \cdot z + w) \approx \Theta(x \cdot y + w) + \Theta(x \cdot z + w)$	

Table 2: Some axioms of BPA_Θ .

3 Relation between open and closed operational behaviour

Our purpose in the remainder of this paper is to verify whether the axiomatization for order-insensitive bisimilarity is finitely based over BPA_Θ . To address this question it is fundamental to establish a correspondence between the behaviour of open terms and the semantics of their closed instances, with a special focus on the role of variables. In fact, the equational theory is defined over process terms, whereas the semantic properties can be verified only on their closed instances. In this section, we provide the notions and theoretical results necessary to establish the desired behavioural correspondence.

3.1 From open to closed transitions...

Assume a term t , a closed substitution σ , a process p , an action a and a priority order $>$. We aim at investigating how to derive a transition of the form $\sigma(t) \xrightarrow{a}_> p$, as well as a predicates $\sigma(t) \xrightarrow{a}_> \not\llcorner$, from the behaviour of t and of $\sigma(x)$ for each variable x occurring in t . In particular we are interested in relating the *initial* behaviour of $\sigma(t)$ with the behaviour of closed instances of variables occurring in it.

The simplest case is a direct application of the operational semantics in Table 1: if action a is maximal with respect to $>$, then $\sigma(t) \xrightarrow{a}_> p$ can be inferred directly by $t \xrightarrow{a}_> t'$, for some term t' with $\sigma(t') = p$. Similarly, for transition predicates.

Lemma 1. *Let t, t' be process terms, let a be an action with maximal priority with respect to $>$. Then for all substitutions σ it holds that:*

1. *If $t \xrightarrow{a}_> \not\llcorner$ then $\sigma(t) \xrightarrow{a}_> \not\llcorner$.*
2. *If $t \xrightarrow{a}_> t'$ then $\sigma(t) \xrightarrow{a}_> \sigma(t')$.*

Next we deal with variables. It may be the case, for instance, that the term t is of the form $t = x \cdot u$ for some term u . Clearly, the behaviour of $\sigma(t)$, and thus the derivation of $\sigma(t) \xrightarrow{a}_> p$, will depend on the behaviour of $\sigma(x)$. However, we remark that there is not a unique derivation method. The set of initial actions of $\sigma(t)$ does not depend, in general, solely on those of $\sigma(x)$, but also on the structure of the process into which x is mapped, and by the occurrence of x in t . For instance, for $t = x \cdot u$ we can distinguish two main situations:

- (I) Suppose $\sigma(x) = a$, so that $\sigma(x) \xrightarrow{a}_{>} \surd$. This would give $\sigma(t) \xrightarrow{a}_{>} p$ for $p = \sigma(u)$, namely p is a closed instance of a subterm of t . Therefore, the transition for $\sigma(t)$ could be expressed in term of a closed instance of an open transition for t , as $t \rightarrow_{>} t'$. However, notice that the action that is performed cannot be obtained from the term t as it depends solely on the substitution applied to x . Hence, we will need a formal way to express that the label of the transition depends on x .
- (II) Suppose $\sigma(x) = a \cdot b$, so that $\sigma(x) \xrightarrow{a}_{>} b$. Clearly, $\sigma(t)$ will have to mimic such behaviour, and thus $\sigma(t) \xrightarrow{a}_{>} p$ with $p = b \cdot \sigma(u)$. Notice that process p subsumes *what's left* of the behaviour of $\sigma(x)$. Then the transition for $\sigma(t)$ cannot be inferred by a closed substitution instance of an open transition of the form $t \xrightarrow{a}_{>} t'$, since the structure of t' cannot be known until the substitution $\sigma(x)$ has occurred. Hence, we will need a formal way to express that to reach a subterm of t we need to follow a sequence of transitions performed by x .

For a formal development of the analysis in the above-mentioned cases, we exploit the method proposed in [4] and provide an auxiliary operational semantics tailored for expressing the behaviour of process terms resulting from that of closed substitution instances for their variables.

Firstly we introduce the notion of *configuration* over BPA_{Θ} terms, which stems from [4]. Configurations are syntactic terms defined over a set of variables $\mathcal{V}_d = \{x_d \mid x \in \mathcal{V}\}$, disjoint from \mathcal{V} , and BPA_{Θ} terms. Briefly, we use the variable x_d to express that the closed instance of x has started its execution, but has not terminated yet.

Definition 2 (BPA $_{\Theta}$ configuration). *The collection of BPA $_{\Theta}$ configurations is given by the following grammar:*

$$c ::= t \mid x_d \mid c \cdot t \mid \Theta(c),$$

where t is a BPA $_{\Theta}$ term and $x_d \in \mathcal{V}_d$.

Notice that the grammar above guarantees that each configuration contains at most one occurrence of a variable in \mathcal{V}_d , say x_d , and if such occurrence is in the scope of sequential composition, then x_d must occur as the first symbol in the composition.

Define the set of variable labels $\mathcal{V}_s = \{x_s \mid x \in \mathcal{V}\}$, disjoint from \mathcal{V} and assume any priority order $>$. We then introduce two auxiliary relations $\xrightarrow{x_s}_{>}$, $\xrightarrow{x}_{>}$, and the auxiliary predicate $\xrightarrow{x}_{>} \surd$, whose operational semantics is given in Table 3, and that allow us to express how the initial behaviour of a term can be derived from that of the variables occurring in it. Informally, the labels allow us to identify the variable that is inducing that particular transition. Moreover, $t \xrightarrow{x}_{>} t'$ (resp. $t \xrightarrow{x}_{>} \surd$) is used to describe the derivation of a transition $\sigma(t) \xrightarrow{a}_{>} \sigma(t')$ (resp. of the validity of predicate $\sigma(t) \xrightarrow{a}_{>} \surd$) in the case described in item (I) above: $\sigma(x)$ performs action a and terminates, and in doing so it enables the execution of the subprocess $\sigma(t')$, besides triggering the a -transition. Conversely, the auxiliary transition $t \xrightarrow{x_s}_{>} c$ is used to deal with the case described in item (II) above: $\sigma(x)$ started its execution, but since it has not terminated yet, there is no subterm of t that can be used as target of the open transition. Thus, we use the configuration c to store the *yet-to-terminate* behaviour of $\sigma(x)$.

$$\begin{array}{ccc}
(a_1) \frac{}{x \xrightarrow{x_s} x_d} & (a_2) \frac{}{x \xrightarrow{x} \mathbb{W}} & \\
(a_3) \frac{t \xrightarrow{x_s} c}{t \cdot u \xrightarrow{x_s} c \cdot u} & (a_4) \frac{t \xrightarrow{x} t'}{t \cdot u \xrightarrow{x} t' \cdot u} & (a_5) \frac{t \xrightarrow{x} \mathbb{W}}{t \cdot u \xrightarrow{x} u} \\
(a_6) \frac{t \xrightarrow{x_s} c}{t + u \xrightarrow{x_s} c} & (a_7) \frac{t \xrightarrow{x} t'}{t + u \xrightarrow{x} t'} & (a_8) \frac{t \xrightarrow{x} \mathbb{W}}{t + u \xrightarrow{x} \mathbb{W}} \\
(a_9) \frac{t \xrightarrow{x_s} c}{\Theta(t) \xrightarrow{x_s} \Theta(c)} & (a_{10}) \frac{t \xrightarrow{x} t'}{\Theta(t) \xrightarrow{x} \Theta(t')} & (a_{11}) \frac{t \xrightarrow{x} \mathbb{W}}{\Theta(t) \xrightarrow{x} \mathbb{W}}
\end{array}$$

Table 3: Inference rules for the auxiliary transition relations. The symmetric versions of rules a_6 – a_8 have been omitted.

In the case of item (II), we would have $c = x_d \cdot u$, and since $\sigma(x) \xrightarrow{a} b$, we would let $\sigma[x_d \mapsto b](c) = b \cdot \sigma(u)$.

The following lemma formalizes the intuitions above. To avoid conflicts with any possible occurrence of the priority operator, we focus only on transitions labeled with actions that are (locally) maximal with respect to the chosen priority operator $>$. This type of transition will be sufficient for our purposes in the rest of the paper.

Lemma 2. *Let t be a process term, x a variable, σ a substitution and $a \in \mathcal{A}$ be maximal with respect to $>$. Then:*

1. If $t \xrightarrow{x} \mathbb{W}$ and $\sigma(x) \xrightarrow{a} \mathbb{W}$, then $\sigma(t) \xrightarrow{a} \mathbb{W}$.
2. If $t \xrightarrow{x} t'$ and $\sigma(x) \xrightarrow{a} \mathbb{W}$, then $\sigma(t) \xrightarrow{a} \sigma(t')$.
3. If $t \xrightarrow{x_s} c$ and $\sigma(x) \xrightarrow{a} p$ for some process p , then $\sigma(t) \xrightarrow{a} \sigma[x_d \mapsto p](c)$.

We will sometimes need to extend the third case of Lemma 2 to sequences of transitions. The following lemma allows us to do so by proceeding inductively.

Lemma 3. *Let σ be a closed substitution. If $t \xrightarrow{x_s} c$ and $\sigma(x) \xrightarrow{n} p$ is such that all actions taken along the transitions from $\sigma(x)$ to p are maximal with respect to $>$, then $\sigma(t) \xrightarrow{n} \sigma[x_d \mapsto p](c)$.*

3.2 ... and back again

So far we have provided a way to derive the initial behaviour of a term from the open transitions available for it, in particular when determined by variables. Our aim is now to obtain a converse result: knowing that $\sigma(t) \xrightarrow{a} p$, we want to derive its possible sources in the behaviour of t and of the closed instances of the variables occurring in t .

Firstly, we remark that, since before we were working with process terms, no occurrence of a priority operator due to substitutions could have been foreseen. Therefore, to avoid conflicts, we have limited our attention to actions that were (locally) maximal with respect to the considered priority order. However, we now start from $\sigma(t)$ and therefore we can properly relate the behaviour of variables to their potential occurrence

in the scope of a priority operator. To this end, we introduce an extended version of the relation \triangleleft_l from [3], relating a variable x and a term t with respect to the natural number $l \in \mathbb{N}$, notation $x \triangleleft_l t$, if x occurs *unguarded* in t in the scope of l -nested applications of the priority operator.

Definition 3 (Relation \triangleleft_l). *The relations \triangleleft_l , for $l \in \mathbb{N}$, between variables and terms are defined as the least relations satisfying the following constraints:*

1. $x \triangleleft_0 x$;
2. if $x \triangleleft_l t$ then $x \triangleleft_l t + u$ and $x \triangleleft_l u + t$;
3. if $x \triangleleft_l t$ then $x \triangleleft_l t \cdot t'$;
4. if $x \triangleleft_l t$ then $x \triangleleft_{l+1} \Theta(t)$.

If $x \triangleleft_l t$, for some $l \in \mathbb{N}$, we shall say that x is enabled in t .

As stated by the following lemma, there is a close relation between x being enabled in t and the auxiliary transition $t \xrightarrow{x_s} c$. We write $t = t_1 \odot t_2$ to mean that either $t = t_1$ or $t = t_1 \cdot t_2$, i.e., t_1 may possibly be sequentially followed by t_2 .

Lemma 4. *Assume a variable x , a term t and a natural number $l \in \mathbb{N}$. Then, $x \triangleleft_l t$ if and only if $t \xrightarrow{x_s} \odot^l(x_d)$ where $\odot^l(x_d)$ is a configuration of the form*

$$\odot^l(x_d) = \underbrace{\Theta(\cdots \Theta(x_d \odot t_{l+1}) \odot t_l) \cdots}_{l \text{ times}} \odot t_1.$$

The notation $\odot^l(x_d)$ abstracts away from the trailing t_{l+1}, \dots, t_1 . This choice is due to mere simplification purposes and does not impact the technical development of our results. In fact, the behaviour of the terms t_{l+1}, \dots, t_1 and their closed instances will never play a role in such results, as only the behavioural properties of closed instances of x_d will be of interest. We remark also that $\odot^0(x_d)$ denotes a configuration containing an occurrence of x_d which does not occur in the scope of a priority operator.

We are now ready to derive the behaviour of the term t and that of the closed instances of the variables occurring in t , from the transitions enabled for $\sigma(t)$.

Proposition 1. *Let t be a process term, σ a closed substitution, a an action and p a process. Then:*

1. If $\sigma(t) \xrightarrow{a} \not\Downarrow$ then
 - (a) either $t \xrightarrow{a} \not\Downarrow$;
 - (b) or there is a variable x such that $t \xrightarrow{x} \not\Downarrow$ and $\sigma(x) \xrightarrow{a} \not\Downarrow$.
2. If $\sigma(t) \xrightarrow{a} p$ then one of the following applies:
 - (a) there is a process term t' such that $t \xrightarrow{a} t'$ and $\sigma(t') = p$;
 - (b) there is a process term t' and a variable x such that $t \xrightarrow{x} t'$, $\sigma(x) \xrightarrow{a} \not\Downarrow$ and $\sigma(t') = p$;
 - (c) there is a variable x , a natural number $l \in \mathbb{N}$, and a process q such that $t \xrightarrow{x_s} \odot^l(x_d)$, $\sigma(x) \xrightarrow{a} q$ and $\odot^l(q) = p$.

Assume a process term t and suppose that $\text{depth}(t) = k$ for some $k \in \mathbb{N}$. Clearly, given any closed substitution σ we will have that $\text{depth}(\sigma(t)) = n$ for some $n \geq k$. In particular, whenever n is *strictly* greater than k we can infer that at least one variable occurring in t has been mapped into a process defined via the sequential composition operator. To conclude this section, we extend Proposition 1 to sequences of transitions of an arbitrary length.

To this end, we introduce the following notation: let $w \in (\mathcal{A} \cup \mathcal{V})^*$ be a string $w = \alpha_1 \dots \alpha_h$ in which each α_i can be either an action or a variable. Then, given a substitution σ , we write $t \xrightarrow{s_1 \dots s_h}_{>, w} t'$ if there are process terms t_0, \dots, t_h such that $t = t_0$, $t' = t_h$, and, for all $i \in \{1, \dots, h\}$,

- $s_i \in \mathcal{A}^*$;
- if $\alpha_i \in \mathcal{V}$, then $t_{i-1} \xrightarrow{s_i}_{>} t_i$ and $\sigma(\alpha_i) \xrightarrow{s_i}_{>} \mathbb{W}$;
- if $\alpha_i \in \mathcal{A}$, then $s_i = \alpha_i$ and $t_{i-1} \xrightarrow{\alpha_i}_{>} t_i$.

Finally, we write $|s_1 \dots s_h|$ for the *length* of $s_1 \dots s_h$.

Proposition 2. *Let t be a process term, σ a closed substitution, $n \in \mathbb{N}$ and p a process. If $\sigma(t) \rightarrow_{>}^n p$ then:*

1. *there exist a process term t' and a string $w \in (\mathcal{A} \cup \mathcal{V})^*$ and $s_1 \dots s_h \in \mathcal{A}^*$ such that $t \xrightarrow{s_1 \dots s_h}_{>, w} t'$, $\sigma(t') = p$ and $|s_1 \dots s_h| = n$;*
2. *or $t \xrightarrow{s_1 \dots s_h}_{>, w} t'$ for some $w \in (\mathcal{A} \cup \mathcal{V})^*$ and $s_1 \dots s_h$ such that $|s_1 \dots s_h| = k < n$, and there are a variable x , a natural number $l \in \mathbb{N}$ and a process q , such that $t' \xrightarrow{x_s}_{>} \odot^l(x_d)$, $\sigma(x) \rightarrow_{>}^{n-k} q$ and $\odot^l(q) = p$.*

The following result allows us to establish whether the behaviour of two bisimilar process terms is determined by the same variable. Moreover, it guarantees that such a variable is enabled in one term if and only if it is enabled in the other one.

Theorem 1. *Assume that \mathcal{A} contains at least two actions, a and b . Let x be a variable. Consider two process terms t and u such that $\mathcal{A}^*(t) \subseteq \{a\}$ and $t \xleftrightarrow{*} u$. Whenever there is $t' \xrightarrow{k} t$, for some $k \in \mathbb{N}$, and $x \triangleleft_l t'$, for some $l \in \mathbb{N}$, then there is u' such that $u \xrightarrow{k} u'$ and $x \triangleleft_m u'$ for some $m \in \mathbb{N}$. Moreover, $l = 0$ if and only if $m = 0$.*

4 Determinate processes

As outlined in Section 2, $\xleftrightarrow{*}$ cannot be defined coinductively, contrary to the other bisimulation relations. However, in this section we identify a class of processes for which the coinductive reasoning on $\xleftrightarrow{*}$ can be at least partially recovered, and which will be useful later on. Henceforth, whenever $>$ is the empty order, we simply omit the subscript, i.e., $\rightarrow_{>}$, $\xleftrightarrow{*}_{>}$ and $\mathcal{A}_{>}(\cdot)$ become, respectively, \rightarrow , $\xleftrightarrow{*}$ and $\mathcal{A}(\cdot)$.

Definition 4 (Determinate process). *Let p be a process. We say that p is uniformly determinate if $|\mathcal{A}(p)| = 1$, and for all processes p_1 and p_2 such that $p \rightarrow p_1$ and $p \rightarrow p_2$, we have $\text{norm}(p_1) = \text{norm}(p_2) = 1$ and $p_1 \xleftrightarrow{*} p_2$. Then, for each $k \in \mathbb{N}$, we say that p is uniformly k -determinate if whenever $p \rightarrow^k p'$ then p' is uniformly determinate.*

Thus, a process is uniformly k -determinate if whenever it takes k steps, it ends up in a process that only has one available action, and in which all immediate successors have norm 1 and are order-insensitive bisimilar. This notion of uniformly k -determinacy is preserved by order-insensitive bisimilarity.

Lemma 5. *If $p \xleftrightarrow{*} q$ and p is uniformly k -determinate for all $1 \leq k < \text{depth}(p)$, then so is q .*

The next Proposition shows that if p and q are order-insensitive bisimilar as well as uniformly k -determinate for all k less than some n , then every sequence of n transitions that p can do can be matched by q such that p and q end up in processes that are again order-insensitive bisimilar.

Proposition 3. *Let p and q be two processes such that $p \xleftrightarrow{*} q$ and there is an $n \in \mathbb{N}$ such that p and q are uniformly k -determinate for all $k < n$. Suppose that $p \rightarrow^n p'$ for some p' . Then there is a process q' such that $q \rightarrow^n q'$ and $p' \xleftrightarrow{*} q'$.*

5 Order-insensitive bisimilarity is not finitely based over BPA_Θ

This section is devoted to our main result, namely that order-insensitive bisimilarity has no finite, ground-complete axiomatization in the setting of BPA_Θ . Our proof strategy will be the following:

1. We define the property of *uniform Θ - n -dependency*: a process has this property if, through a sequence of n transitions among processes of norm 1, it can reach a process which is Θ -dependent in the sense of [3], namely its set of initial actions varies with the considered priority order.
2. We prove that by choosing n large enough, given a process p which is uniformly Θ - n -dependent and a finite set of axioms E , if $E \vdash p \approx q$, then q must be uniformly Θ - n -dependent.
3. We provide an infinite family of sound equations in which one side is uniformly Θ - n -dependent, but the other one is not. In light of item 2, this means that such a family of equations cannot be derived by a finite set of axioms and it must be included in the axiomatization, which is therefore infinite.

We actually start by defining the family of equations. To this end, we make use of the following processes, which are defined for each $n \in \mathbb{N}$ as

$$P_n = A_n(a) + A_n(b) + A_n(a + b),$$

where $A_0(p) = p$ and $A_n(p) = a \cdot A_{n-1}(p) + a$. Intuitively, the process P_n must at the top level decide whether it will end up in a , b , or $a + b$ after n steps. After making this choice, it can take up to n a -transitions, and at each step it can choose whether to terminate or to continue. The possibility of termination at each step is crucial, since it means that the process cannot be written just with sequential composition modulo bisimilarity.

The family of equations that we consider is then

$$\{P_n + A_n(\Theta(a + b)) \approx P_n \mid n \in \mathbb{N}\}. \quad (1)$$

Proposition 4. *For every $n \in \mathbb{N}$, the equation $P_n + A_n(\Theta(a + b)) \approx P_n$ is sound.*

Next we formalize the uniform Θ - n -dependency property. As previously outlined, this is based on the notion of Θ -dependent process from [3].

Definition 5 (Θ -dependent process, [3]). *A process p is Θ -dependent if there exist priority orders $>_1$ and $>_2$ such that $\mathcal{A}_{>_1}(p) \neq \mathcal{A}_{>_2}(p)$.*

Intuitively, a process is Θ -dependent if its possible behaviour depends on the choice of priority order. For example, $\Theta(a + b)$ is Θ -dependent, since we can find a priority order that only allows it to make a a -transition, and another priority order that only allows it to make a b -transition. On the other hand, $\Theta(a)$ is not Θ -dependent, since no matter what priority order we choose, it can only do a a -transition.

Uniform Θ - n -dependency is an extension of Θ -dependency from [3], in that it requires first that it is possible to take a sequence of n transitions and end up in a process that is Θ -dependent, and furthermore it mandates that at each step along the way, the process has a norm of 1.

Definition 6. *A process p is uniformly Θ - n -dependent if there are processes p_1, \dots, p_n such that $p = p_0 \rightarrow p_1 \rightarrow \dots \rightarrow p_n$, the process p_n is Θ -dependent, and for all $0 \leq k < n$ we have $\text{norm}(p_k) = 1$.*

We remark that the processes on the right-hand side of equations in (1) do not enjoy this property, whereas those on the left-hand side are uniformly Θ - n -dependent. In detail, for all $n \in \mathbb{N}$, by construction there is no occurrence of Θ in P_n nor in its derivatives, so that P_n cannot have any Θ -dependent successor. On the other hand, we have $P_n + A_n(\Theta(a + b)) \xrightarrow{a} A_{n-1}(\Theta(a + b)) \xrightarrow{a} \dots \xrightarrow{a} A_0(\Theta(a + b)) = \Theta(a + b)$ with $\Theta(a + b)$ a Θ -dependent process and, by construction, for each $i = 1, \dots, n$ the process $A_i(\Theta(a + b))$ has norm 1.

The following proposition tells us that Θ - n -dependency is preserved by closed instantiations of sound equations whose depth is smaller than n and that satisfy some determinacy constraints.

Proposition 5. *Let σ be a closed substitution and let t and u be process terms such that $t \xleftrightarrow{*} u$ and $\mathcal{A}^*(t) = \{a\}$. Assume a natural number $n \in \mathbb{N}$ such that $n > \max\{\text{depth}(t), \text{depth}(u)\}$ and $\sigma(t)$ is uniformly k -determinate for all $1 \leq k \leq n-1$. If $\sigma(t)$ is uniformly Θ - n -dependent, then so is $\sigma(u)$.*

The final ingredient that we need for our main result is a way of relating arbitrary processes to the processes of the form P_n .

Definition 7 (Summand, [3]). *We say that p is a summand of q , denoted by $p \sqsubseteq_* q$, if there exists a process r such that $p + r \xleftrightarrow{*} q$.*

The point of this definition is that any process p such that $p \sqsubseteq_* P_n$ must be of a specific form that inherits many of the features of P_n . In particular, such a process must be k -determinate for all k less than n .

Lemma 6. *Let p be a process and assume $p \sqsubseteq_* P_n$ for some $n \in \mathbb{N}$. Then p is uniformly k -determinate for all $1 \leq k < n$.*

We now arrive at our main theorem, which states that for n large enough, if p and q are summands of P_n , that can be proved equivalent from a finite set of sound equations, and p is Θ - n -dependent, then q must also be Θ - n -dependent.

Theorem 2. *Assume that \mathcal{A} contains at least two actions. Let E be a set of sound process equations of depth less than n , and let p and q be closed processes such that $p, q \sqsubseteq_* P_n$ and $E \vdash p \approx q$. If p is uniformly Θ - n -dependent, then q is also uniformly Θ - n -dependent.*

As the left-hand side of the equations in (1) is Θ - n -dependent while the right-hand side is not, we can directly conclude that for each n , the n th instance of the family of equations in (1) cannot be proved using the finite collection of all sound equations whose depth is smaller than n .

Corollary 1. *If \mathcal{A} has at least two actions, then there is no finite set of sound equations E such that all sound process equations can be derived from E .*

6 Conclusions

In this work we have studied the finite axiomatizability of the equational theory of order-insensitive bisimilarity over the language BPA enriched with the priority operator Θ . As previous similar work suggested, also in this setting, the collection of sound, closed equations is not finitely based in the presence of at least two actions, despite the fact that the sequential composition operator allows one to write more complex axioms than action prefixing. We proved this negative result using an infinite family of closed equations suggested in [3] and showing that no set of sound equations of bounded depth can derive them all.

Finding an infinite (ground-)complete axiomatization of order-insensitive bisimilarity is an interesting avenue for future research. We also plan to study whether one can give a finite basis for the equational theory of order-insensitive bisimilarity using auxiliary operators, as has been done for bisimilarity for a variety of process algebras in the past [1, 5, 8]. In that study, we would be interested in developing a *minimal* set of auxiliary operators and in investigating their expressiveness.

Finally, we would like to investigate some algorithms, and their complexity, for checking order-insensitive bisimilarity of (loop-free) finite labelled transition systems. It is known that bisimilarity over such systems is P -complete [6], and, moreover, using the Paige-Tarjan algorithm [17] each $\leftrightarrow_{>}$ can be checked in $O(m \log n)$, where m is the number of transitions and n is the number of states. A naive algorithm for \leftrightarrow_* would then check $\leftrightarrow_{>}$ for all the possible partial orders $>$ over \mathcal{A} . Assuming that $|\mathcal{A}| = k$, there are $2^{k^2/4 + 3k/4 + O(\log k)}$ possible partial orders (see [14] for the result on the number of posets over sets with k elements). Clearly, from these results we can obtain an upper bound on the complexity of \leftrightarrow_* . It would be then interesting to look for the lower bounds on the complexity of deciding order-insensitive bisimilarity and for heuristics that might lead to algorithms that improve on the naive one, as for some orders $>_1, >_2$ the computations made to check $\leftrightarrow_{>_1}$ could be partially re-used to check $\leftrightarrow_{>_2}$.

References

1. Aceto, L., Bloom, B., Vaandrager, F.W.: Turning SOS rules into equations. *Information and Computation* **111**(1), 1–52 (1994). <https://doi.org/10.1006/inco.1994.1040>
2. Aceto, L., Chen, T., Fokkink, W., Ingólfssdóttir, A.: On the axiomatizability of priority. In: *Proceedings of ICALP 2006*, (2). *Lecture Notes in Computer Science*, vol. 4052, pp. 480–491 (2006). https://doi.org/10.1007/11787006_41
3. Aceto, L., Chen, T., Ingólfssdóttir, A., Luttik, B., van de Pol, J.: On the axiomatizability of priority II. *Theoretical Computer Science* **412**(28), 3035–3044 (2011). <https://doi.org/10.1016/j.tcs.2011.02.033>
4. Aceto, L., Fokkink, W., Ingólfssdóttir, A., Nain, S.: Bisimilarity is not finitely based over BPA with interrupt. *Theoretical Computer Science* **366**(1-2), 60–81 (2006). <https://doi.org/10.1016/j.tcs.2006.07.003>
5. Baeten, J.C., Bergstra, J.A., Klop, J.W.: Syntax and defining equations for an interrupt mechanism in process algebra. *Fundamenta Informaticae* **IX**(2), 127–168 (1986)
6. Balcázar, J.L., Gabarró, J., Santha, M.: Deciding bisimilarity is P-complete. *Formal Aspects of Computing* **4**(6A), 638–648 (1992)
7. Bergstra, J.: Put and get, primitives for synchronous unreliable message passing. *Logic Group Preprint Series Nr. 3*, CIF, State University of Utrecht (1985)
8. Bergstra, J.A., Klop, J.W.: Process algebra for synchronous communication. *Information and Control* **60**(1-3), 109–137 (1984). [https://doi.org/10.1016/S0019-9958\(84\)80025-X](https://doi.org/10.1016/S0019-9958(84)80025-X)
9. Bloom, B., Istrail, S., Meyer, A.R.: Bisimulation can't be traced. *Journal of ACM* **42**(1), 232–268 (1995)
10. Cleaveland, R., Lüttgen, G., Natarajan, V.: Chapter 12 - priority in process algebra. In: Bergstra, J., Ponse, A., Smolka, S. (eds.) *Handbook of Process Algebra*, pp. 711 – 765. Elsevier Science, Amsterdam (2001). <https://doi.org/https://doi.org/10.1016/B978-044482830-9/50030-8>
11. van Glabbeek, R.J.: The meaning of negative premises in transition system specifications II. In: *Proceedings of ICALP'96*. pp. 502–513. *Lecture Notes in Computer Science* (1996). https://doi.org/10.1007/3-540-61440-0_154
12. Hoare, C.A.R.: Communicating sequential processes. *Communications of ACM* **21**(8), 666–677 (1978). <https://doi.org/10.1145/359576.359585>
13. Hoare, C.A.R.: *Communicating Sequential Processes*. Prentice-Hall (1985)
14. Kleitman, D.J., Rothschild, B.L.: Asymptotic enumeration of partial orders on a finite set. *Transaction of American Mathematical Society* **205**, 205–220 (1975). <https://doi.org/10.2307/1997200>
15. Milner, R.: *A Calculus of Communicating Systems*, *Lecture Notes in Computer Science*, vol. 92 (1980). <https://doi.org/10.1007/3-540-10235-3>
16. Milner, R.: *Communication and concurrency*. PHI Series in computer science, Prentice Hall (1989)
17. Paige, R., Tarjan, R.E.: Three partition refinement algorithms. *SIAM J. Comput.* **16**(6), 973–989 (1987). <https://doi.org/10.1137/0216062>
18. Plotkin, G.D.: *A structural approach to operational semantics*. Report DAIMI FN-19, Aarhus University (1981)
19. Vrancken, J.L.M.: The algebra of communicating processes with empty process. *Theoretical Computer Science* **177**(2), 287–328 (1997). [https://doi.org/10.1016/S0304-3975\(96\)00250-2](https://doi.org/10.1016/S0304-3975(96)00250-2)