

Los cuidados para la herida después de una biopsia o cirugía

En Dermatología

Las puntadas se deben quitar en _____ días, llame a:

- Dermatología El pediatra de cabecera

Cuidados en casa para la herida

- Deje el apósito aproximadamente por 24 horas. Manténgalo limpio y seco. Si el vendaje se empapa de sangre lo puede cambiar.
- Si nota que sangra un poco, póngale un apósito nuevo o un paño limpio y aplique presión firme por 10 a 15 minutos. Si sangra mucho o no para, llame a la línea principal del hospital, al 206-987-2000 y pida hablar con el dermatólogo de guardia.
- Después de quitarle las vendas, limpie cuidadosamente con agua y jabón. Su hijo debe evitar meterse en el agua o sumergirse en la tina, mientras tenga las puntadas o hasta que la herida haya cicatrizado.
- Si tiene Steri-Strips (pequeños trozos de adhesivo utilizado para mantener la herida cerrada) no se las quite. Se despegan solas.
- Aplique una pequeña cantidad de ungüento antibiótico (bacitracin o Polysporin) o simplemente Vaselina en la herida dos veces al día. Luego cubra con un curita u otro tipo de vendaje limpio. Repita 2 veces al día hasta que le quiten las puntadas.
- Si su hijo tiene algún dolor o malestar después de que pase el efecto de la anestesia local, le puede dar acetaminofeno (Tylenol) de acuerdo con las instrucciones que vienen en el envase. Use esta medicina solamente si fue recomendada por el proveedor de atención médica. Siempre consulte con el proveedor de atención médica antes de darle cualquier tipo de medicina a su niño. No debe tomar aspirina ni ibuprofeno (Motrin, Advil) ya que puede aumentar el riesgo de sangrado.
- Si la herida está inflamada, sensible, enrojecida o supura pus puede ser señal de infección. Si piensa que la herida puede estar infectada, llame a Dermatología, donde vieron a su niño, en horario de atención al público. De noche y fin de semana, llame al 206-987-2000 y pídale a la operadora hablar con el dermatólogo de guardia.

Actividad física: su hijo no debe hacer deportes, clase de gimnasia, juegos bruscos ni meterse en el agua por lo menos hasta que le quiten las puntadas

Más información

- Dermatología en Seattle y en Bellevue 206-987-2158
- Everett 206-783-6200
- Federal Way 253-838-5878
- Consulte con el proveedor de atención médica de su hijo
- seattlechildrens.org

Servicio gratuito de interpretación

- En el hospital solicítelo con la enfermera.
- Fuera del hospital llame a la línea gratuita de interpretación: 1-866-583-1527. Dígame al intérprete el nombre de la persona o la extensión que necesita.



Infección: preste atención a los signos y señales de infección. Si la herida está inflamada, sensible, enrojecida o supura pus puede estar infectada. En ese caso, llame a Dermatología, donde vieron a su niño, en horario de atención al público. De noche y fin de semana, llame al 206-987-2000 y pida hablar con el dermatólogo de guardia.

¿Cuándo tendremos resultados?

El médico de su hijo ha enviado la biopsia de piel al laboratorio. Los resultados deben estar listos en, aproximadamente, 2 semanas. Le llamaremos para darle los resultados o hablaremos con usted en la próxima cita.

Caring for a Wound from a Biopsy or Surgery In the Dermatology Clinic

Your child's stitches should be taken out in _____ days. To have stitches taken out, call:

- Dermatology Clinic Your child's primary care

How to care for your child's wound at home

- Keep the dressing on for about 24 hours. Keep it clean and dry. If the bandage becomes soaked with blood, it is OK to change it.
- If you notice a small amount of bleeding, put a clean dressing or cloth over the area and apply firm pressure for 10 to 15 minutes. If the bleeding becomes heavier or does not stop, call the hospital main line at 206-987-2000 and ask the operator to page the dermatologist on call.
- After you take off the bandages, gently clean the area with soapy water. Your child should avoid swimming or soaking the area in a bathtub while the stitches are in place or until the wound has healed.
- If Steri-Strips (small pieces of adhesive used to help keep the wound closed) have been placed on the site, do not take them off. They will fall off on their own.
- Put a small amount of antibiotic ointment (like Bacitracin or Polypsorin) or plain petroleum jelly (like Vaseline) on the wound 2 times each day. Then cover the site with a Band-Aid or other clean bandage. Do this 2 times each day until the stitches are taken out.
- If your child has any pain or discomfort after the local anesthetic wears off, it is OK to give acetaminophen (Tylenol). Use this medicine only if recommended by your child's healthcare provider. Check with the healthcare provider first before giving any type of medicine to your child. Follow the instructions on the package about how much to give. Avoid aspirin or ibuprofen (like Motrin or Advil), since these can increase the risk of bleeding.

Activity: Your child should not take part in sports, gym, rough play or swimming at least until their stitches are taken out.

Infection: Watch for signs of infection, such as if the wound is swollen, tender, red or draining pus. If you think that the wound may be infected, call the Dermatology clinic where your child was seen during business hours. During evenings and weekends, call 206-987-2000 and ask the operator to page the dermatologist on call.

When do I get the Results?

Your child's provider has sent the skin biopsy to the laboratory. The results should be ready within about 2 weeks. We will call you with the results or talk with you about them at your child's next appointment.

To Learn More

- Dermatology Seattle and Bellevue
206-987-2158
- Everett 206-783-6200
- Federal Way 253-838-5878
- Ask your child's healthcare provider
- seattlechildrens.org

Free Interpreter Services

- In the hospital, ask your nurse.
- From outside the hospital, call the toll-free Family Interpreting Line, 1-866-583-1527. Tell the interpreter the name or extension you need.



Seattle Children's[®]
HOSPITAL • RESEARCH • FOUNDATION

Seattle Children's offers interpreter services for Deaf, hard of hearing or non-English speaking patients, family members and legal representatives free of charge. Seattle Children's will make this information available in alternate formats upon request. Call the Family Resource Center at 206-987-2201. This handout has been reviewed by clinical staff at Seattle Children's. However, your child's needs are unique. Before you act or rely upon this information, please talk with your child's healthcare provider.

© 2021 Seattle Children's, Seattle, Washington. All rights reserved.

10/21
PE1271