

Догляд за раною після біопсії або хірургічного втручання у дерматологічній клініці

Шви Вашої дитини повинні бути видалені через _____ днів. Щоб видалити шви, зателефонуйте:

- Дерматологіч на клініка Основна медична допомога Вашої дитини

Як доглядати за раною Вашої дитини вдома

- Тримайте пов'язку приблизно 24 години. Тримайте її чистою та сухою. Якщо пов'язка просочилася кров'ю, її можна змінити.
- Якщо Ви помітили невелику кровотечу, надягніть чисту пов'язку або тканину на цю ділянку та щільно притискайте її протягом 10-15 хвилин. Якщо кровотеча посилюється або не припиняється, зателефонуйте на головну лінію лікарні за номером 206-987-2000 і попросіть оператора передзвонити черговому дерматологу.
- Знявши пов'язки, обережно промийте ділянку мильною водою. Вашій дитині слід уникати плавання або замочування ділянки у ванні, поки шви на місці або поки рана не загоїться.
- Якщо на місці операції були використані Steri-Strips (невеликі шматочки пластиру, які використовуються для закриття рани), не видаляйте їх. Вони відпадуть самі по собі.
- Наносьте невелику кількість антибіотичної мазі (наприклад, Bacitracin або Polypсорin) або звичайного нафтового желе (наприклад, вазеліну) на рану 2 рази на день. Потім накрийте місце лейкопластиром або іншою чистою пов'язкою. Робіть це 2 рази щодня до тих пір, поки не знімуться шви.
- Якщо у Вашої дитини виникне будь-який біль або дискомфорт після того, як місцевий анестетик припинить діяти, можна дати ацетамінофен (Tylenol). Застосовуйте цей лікарський препарат лише за рекомендацією лікаря Вашої дитини. Перш ніж давати будь-який препарат Вашій дитині, спочатку проконсультуйтеся з лікарем. Дотримуйтеся інструкцій на упаковці щодо дози, яку потрібно дати. Уникайте застосування аспірину або ібупрофену (наприклад, таких препаратів, як Motrin або Advil), оскільки вони можуть підвищувати ризик кровотечі.

Фізична активність: Ваша дитина не повинна займатися спортом чи в тренажерному залі, гратися в контактні ігри або плавати, доки їй не знімуть шви.

Інфекція: слідкуйте за ознаками інфекції, наприклад такими, як набряк, болючість, почервоніння рани чи виділення гною. Якщо Ви вважаєте, що рана може бути інфікована, зателефонуйте до дерматолога клініки, де Ваша дитина спостерігалася в робочий час. Увечері та у вихідні дзвоніть за номером 206-987-2000 і попросіть оператора викликати дерматолога.

Коли я отримаю результати?

Лікар Вашої дитини надіслав біопсію шкіри у лабораторію. Результати повинні бути готові протягом приблизно 2 тижнів. Ми зателефонуємо Вам і повідомимо результати або обговоримо їх під час наступного прийому Вашої дитини.

Дізнатися більше

- Дерматологія Seattle і Bellevue 206-987-2158
- Everett 206-783-6200
- Federal Way 253-838-5878
- Запитайте лікаря Вашої дитини
- seattlechildrens.org

Безкоштовні послуги перекладача

- Запитайте Вашу медсестру в лікарні.
- Перебуваючи за межами лікарні, зателефонуйте на безкоштовну лінію сімейного перекладу за номером: 1-866-583-1527. Повідомте перекладачу ім'я та прізвище або додатковий номер, який Вам потрібен.



Seattle Children's[®]
HOSPITAL • RESEARCH • FOUNDATION

Лікарня Seattle Children's безкоштовно пропонує послуги перекладача для глухих пацієнтів, пацієнтів з вадами слуху або пацієнтів, які не розмовляють англійською, а також для членів їхніх сімей і законних представників. Лікарня Seattle Children's надасть цю інформацію в альтернативних форматах на запит. Зателефонуйте до Family Resource Center (Сімейний інформаційний центр) за телефоном: 206-987-2201. Цей роздатковий матеріал був перевірений клінічним персоналом лікарні Seattle Children's. Однак потреби Вашої дитини є унікальними. Перш ніж діяти або покладатися на цю інформацію, проконсультуйтеся з лікарем Вашої дитини.

© 2021 Seattle Children's, Seattle, Washington. Усі права застережено.

Навчання для пацієнтів і сім'ї | Дерматологія

10/21
PE1271

Caring for a Wound from a Biopsy or Surgery In the Dermatology Clinic

Your child's stitches should be taken out in _____ days. To have stitches taken out, call:

- Dermatology Clinic Your child's primary care

How to care for your child's wound at home

- Keep the dressing on for about 24 hours. Keep it clean and dry. If the bandage becomes soaked with blood, it is OK to change it.
- If you notice a small amount of bleeding, put a clean dressing or cloth over the area and apply firm pressure for 10 to 15 minutes. If the bleeding becomes heavier or does not stop, call the hospital main line at 206-987-2000 and ask the operator to page the dermatologist on call.
- After you take off the bandages, gently clean the area with soapy water. Your child should avoid swimming or soaking the area in a bathtub while the stitches are in place or until the wound has healed.
- If Steri-Strips (small pieces of adhesive used to help keep the wound closed) have been placed on the site, do not take them off. They will fall off on their own.
- Put a small amount of antibiotic ointment (like Bacitracin or Polypsorin) or plain petroleum jelly (like Vaseline) on the wound 2 times each day. Then cover the site with a Band-Aid or other clean bandage. Do this 2 times each day until the stitches are taken out.
- If your child has any pain or discomfort after the local anesthetic wears off, it is OK to give acetaminophen (Tylenol). Use this medicine only if recommended by your child's healthcare provider. Check with the healthcare provider first before giving any type of medicine to your child. Follow the instructions on the package about how much to give. Avoid aspirin or ibuprofen (like Motrin or Advil), since these can increase the risk of bleeding.

Activity: Your child should not take part in sports, gym, rough play or swimming at least until their stitches are taken out.

Infection: Watch for signs of infection, such as if the wound is swollen, tender, red or draining pus. If you think that the wound may be infected, call the Dermatology clinic where your child was seen during business hours. During evenings and weekends, call 206-987-2000 and ask the operator to page the dermatologist on call.

When do I get the Results?

Your child's provider has sent the skin biopsy to the laboratory. The results should be ready within about 2 weeks. We will call you with the results or talk with you about them at your child's next appointment.

To Learn More

- Dermatology Seattle and Bellevue
206-987-2158
- Everett 206-783-6200
- Federal Way 253-838-5878
- Ask your child's healthcare provider
- seattlechildrens.org

Free Interpreter Services

- In the hospital, ask your nurse.
- From outside the hospital, call the toll-free Family Interpreting Line, 1-866-583-1527. Tell the interpreter the name or extension you need.



Seattle Children's[®]
HOSPITAL • RESEARCH • FOUNDATION

Seattle Children's offers interpreter services for Deaf, hard of hearing or non-English speaking patients, family members and legal representatives free of charge. Seattle Children's will make this information available in alternate formats upon request. Call the Family Resource Center at 206-987-2201. This handout has been reviewed by clinical staff at Seattle Children's. However, your child's needs are unique. Before you act or rely upon this information, please talk with your child's healthcare provider.

© 2021 Seattle Children's, Seattle, Washington. All rights reserved.

10/21
PE1271