የግርዛት ፎቶ መመሪያ:-
ከቀዶ ጥገና በኋላ ምን ይጠበቃል

ልጅዎ የግርዛት ቀዶ ጥገና ካደረገ በኋላ ምን እንጠብቅ

እነዚህ ፎቶዎች ከግርዛት ቀዶ ጥገና በኋላ የተለመዱ የመዳን ምሳሌዎችን ያሳያሉ። ከልጅዎ ቀዶ ጥገና በኋላ ምን እንደሚጠበቅዎ እንዲገነዘቡ ለማገዝ እንደ መመሪያ ሊጠቀሙባቸው ይችላሉ። እያንዳንዱ ልጅ እና እያንዳንዱ ቀዶ ጥገና ልዩ የሆነ ነው። በተለያዩ የቆዳ ደረጃዎች ላይ የህብረ ህዋስ መፈወስ የተለያየ ሆኖ ሊታይ ይችላል። ጥያቄዎች ካለዎት የልጅዎን የጤና እንክብካቤ አቅራቢ ያነጋግሩ።

ምሳሌ 1

ይህ የወንድ ብልት እንደተጠበቀው እየዳነ ይገኛል። እብጠቱ ከሌላኛው ጎን ይልቅ በ1ኛው ጎን የበለጠ እንደሆነ ይመልከቱ። የወንድ ብልቱ በአንዳንድ ክፍሎች ትልቅ ሆኖ ሊታይ ይችላል (ያልተመጣጠነ እብጠት)። ይህ የወንድ ብልቱ እስኪሻለው ድረስ ወደ 1 ጎን እንዲሆን ሊያደርገው ይችላል። ነጭ / ቢጫ አካባቢው መግል አይደለም። እሱ የቆዳ ዘይቶች እና የቆዳ ሕዋሳት ስብስብ ነው። ይህ የተለመደው የመዳን ሂደት አካል ነው።

ምሳሌ 2

ይህ የወንድ ብልት እንዲሁ እንደተጠበቀው እየዳነ ነው። በወንድ ብልቱ አናት (the glans) ውጪው ላይ አነስተኛ የሆነ እብጠት ነገር ግን የበለጠ የዳነ ህብረህዋስ አለ። አዲስ የቆዳ ንብርብሮቹ እያደጉ ሲመጡ፣ ይህ ቢጫማ ቲሹ በአዳዲስ የቆዳ ንብርብሮች ይሸፈናል። ይህ የተለመደ ነው።

ተጨማሪ ለማወቅ

- ዩሮሎጂ
  206-987-2509
- ጠቅላላ ቀዶ ጥገና
  206-987-0237
- የልጅዎን የህክምና አቅራቢ ይጠይቁ
- seattlechildrens.org

ነጻ የአስተርጓሚ አገልግሎቶች

- በሆስፒታል ውስጥ ከሆነ፣ ነርስዎን ይጠይቁ።
- ከሆስፒታል ውጪ ከሆነ ቦታ፣ ወደ ነፃ የቤተሰብ የትርጉም መስመር ይደውሉ 1-866-583-1527። ለአስተርጓሚዉ የሚፈልጉትን ስም ወይም የውስጥ መስመር ይንገሩ።

Seattle Children's®
HOSPITAL • RESEARCH • FOUNDATION

ምሳሌ 3

ይህ የወንድ ብልት ደረቅ ያለ እና በአነስተኛነት ቀይ የሆነ ነው። ይህ የተለመደ መዳን ነው። ቢጫው ነገር መግል አይደለም። ይህ የቆዳ ዘይት እና የቆዳ ሕዋሳት ስብስብ የወንድ ብልቱ እየዳነ ሲሄድ እየደረቁ መጥተዋል። ይህንን አካባቢ እየዳነ ሲሄድ በፔትሮሊየም ጄሊ (ቫዝሊን) መከላከል ይችላሉ። እንዲሁም በራሱ ጊዜ የሚድን ከጥገና በኋላ ያለ ጠቆር ያለ ቀለም ያለው (ቁስል) አለ። እብጠቱ በዚህ ማዕዘን የበለጠ የሚታይ በመሆን በጊዜ ሂደት እየተሻሻለ ይመጣል።

ምሳሌ 4

በዚህ ምሳሌ ላይ እብጠቱ እየተሻሻለ መጥቷል። ከጥገናው በኋላ ሊሆኑ የሚችሉ አንዳንድ ቁስል አሉ። ይህ መቁሰል በራሱ ጊዜ ይድናል። የቆዳ ቀለሙ የበለጠ መለስ ወዳለ ቀለም መለወጡን ያስተውሉ። ከላይ ባለው ምስል ውስጥ ቢጫ ነገሩን የሚተኩ አዳዲስ ንብርብሮች አሉ።

ማናቸውም ጥያቄዎች ወይ ስጋቶች ቢኖሩኝስ?

ማናቸውም ጥያቄዎች ካለዎት፣ በቀን ወደ ልጅዎ የስፔሻሊቲ ቀዶ ጥገና ክሊኒክ ይደውሉ። ከስራ ሰዓታት በኋላ፣ ወደ 206-987-2000 ይደውሉ እና የልጅዎ ቀዶ ጥገና የትኛው አገልግሎት ላይ እንደሆነ በመመስረት ለጥሪ ጠቅላላ ቀዶ ጥገና ሐኪም ወይም ለጥሪ ዩሮሎጂ ቀዶ ጥገና ሐኪም የሆስፒታል ኦፕሬተሩን ይጠይቁ።

Seattle Children's መስማት ለተሳናቸዉ፣ መስማት ለሚቸገሩ ወይም እንግሊዝኛ ለማይናገሩ ታካሚዎች፣ የቤተሰብ አባላትና የህግ ተወካዮች የማስተርጎም አገልግሎትን በነጻ ይሰጣል። በጥያቄ መሰረት Seattle Children's ይህን መረጃ በአማራጭ ፎርማቶች እንዲገኝ ያደርጋል። ለቤተሰብ ሃብት ማዕከል በ206-987-2201 ላይ ይደዉሉ። ይህ የመረጃ መስጫ ጽሁፍ በSeattle Children's ክሊኒካል ሰራተኞች ተገምግሟል። ነገር ግን፣ የልጅዎ ፍላጎቶች ልዩ ናቸዉ። ወደተግባር ከመግባትዎ ወይም በዚህ መረጃ ላይ ከመደገፍዎ በፊት፣ የልጅዎን የጤና እንክብካቤ አቅራቢ ያነጋግሩ።
© 2024 Seattle Children's, Seattle, Washington. መብቱ በህግ የተጠበቀ ነዉ።

10/21
PE2937

Circumcision Photo Guide:

What to expect after surgery

What to expect after your child has circumcision surgery

These photos show examples of normal healing after circumcision surgery. You can use them as a guide to help you understand what to expect after your child's surgery. Every child and every surgery is unique. Healing tissue may look different on different skin tones. Contact your child's healthcare provider if you have any questions.

Example 1

This penis is healing as expected. Notice the swelling is greater on 1 side than the other. The penis may seem bigger than usual in some parts (uneven swelling). This may make the penis point to 1 side until it gets better. The white / yellow area is not pus. It is a collection of skin oils and skin cells. This is part of the normal healing process.

Example 2

This penis is also healing as expected. There is less swelling but more healing tissue on the surface of the head of the penis (the glans). As the new skin layers develop, this yellowed tissue will shed into new skin layers. This is normal.

To Learn More

- Urology
  206-987-2509
- General Surgery
  206-987-0237
- Ask your child's healthcare provider
- seattlechildrens.org

Free Interpreter Services

- In the hospital, ask your nurse.
- From outside the hospital, call the toll-free Family Interpreting Line, 1-866-583-1527. Tell the interpreter the name or extension you need.

Seattle Children's
HOSPITAL • RESEARCH • FOUNDATION

Example 3

This penis is drier and less red. This is normal healing. The yellow material is not pus. This collection of skin oil and skin cells is drying as the penis heals. You can protect this area with petroleum jelly (Vaseline) as it heals. There is also some darker color (bruising) after surgery which heals on its own. The swelling is more obvious from this angle and will get better with time.

Example 4

The swelling is improving in this example. There is some bruising which can happen after surgery. This bruising will heal on its own. Notice that the skin color is becoming more neutral. There are new skin layers replacing the yellow matter in the picture above.

What if I have any questions or concerns?

If you have any questions, call your child's specialty surgery clinic during the day. After hours, call 206-987-2000 and ask the hospital operator for the on-call general surgeon or on-call urology surgeon depending on which service did your child's surgery.

Seattle Children's offers interpreter services for Deaf, hard of hearing or non-English speaking patients, family members and legal representatives free of charge. Seattle Children's will make this information available in alternate formats upon request. Call the Family Resource Center at 206-987-2201. This handout has been reviewed by clinical staff at Seattle Children's. However, your child's needs are unique. Before you act or rely upon this information, please talk with your child's healthcare provider.

© 2021 Seattle Children's, Seattle, Washington. All rights reserved.

10/21
PE2937