

# Las verrugas

---

## ¿Qué son las verrugas?

Las verrugas con crecimientos inofensivos de la piel causados por un virus. Pueden crecer en cualquier parte del cuerpo de su niño. Su apariencia depende de la parte del cuerpo en que se encuentran. Las verrugas en las plantas de los pies (llamadas verrugas plantares) suelen ser dolorosas al caminar.

Las verrugas son comunes y pueden ser una molestia. Son contagiosas y pueden diseminarse al tocarlas. No sabemos por qué algunas personas tienen verrugas, a otros nunca les salen y no hay manera de prevenirlas.

En los niños, las verrugas a menudo desaparecen solas. Esto es menos común en adolescentes y adultos.

## ¿Cómo se tratan las verrugas?

El tratamiento de las verrugas puede ser difícil y no siempre exitoso. La meta del tratamiento es eliminar la capa externa de la piel donde crecen. A veces, las nuevas verrugas se forman mientras las actuales están desapareciendo. Algunas verrugas son muy persistentes y el tratamiento no hace efecto. Despues de semanas o meses en que las verrugas parecen haber desaparecido pueden aparecer nuevamente.

### Nitrógeno líquido

El nitrógeno líquido es una substancia que se usa para congelarlas y luego fundirlas. Esto puede ser levemente doloroso. Despues del tratamiento la piel de su niño se hinchará, se pondrá roja y le puede salir una ampolla. Puede formarse una costra que se cae en 1 a 3 semanas y la verruga bajo la piel debiera ser más pequeña o desaparecer. A veces la verruga se achica o desaparece sin formar una costra o corteza y en otros casos necesita tratamientos repetidamente.

La mayoría de la veces, el tratamiento con nitrógeno líquido no necesita cuidados especiales. Lave la piel de su niño como de costumbre. Si la ropa por encima del sitio de la verruga le molesta o si tiene una ampolla o una herida, aplíquele un poco de ungüento antibiótico y cúbrala con un curita. Consulte siempre con su proveedor médico antes de arle cualquier tipo de ungüento a su hijo.

## ¿Pueden las verrugas tratarse en el hogar?

Algunos tratamientos para las verrugas en el hogar:

1 de 2

### Más información

- Dermatología  
206-987-2158
- Consulte con el proveedor de atención medica de su niño
- [seattlechildrens.org](http://seattlechildrens.org)

### Servicio gratuito de interpretación

- En el hospital, solicítelo con la enfermera.
- Fuera del hospital, llame a nuestra línea gratuita de interpretación: 1-866-583-1527 y mencionele al intérprete el nombre de la persona o extensión que necesita.



### Ácido salicílico

El ácido salicílico es una medicina para las verrugas que se puede comprar en la farmacia (sin receta médica). Si a su niño se le trató con nitrógeno líquido, debe esperar por lo menos de 5 a 7 días antes de comenzar el tratamiento con ácido salicílico. Consulte siempre con su proveedor médico antes de arle cualquier tipo de medicamento de venta libre a su hijo.

1. Remoje la verruga en agua tibia por 10 a 15 minutos.
2. Use piedra pómex, lima para los pies o una lima suave desechable para uñas para quitar la piel reseca por encima de la verruga. No comparta la lima con otras personas ni le dé otro uso. Cuando la verruga desaparezca tire la lima a la basura.
3. Use medicina para verrugas que contenga 17% de ácido salicílico líquido o gel (Compound W, DuoFilm, Wart-off o los genéricos). Aplique sobre la verruga y deje secar. Evite aplicarlo sobre la piel sana.
4. Cubra la verruga con cinta adhesiva (duct tape) o con la parte adhesiva de una curita antes que su niño se vaya a dormir. Cambie la cinta adhesiva cada noche al acostarse.

Repita estos pasos cada noche hasta que la verruga desaparezca. Puede demorar hasta 3 meses. Algunas medicinas para las verrugas pueden causar enrojecimiento o ampollas en la piel sana. Si esto ocurre, suspenda el tratamiento por 1 o 2 días. Para evitar que esto ocurra y antes de aplicar la medicina, coloque Vaseline en la piel sana alrededor de la verruga.

---

### Otras opciones de tratamiento

También usamos otros tratamientos para las verrugas. Si tiene preguntas, consulte con el grupo de atención médica de su niño. Algunos de los tratamientos los hacemos en la clínica y otros pueden hacerse en el hogar.

- Cubrir la verruga con cinta adhesiva tipo duct tape
  - Imiquimod (Aldara)
  - Ácido escuárico
  - Inyección de levaduras
  - Tratamiento laser
-

# Warts

---

## What are warts?

Warts are harmless skin growths caused by a virus. Warts can grow on any part of your child's body. How they look depends on where they are on the body. Warts on the soles of the feet (called plantar warts) can be painful to walk on.

Warts are common and can be a nuisance. They are contagious and can be spread by touch. We do not know why some people get warts while others never get them. There is no way to prevent warts.

Warts will often go away on their own in young children. It is less common for warts to go away on their own in older children and adults.

---

## How are warts treated?

It can be a challenge to treat warts, and there is no cure that works in all cases. The goal of treatment is to get rid of the outer layer of skin on which the wart grows. Sometimes new warts will form while the current ones are being destroyed. Some warts are very stubborn and will not respond to many treatments. Warts may come back weeks or months after they seemed to go away.

---

## Liquid nitrogen

Liquid nitrogen is a substance used to freeze warts. It can cause mild pain while the wart is being frozen and then thaws. After treatment, your child's skin may become swollen and red, and it may blister. A scab or crust may form that should fall off in 1 to 3 weeks, and the wart underneath should be smaller or gone. Sometimes, the wart will just come off or get smaller without a scab or crust. Warts often need repeat treatments.

Most of the time, no special care is needed after liquid nitrogen treatment. Wash your child's skin as usual. If clothing bothers the treated spot or if the blister breaks and the skin is open, apply a small amount of antibiotic ointment and cover it with a band-aid. Check with your child's healthcare provider first before giving any type of ointment to your child.

---

## Can warts be treated at home?

These are some of the ways warts can be treated at home:

### Salicylic acid

Salicylic acid is a wart medicine you can buy at a drugstore (over-the-counter). If your child's wart was treated with liquid nitrogen, wait at least 5 to 7 days before starting this treatment at home. Check with your child's healthcare provider first before giving any type of over-the-counter medicine to your child.

### To Learn More

- Dermatology  
206-987-2158
- Ask your child's healthcare provider
- [seattlechildrens.org](http://seattlechildrens.org)

### Free Interpreter Services

- In the hospital, ask your nurse.
- From outside the hospital, call the toll-free Family Interpreting Line, 1-866-583-1527. Tell the interpreter the name or extension you need.



Seattle Children's®  
HOSPITAL • RESEARCH • FOUNDATION

1. Soak the wart in warm water for 10 to 15 minutes.
2. Use a pumice stone, foot file or soft, disposable nail file or emery board to file away dead skin on top of the wart. Do not share the file with others or use for any other purpose. Once the wart is gone, throw the file away.
3. Use a wart medicine that contains 17% salicylic acid liquid or gel (such as Compound W, DuoFilm, Wart-off or a generic brand). Apply it to the wart and let it dry. Avoid getting it on the healthy skin.
4. Cover the wart with duct tape or the sticky part of a band-aid before your child goes to bed. Put on a new piece of tape or band-aid every night before bed.

Repeat these steps each night until the wart is gone. This can take up to 3 months. Some wart medicines can cause healthy skin to turn red or blister. If this happens, stop the treatment for 1 to 2 days. You can try putting petroleum jelly (Vaseline) on the healthy skin around the wart before you apply the medicine to keep this from happening.

---

### Other treatment options

These are some of the other treatments that we use to treat warts. Ask your child's healthcare team about them if you have questions. Some of these treatments happen in clinic, while others can happen at home.

- Covering wart with duct tape
  - Imiquimod (Aldara)
  - Squaric acid
  - Injection of yeast
  - Laser treatment
-